



PHILIPPINES  
AERONAUTICAL INFORMATION SERVICES

Administrative Bulletin

Date: 01 MAY 2019

Time: 00:15

Query Type: NOF

Series: C

Format Type: Checklist

NOF: RPLL - CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

YEAR = 2004  
0045 0046 0098

YEAR = 2010  
0059 0174 0251

YEAR = 2011  
0357

YEAR = 2015  
0046

YEAR = 2016  
0746

YEAR = 2017  
0611 0612 0739 0868 0927

YEAR = 2018  
0061 0062 0063 0273 0558 0656 0661 0663 0731 0733 0735 0755 0786  
0787 0788 0805 0832 0834 0836 0845 0847 0849 0851 0854 0890 0925  
0938 0972

YEAR = 2019  
0005 0007 0010 0022 0024 0026 0033 0038 0040 0042 0044 0066 0069  
0074 0075 0084 0092 0093 0098 0102 0106 0107 0108 0112 0113 0114  
0115 0118 0119 0124 0125 0126 0129 0130 0132 0133 0134 0135 0136  
0137 0138 0142 0143 0144 0145 0146 0150 0151 0152 0153 0156 0157  
0159 0160 0161 0162 0163 0165 0167 0169 0171 0173 0175 0180 0181  
0182 0183 0184 0185 0188 0189 0191 0192 0193 0194 0195 0196 0197  
0198 0226 0228 0230 0232 0234 0236 0238 0242 0246 0248 0249 0250  
0251 0252 0253 0254 0261 0262 0266 0268 0269 0274 0275 0277 0282  
0283 0284 0285 0286 0287 0288 0289 0290 0291 0292 0293 0294 0295  
0296 0297 0298 0299 0300 0301 0302 0303 0304 0305 0306

**NOTE: Briefing does not include any obsolete NOTAM older than 95 days.**

END OF ADMINISTRATIVE BULLETIN

<b>Tel:</b> (632) 672-7785 <b>AFS:</b> RPLLYNYX <b>Fax:</b> NIL <b>E-mail:</b> phil.aisops@gmail.com	<b>PHILIPPINES</b>	<b>NOTAM LIST</b> Series: C
	<b>CAAP AISS</b>	
	International NOTAM Office, AIS Operations G/F Air Traffic Management Center, CAAP Compound, Old MIA Road, Pasay City 1300 Metro Manila, Philippines	<b>01 MAY 2019</b>
<b>THE FOLLOWING NOTAM SERIES C WERE STILL VALID AT 00:13 ON 01 MAY 2019</b> <b>NOTAM NOT INCLUDED HAVE EITHER BEEN CANCELLED, TIME EXPIRED, SUPERSEDED BY AIP</b> <b>SUPPLEMENT OR INCORPORATED IN THE AIP PHILIPPINES</b>		

## FIR

### RPHI - MANILA FIR

**C0268/19** NOTAMR C0141/19

**CHECKLIST**

**Q)** RPHI/QKKKK/K/K/K/000/999/1216N12435E999

**A)** RPHI                    **B)** 1904010042    **C)** 1905010042EST

**E)** CHECKLIST

YEAR=2004 0045 0046 0098  
YEAR=2010 0059 0174 0251  
YEAR=2011 0357  
YEAR=2015 0046  
YEAR=2016 0746  
YEAR=2017 0611 0612 0739 0868 0927  
YEAR=2018 0061 0062 0063 0273 0558 0656 0661 0663 0731 0733 0735 0755  
0786 0787 0788 0805 0832 0834 0836 0845 0847 0849 0851 0854  
0890 0925 0938 0968 0972  
YEAR=2019 0005 0007 0010 0015 0022 0024 0025 0026 0033 0034 0035 0038  
0040 0042 0044 0045 0046 0048 0049 0050 0064 0066 0068 0069  
0074 0075 0076 0077 0078 0079 0084 0085 0086 0087 0088 0092  
0093 0098 0102 0106 0107 0108 0112 0113 0114 0115 0118 0119  
0124 0125 0126 0129 0130 0132 0133 0134 0135 0136 0137 0138  
0139 0140 0142 0143 0144 0145 0146 0150 0151 0152 0153 0156  
0157 0159 0160 0161 0162 0163 0164 0165 0166 0167 0168 0169  
0170 0171 0172 0173 0174 0175 0177 0180 0181 0182 0183 0184  
0185 0186 0187 0188 0189 0190 0191 0192 0193 0194 0195 0196  
0197 0198 0199 0212 0214 0216 0218 0220 0221 0226 0228 0230  
0232 0234 0236 0238 0240 0242 0245 0246 0247 0248 0249 0250  
0251 0252 0253 0254 0255 0256 0257 0258 0259 0260 0261 0262  
0266 0267

LATEST PUBLICATIONS

AIP AIRAC AMDT 070/2019 EFFECTIVE DATE 23 MAY 19

AIP AIRAC SUP 010/2019 EFFECTIVE DATE 23 MAY 19

AIP SUP 001/2019 EFFECTIVE DATE 04 JAN 19

AIC 004/2019 EFFECTIVE DATE 04 JAN 19

AIRAC EFFECTIVE DATE 25 APR 19 - NIL

## AERODROMES

### RPLN - PALANAN COMMUNITY AIRPORT

**C0152/19** NOTAMN

**RWY**

**Q)** RPHI/QMRLC/V/NBO/A/000/999/1704N12226E005

**A)** RPLN                    **B)** 1903072300    **C)** 1906070800

**E)** FIRST 200M OF RWY02 CLSD DUE WIP (WIDENING OF RWY AND STRIP GRADE CORRECTION).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLEAR THE RWY

**C0153/19** NOTAMN

**DECLARED DIST**

**Q)** RPHI/QMDCH/V/NBO/A/000/999/1704N12226E005

**A)** RPLN                    **B)** 1903072300    **C)** 1906070800

**E)** TEMPO DECLARED DIST:

RWY    TORA    TODA    ASDA    LDA  
02       800M    850M    850M    800M

20 800M 800M 800M 800M

RWY SWY CWY  
02 50M 50M  
20 0 0

## RPLP - LEGAZPI PRINCIPAL AIRPORT (CLASS 1)

**C0868/17** NOTAMN **REPORTING POINT**

**Q)** RPHI/QAPCS/IV/BO/AE/000/999/1309N12344E001  
**A)** RPLP **B)** 1712070000 **C)** PERM  
**E)** ESTABLISHMENT OF WPT IN RPLP RNAV STAR RWY 24,  
MASBA 4W, NAGA 4W, RAGAY 4W:

NAME OF SIGNIFICANT PT: AMYEL  
COORD: 13 09 08.762N 123 59 50.409E

NAME OF SIGNIFICANT PT: LEMOR  
COORD: 13 01 06.429N 123 45 19.661E

**C0927/17** NOTAMR C0869/17 **STAR**

**Q)** RPHI/QPAXX/IV/NBO/A/000/999/1309N12344E005  
**A)** RPLP **B)** 1711191208 **C)** PERM  
**E)** ADDN RNAV ARR RTE UTILIZING RWY24:

1. MASBA 4W  
FM MASBA AT OR ABV 10000FT TO LEMOR TO AMYEL AT OR ABV 3500FT  
TO GAYON AT OR ABV 2900FT.

2. NAGA 4W  
FM NGA AT OR ABV 10000FT TO CARAM TO AMYEL AT OR ABV 3500FT  
TO GAYON AT OR ABV 2900FT.

3. RAGAY 4W  
FM RAGAY AT OR ABV 10000FT TO CARAM TO AMYEL AT OR ABV 3500FT  
TO GAYON AT OR ABV 2900FT.

(REF AIP PAGE RPLP AD 2-15 TO 2-16)

**C0061/18** NOTAMR C0851/16 **REPORTING POINT**

**Q)** RPHI/QAPCS/IV/BO/AE/000/999/1309N12344E001  
**A)** RPLP **B)** 1801210431 **C)** PERM  
**E)** ESTABLISHMENT OF WPT IN RPLP RNAV STAR RWY24, MASBA 1W:

NAME OF SIGNIFICANT PT: SAMON  
COORD: 12 56 33.493N 124 01 05.601E

REF AIP PAGE RPLP AD 2-15 TO 2-16.

**C0062/18** NOTAMR C0853/16 **STAR**

**Q)** RPHI/QPAXX/I/NBO/A/000/999/1309N12344E005  
**A)** RPLP **B)** 1801210433 **C)** PERM  
**E)** ADDN RNAV ARR RTE UTILIZING RWY24:

MASBA 1W  
FM MASBA AT OR ABOVE 10000FT TO SAMON (12 56 33.493N 124 01 05.601E)  
TO PANIK AT OR ABOVE 4500FT TO GAYON AT OR ABOVE 2900FT.

REF AIP PAGE RPLP AD 2-15 TO 2-16.

**C0063/18** NOTAMR C0855/16 **STAR**

**Q)** RPHI/QPAXX/I/NBO/A/000/999/1309N12344E005  
**A)** RPLP **B)** 1801210435 **C)** PERM  
**E)** ADDN RNAV ARR ROUTE UTILIZING RWY06:

MASBA 1E  
FM MASBA AT OR ABOVE 10000FT TO LAHAR AT OR ABOVE 2700FT.

REF AIP PAGE RPLP AD 2-13 TO 2-14.

**C0731/18** NOTAMN **AERODROME**

Q) RPHI/QFAAH/IV/NBO/A/000/999/1309N12344E005  
A) RPLP                    B) 1811080000    C) PERM  
E) AP HR OF OPS 2100-1300.

REF AIP PAGE RPLP AD 2-1 SECTION RPLP AD 2.3

**C0733/18** NOTAMN **TWR**  
Q) RPHI/QSTAH/IV/BO/A/000/999/1309N12344E005  
A) RPLP                    B) 1811080000    C) PERM  
E) TWR HR OF OPS: 2100-1300

REF AIP PAGE RPLP AD 2-5 SECTION RPLP AD 2.18

**C0735/18** NOTAMN **APP**  
Q) RPHI/QSPAH/IV/BO/AE/000/999/1309N12344E005  
A) RPLP                    B) 1811080000    C) PERM  
E) APP HR OF OPS: 2100-1300

REF AIP PAGE RPLP AD 2-5 SECTION RPLP AD 2.18

**C0786/18** NOTAMR C0442/18 **STAR**  
Q) RPHI/QPACS/I/NBO/A/000/999/1309N12344E005  
A) RPLP                    B) 1810250339    C) 1901252359EST  
E) ALTN/ADDITIONAL RTE FOR FLT ARR TO LEGAZPI UTILIZING RWY24:  
FM RAGAY PROCEED DCT TO LAHAR DCT TO PANIK DCT TO GAYON (IAF)  
FOR RNAV (GNSS) APCH RWY24.

RMK: EXP MNM DESCENT ALT OF 4500FT UNTIL PANIK.

**C0005/19** NOTAMN **RWY**  
Q) RPHI/QMRXX/IV/NBO/A/000/999/1309N12344E005  
A) RPLP                    B) 1902280000    C) PERM  
E) RWY PHYSICAL CHARACTERISTICS

RWY	DIMENSION	THR	COORD OF RWY
06	1976 X 36M	13 09	12.17470N 123 43 41.67786E

24	1976 X 36M	13 09	43.460N 123 44 31.446E
----	------------	-------	---------------------------

RWY	SWY	CWY
06	111M	185M
24	27M	99M

REF AIP PAGE RPLP AD 2-3 SECN RPLP AD 2.12.

**C0007/19** NOTAMN **DECLARED DIST**  
Q) RPHI/QMDCH/IV/NBO/A/000/999/1309N12344E005  
A) RPLP                    B) 1902280000    C) PERM  
E) NEW DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA	RMK
06	1976M	2161M	2087M	1776M	THR DISPLACED BY 200M
24	1976M	2075M	2003M	1976M	NIL

REF AIP PAGE RPLP AD 2-4 SECN RPLP AD 2.13.

**C0132/19** NOTAMR C0965/18 **PAPI**  
Q) RPHI/QLPAS/IV/BO/A/000/999/1309N12344E005  
A) RPLP                    B) 1902261042    C) 1905240800EST  
E) PAPI RWY06 U/S DUE DISPLACED THR RWY06.

**C0133/19** NOTAMR C0964/18 **THR LGTS**  
Q) RPHI/QLTAS/IV/BO/A/000/999/1309N12344E005  
A) RPLP                    B) 1902261048    C) 1905240800EST  
E) RWY THR IDENT LGT (RTIL) RWY06 U/S DUE DISPLACED THR RWY06.

**C0135/19** NOTAMR C0784/18 **RWY**  
Q) RPHI/QMRLT/IV/NBO/A/000/999/1309N12344E005  
A) RPLP                    B) 1902261106    C) 1905260930EST

E) LDG RWY06 LTD TO VFR ONLY.

**C0136/19** NOTAMR C0785/18 **IFR APCH PROC**  
Q) RPHI/QPIAU/I/NBO/A/000/999/1309N12344E005  
A) RPLP B) 1902261115 C) 1905260930EST  
E) IAP RNAV GNSS RWY06 SUSPENDED DUE DISPLACED THR RWY06.

**C0262/19** NOTAMR C0131/19 **A/G FACILITY**  
Q) RPHI/QCALT/IV/B/AE/000/999/1309N12344E005  
A) RPLP B) 1903260251 C) 1906250800EST  
E) LEGAZPI APP FREQ 120.2MHZ ON LTD OPS AT EST LCA  
20NM NORTH OF LEGAZPI DUE TO TERRAIN OBSTRUCTION.

## **RPMC - COTABATO PRINCIPAL AIRPORT (CLASS 1)**

**C0739/17** NOTAMN **AERODROME**  
Q) RPHI/QFAAH/IV/NBO/A/000/999/0710N12413E005  
A) RPMC B) 1709140412 C) 1712130900EST  
E) AP TEMPO HR OF OPS: 2300-0900.

**C0074/19** NOTAMR C0753/18 **ATZ**  
Q) RPHI/QAZCH/V/NBO/AE/000/020/0710N12413E005  
A) RPMC B) 1901230647 C) 1904230800EST  
E) ATZ DOWNGRADED TO CLASS G AIRSPACE.

**C0075/19** NOTAMR C0760/18 **TWR**  
Q) RPHI/QSTXX/IV/BO/A/000/999/0710N12413E005  
A) RPMC B) 1901230649 C) 1904230800EST  
E) COTABATO AD CTL TWR DOWNGRADED TO COTABATO FSS  
WITH THE FLW PARTICULARS:  
SER DESIGNATION : FSS  
CALL SIGN : COTABATO RDO  
FREQ : 118.7MHZ (PRI A/G)  
: 123.3MHZ (SRY A/G)  
HR OF OPS : 2300-0800  
RMK : FOR EXTENSION OF SER, ONE (1) DAY PN IS REQUIRED

**C0198/19** NOTAMR C0939/18 **VOR**  
Q) RPHI/QNVCT/V/BO/AE/000/999/0710N12413E025  
A) RPMC B) 1903151032 C) 1906100800EST  
E) VOR COT 113.7MHZ ON TEST, DO NOT USE (AWAITING FLTK VERIFICATION).

## **RPME - BUTUAN PRINCIPAL AIRPORT (CLASS 1)**

**C0656/18** NOTAMN **FIRE AND RESCUE**  
Q) RPHI/QFFCG/IV/NBO/A/000/999/0857N12529E005  
A) RPME B) 1810110000 C) PERM  
E) AD CAT FOR FIRE FIGHTING DOWNGRADED FM CAT VII TO CAT VI.

**C0066/19** NOTAMR C0974/18 **AERODROME**  
Q) RPHI/QFAHX/IV/NBO/A/000/999/0857N12529E005  
A) RPME B) 1901220944 C) PERM  
E) EXER CTN DRG LDG/TKOF RWY12/30 DUE BIRDS IN THE VICINITY OF THE AP.

**C0069/19** NOTAMN **RWY**  
Q) RPHI/QMRXX/IV/NBO/A/000/999/0857N12529E005  
A) RPME B) 1901250200 C) 1903220900EST  
D) 0200-0900  
E) EXER EXTREME CTN DRG LDG/TKOF RWY12/30 DUE WIP  
(CABLE LAYING FOR THE INSTL OF NEW DVOR).

**C0098/19** NOTAMN **TWY**  
Q) RPHI/QMXXX/IV/NBO/A/000/999/0857N12529E005  
A) RPME B) 1902080323 C) 1905130800EST  
E) EXER CTN DRG TAX ON EAST TWY AND WEST TWY DUE TO POTHOLES  
(BROKEN PAVEMENT/LOOSE DEBRIS).

**C0183/19** NOTAMN **RWY**  
Q) RPHI/QMRXX/IV/NBO/A/000/999/0857N12529E005  
A) RPME B) 1903140000 C) 1906141300

E) EXER EXTREME CTN DRG LDG/TKOF RWY12/30 DUE WIP  
(CONST OF TURN AROUND PADS ON BOTH RWY ENDS AND RWY STRIP  
CORRECTION).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

## RPMG - DIPOLOG PRINCIPAL AIRPORT (CLASS 1)

**C0558/18** NOTAMR C0294/18 **RWY**  
Q) RPHI/QMRXX/V/NBO/A/000/999/0836N12321E005  
A) RPMG B) 1807272308 C) 1810270900EST  
E) EXER CTN DRG LDG RWY20.

RMK: FIRST 500M RWY20 NOT VISIBLE FM TWR CAB DUE BLOCKED  
BY TALL TREES.

**C0112/19** NOTAMN **RWY**  
Q) RPHI/QMRHW/IV/NBO/A/000/999/0836N12321E005  
A) RPMG B) 1902200000 C) 1905180900  
E) EXER EXTREME CTN DRG LDG/TKOF RWY02/20 DUE WIP  
(ASPHALT OVERLAY OF RWY AND GRADING OF RWY SIDE STRIP).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

**C0125/19** NOTAMR C0794/18 **ATZ**  
Q) RPHI/QAZCH/V/NBO/AE/000/020/0836N12321E005  
A) RPMG B) 1902220954 C) 1905220900EST  
E) ATZ DOWNGRADED TO CLASS G AIRSPACE.

**C0126/19** NOTAMR C0795/18 **TWR**  
Q) RPHI/QSTXX/IV/BO/A/000/999/0836N12321E005  
A) RPMG B) 1902220955 C) 1905220900EST  
E) DIPOLOG AD CTL TWR DOWNGRADED TO DIPOLOG FSS  
WITH THE FLW PARTICULARS:  
SER DESIGNATION: FSS  
CALL SIGN : DIPOLOG RDO  
FREQ : 123.8MHZ (PRI A/G)  
: 121.7MHZ (SRY A/G)  
HR OF OPS : 2300-0900  
RMK : FOR EXTENSION OF SER, ONE (1) DAY PN IS REQUIRED  
OPR : CAAP

**C0129/19** NOTAMR C0888/18 **PAPI**  
Q) RPHI/QLPCT/IV/BO/A/000/999/0836N12321E005  
A) RPMG B) 1902261000 C) 1905260800EST  
E) PAPI RWY02 ON TEST, DO NOT USE.  
(AWAITING FLTCK VERIFICATION).

**C0130/19** NOTAMR C0889/18 **PAPI**  
Q) RPHI/QLPCT/IV/BO/A/000/999/0836N12321E005  
A) RPMG B) 1902261007 C) 1905260800EST  
E) APAPI RWY20 ON TEST, DO NOT USE.  
(AWAITING FLTCK VERIFICATION).

## RPMH - CAMIGUIN PRINCIPAL AIRPORT CLASS 2

**C0113/19** NOTAMR C0868/18 **DECLARED DIST**  
Q) RPHI/QMDCH/IV/NBO/A/000/999/0915N12443E005  
A) RPMH B) 1902180304 C) 1905180800  
E) TEMPO DECLARED DISTANCES:  
RWY TORA TODA ASDA LDA  
07 1367M 1367M 1367M 1367M  
25 1367M 1367M 1367M 1367M

RMK: CONC FENCE APRX 36.5M FM THR RWY25 EXCEEDED 1.07M ABOVE THE  
2 PERCENT SLOPE.

CONC FENCE APRX 51.6M FM THR RWY07 EXCEEDED 0.79M ABOVE THE  
2 PERCENT SLOPE.

**C0114/19** NOTAMR C0869/18 **RWY**  
**Q)** RPHI/QMRXX/IV/NBO/A/000/999/0915N12443E005  
**A)** RPMH **B)** 1902180305 **C)** 1905180800  
**E)** TEMPO RWY PHYSICAL CHARACTERISTICS:

RWY	DIMENSIONS	THR COORD	THR ELEV
07	1367M X 30M	09 15 07.18835N 124 42 12.36337E	16.9729M
25	1367M X 30M	09 15 22.16846N 124 42 54.55749E	2.1805M

RWY	SWY	CWY
07	0	0
25	0	0.

**C0115/19** NOTAMN **AERODROME**  
**Q)** RPHI/QFAXX/V/NBO/A/000/999/0915N12443E005  
**A)** RPMH **B)** 1902180308 **C)** 1905180800  
**E)** ARP COORD CHANGED TO:  
09 15 14.67840N  
124 42 33.46043E.

### **RPML - CAGAYAN DE ORO PRINCIPAL AIRPORT (CLASS 1)**

**C0108/19** NOTAMN **AIRSPACE RESERVATION**  
**Q)** RPHI/QRALW/IV/NBO/AW/000/015/0825N12437E003  
**A)** RPML **B)** 1903220000 **C)** 1906222359  
**E)** SPECIAL ACT WILL TAKE PLACE WI:  
3NM RADIUS CENTERED ON 08 24.77N 124 36.63E  
(LUMBIA AP, CAGAYAN DE ORO CITY).  
**F)** SFC **G)** 1500FT AMSL

### **RPMN - SANGA-SANGA PRINCIPAL AIRPORT (CLASS 2)**

**C0022/19** NOTAMN **PAPI**  
**Q)** RPHI/QLPCS/IV/BO/A/000/999/0503N11945E005  
**A)** RPMN **B)** 1902280000 **C)** PERM  
**E)** NEW PAPI RWY02 COMMISSIONED WITH THE FLW PARTICULARS:  
1. EFFECTIVE GLIDE ANGLE: 3.0 DEG  
2. PSN OF THE LGT UNITS: LEFT  
3. MNM EYE HGT OVER THE THR: 12.96M  
RMK:  
PATH WID: 0.33 DEG  
VIS RANGE: 6NM  
DIST FM THR: 265M  
HORIZONTAL ANGULAR CLR: CLEAR

**C0024/19** NOTAMN **PAPI**  
**Q)** RPHI/QLPCS/IV/BO/A/000/999/0503N11945E005  
**A)** RPMN **B)** 1902280000 **C)** PERM  
**E)** NEW PAPI RWY20 COMMISSIONED WITH THE FLW PARTICULARS:  
1. EFFECTIVE GLIDE ANGLE: 3.0 DEG  
2. PSN OF THE LGT UNITS: RIGHT (CO-PILOT SIDE)  
3. MNM EYE HGT OVER THE THR: 13.94M  
RMK:  
PATH WID: 0.33 DEG  
VIS RANGE: 6NM  
DIST FM THR: 285M  
HORIZONTAL ANGULAR CLR: CLEAR

### **RPMS - SURIGAO PRINCIPAL AIRPORT (CLASS 2)**

**C0746/16** NOTAMN **RWY**  
**Q)** RPHI/QMRXX/V/NBO/A/000/999/0945N12529E005  
**A)** RPMS **B)** 1611080642 **C)** 1612080000EST  
**E)** EXER CTN DRG LDG/TKOF RWY18/36 DUE PRESENCE OF SOFT, UNCOVERED  
EXCAVATION AND STOCK PILES (APRX 600M LENGTH) LEFT SHOULDER OF  
RWY18, STARTING 900M FM THR18. SOFT, UNCOVERED EXCAVATION  
(APRX 300M LENGTH) LEFT SHOULDER OF RWY36, STARTING 300M FM THR36.

**C0611/17** NOTAMN **RWY**  
**Q)** RPHI/QMRXX/V/NBO/A/000/999/0945N12529E005  
**A)** RPMS **B)** 1707310319 **C)** 1711020800EST  
**E)** TEMPO RWY PHYSICAL CHARACTERISTICS:

RWY	DIMENSIONS	THR COORD	THR ELEV
18	1000M X 30M	09 45 33.612N 125 28 51.627E	7.71M
36	1000M X 30M	09 45 01.090N 125 28 52.620E	8.85M

RWY	SWY	CWY
18	0	60M
36	0	500M

**C0612/17** NOTAMR C0164/17 **RWY**  
**Q)** RPHI/QMRXX/IV/NBO/A/000/999/0945N12529E005  
**A)** RPMS **B)** 1707310321 **C)** 1711020800EST  
**E)** RWY OPEN WITH THE FLW INFO:

TEMPO	DECLARED	DIST		
RWY	TORA	TODA	ASDA	LDA
36	1000M	1500M	1000M	1000M
18	1000M	1060M	1000M	1000M

RWY	CWY	SWY
36	500M	0
18	60M	0

RESTRICTIONS: 1. ONLY SOUTH TWY IS USABLE.

RMK: OBSTRUCTION (RED HOUSE) APRX 195M FM RWY36 THR  
ALONG THE EXTENDED RWY CL.

**C0184/19** NOTAMR C0932/18 **PAPI**  
**Q)** RPHI/QLPAS/IV/BO/A/000/999/0945N12529E005  
**A)** RPMS **B)** 1903110731 **C)** 1906100800EST  
**E)** PAPI RWY18/36 U/S.

**C0197/19** NOTAMN **RWY**  
**Q)** RPHI/QMRHW/V/NBO/A/000/999/0945N12529E005  
**A)** RPMS **B)** 1903172200 **C)** 1906180800  
**E)** EXER EXTREME CTN DRG LDG/TKOF RWY18/36 DUE WIP  
(REPAIR OF DAMAGED CONC PAVEMENT AT RWY AND APN,  
RECONSTRUCTION OF RWY END AND RWY LONGITUDINAL SLOPE COR).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

## **RPMV - IPIL COMMUNITY AIRPORT**

**C0163/19** NOTAMN **RWY**  
**Q)** RPHI/QMRLC/IV/NBO/A/000/999/0748N12236E005  
**A)** RPMV **B)** 1903082300 **C)** 1906090900  
**E)** RWY18/36 CLSD DUE WIP (WIDENING AND EXTENSION OF RWY).

## **RPNO - SIOCON COMMUNITY AIRPORT**

**C0357/11** NOTAMN **RWY**  
**Q)** RPHI/QMRXX/IV/NBO/A/000/999/0742N12210E005  
**A)** RPNO **B)** 1108250348 **C)** 1111250900EST  
**E)** AMEND RPNO AD 2.13 DECLARED DISTANCES RWY 09 REMARKS TO READ  
AS CAOWW/FST 50M IS CONCRETE (PCCP).

## **RPNS - SIARGAO PRINCIPAL AIRPORT (CLASS 2)**

**C0033/19** NOTAMN **AERODROME**  
**Q)** RPHI/QFAXX/IV/NBO/A/000/999/0952N12601E005  
**A)** RPNS **B)** 1901112300 **C)** 1903100700EST  
**E)** ALL ARRIVING AND DEPARTING FLT ARE SUBJECTED TO ATFM CALCULATED TAKE



OFF TIME (CTOT) DUE RAMP CONGESTION AND LTD PRKG BAYS.

**C0162/19** NOTAMR C0796/18 **ATZ**  
**Q)** RPHI/QAZXX/IV/NBO/AE/000/999/0952N12601E005  
**A)** RPNS **B)** 1903060207 **C)** 1906040700EST  
**E)** TEMPO ESTABLISHMENT OF ATS AIRSPACE:  
AIRSPACE CLASSIFICATION - G

**RPSM - MAASIN COMMUNITY AIRPORT**

**C0290/19** NOTAMR C0077/19 **AERODROME**  
**Q)** RPHI/QFAAH/IV/NBO/A/000/999/1011N12447E005  
**A)** RPSM **B)** 1904240433 **C)** 1907240400  
**E)** TEMPO AP HR OF OPS 2200-0400 DUE WIP  
(EXCAVATION AT RWY34 AND EMBANKMENT AT THE SHOULDERS OF RWY16).

**RPSN - UBAY COMMUNITY AIRPORT**

**C0251/10** NOTAMR C0259/06 **RWY**  
**Q)** RPHI/QMRLC/IV/NBO/A/000/999/1003N12428E005  
**A)** RPSN **B)** 1006100607 **C)** 1009101000EST  
**E)** RWY CLSD DUE ABSENCE OF RWY MARKINGS/MARKERS AND INCOMPLETE PERIMETER FENCE.

**C0107/19** NOTAMN **AIRSPACE RESERVATION**  
**Q)** RPHI/QRALW/IV/NBO/AW/000/015/1004N12426E003  
**A)** RPSN **B)** 1903220000 **C)** 1906222359  
**E)** SPECIAL ACT WILL TAKE PLACE WI:  
3NM RADIUS CENTERED ON 10 03.53N 124 25.53E  
(UBAY AIRSTRIP, UBAY, BOHOL).  
**F)** SFC **G)** 1500FT AMSL

**RPUB - BAGUIO PRINCIPAL AIRPORT CLASS 2**

**C0191/19** NOTAMR C0940/18 **PAPI**  
**Q)** RPHI/QLPXX/IV/BO/A/000/999/1623N12037E005  
**A)** RPUB **B)** 1903140614 **C)** 1906140800EST  
**E)** PAPI RWY27 LTD VIS AT LEFT SECT OF RWY DUE TO OBSTRUCTING VEGETATION. USABLE ON CO-PILOT SIDE ONLY.

**RPUG - LINGAYEN COMMUNITY AIRPORT**

**C0755/18** NOTAMN **RWY**  
**Q)** RPHI/QMRLT/V/NBO/A/000/999/1602N12015E005  
**A)** RPUG **B)** 1812060000 **C)** PERM  
**E)** PILOTS ARE ADZ THAT EV SUN (2300-0100) TKOF ALLOWED AT RWY08 AND LDG AT RWY26 ONLY DUE TO WEEKLY HLDG OF FLAG CEREMONY AT THE PROVINCIAL CAPITOL PLAZA OF LINGAYEN, PANGASINAN.  
  
REF AIP PAGE RPUG AD 2-3.

**C0145/19** NOTAMN **RWY**  
**Q)** RPHI/QMRLC/IV/NBO/A/000/999/1602N12015E005  
**A)** RPUG **B)** 1903020857 **C)** 1903050800EST  
**E)** RWY08/26 CLSD DUE DISABLED ACFT AT APCH START OF RWY26.

**C0286/19** NOTAMR C0064/19 **DECLARED DIST**  
**Q)** RPHI/QMDCH/V/NBO/A/000/999/1602N12015E005  
**A)** RPUG **B)** 1904220251 **C)** 1907221000  
**E)** TEMPO DECLARED DIST:  
RWY TORA TODA ASDA LDA  
08 784M 844M 784M 784M  
26 784M 784M 784M 784M.

**C0287/19** NOTAMR C0068/19 **RWY**  
**Q)** RPHI/QMRXX/V/NBO/A/000/999/1602N12015E005  
**A)** RPUG **B)** 1904220254 **C)** 1907221000  
**E)** TEMPO RWY PHYSICAL CHARACTERISTICS:  
RWY DIMENSIONS THR COORD THR ELEV

08	984M X 30M	16 02 01.7096N	2.6638M
		120 14 15.7164E	
26	984M X 30M	16 02 10.3246N	3.0157M
		120 14 47.5876E	
RWY	SWY	CWY	
08	0	60	
26	0	0	

RMK: FIRST 200M OF RWY08 IS DISPLACED  
DUE WIP (CONST OF APN).

## RPUH - SAN JOSE PRINCIPAL AIRPORT (CLASS 1)

**C0102/19** NOTAMN **AERODROME**  
**Q)** RPHI/QFAAH/V/NBO/A/000/999/1222N12103E005  
**A)** RPUH **B)** 1902102200 **C)** 1905110800  
**E)** AP TEMPO HR OF OPS 2200-0400.

**C0195/19** NOTAMN **FIRE AND RESCUE**  
**Q)** RPHI/QFFCG/V/NBO/A/000/999/1222N12103E005  
**A)** RPUH **B)** 1903140634 **C)** 1906132359  
**E)** AD CAT FOR FIRE FIGHTING SER DOWNGRADED TO CAT V.

**C0269/19** NOTAMR C0015/19 **MOVEMENT AREA**  
**Q)** RPHI/QMALC/IV/NBO/A/000/999/1222N12103E005  
**A)** RPUH **B)** 1904010147 **C)** 1907010400  
**E)** EAST TWY AND PORTION OF APN STARTING FM THE EASTERN PART  
WITH DIMENSION 78M X 80M CLSD DUE WIP (REBLOCKING OF APN  
AND ASPH OVERLAY OF TWY-PHASE 1).

RMKS: 1. PRKG BAY 3 CLSD  
2. APN USABLE DIMENSION 122M X 80M

## RPUM - MAMBURAO COMMUNITY AIRPORT

**C0151/19** NOTAMN **RWY**  
**Q)** RPHI/QMRXX/V/NBO/A/000/999/1312N12036E005  
**A)** RPUM **B)** 1903080000 **C)** 1906080800  
**E)** EXER CTN DRG LDG/TKOF RWY16/34 DUE WIP (ASPH OVERLAY OF RWY).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLEAR THE RWY

## RPUN - NAGA PRINCIPAL AIRPORT (CLASS 1)

**C0084/19** NOTAMN **TWR**  
**Q)** RPHI/QSTAH/IV/BO/A/000/999/1335N12316E005  
**A)** RPUN **B)** 1901312200 **C)** 1904301000EST  
**E)** TWR TEMPO HR OF OPS: 2200-1000.

**C0134/19** NOTAMR C0016/19 **A/G FACILITY**  
**Q)** RPHI/QCALT/IV/B/AE/000/999/1335N12316E005  
**A)** RPUN **B)** 1902261100 **C)** 1905260800EST  
**E)** APP CTL SER NOT AVBL FOR ARR OR DEP DUE LEGAZPI APP  
FREQ 120.2MHZ ON LTD OPS AT EST LCA 20NM NORTH OF  
LEGAZPI DUE TERRAIN OBS.  
RMK:

FLT ARE ADZ TO CTC NAGA RDO FREQ 122.1MHZ  
AS SOON AS PRACTICABLE.

**C0302/19** NOTAMR C0257/19 **PAPI**  
**Q)** RPHI/QLPAS/IV/BO/A/000/999/1335N12316E005  
**A)** RPUN **B)** 1904290847 **C)** 1905300800EST  
**E)** PAPI RWY04/22 U/S.

**C0303/19** NOTAMR C0258/19 **RWY EDGE LGTS**  
**Q)** RPHI/QLEAS/IV/BO/A/000/999/1335N12316E005  
**A)** RPUN **B)** 1904290849 **C)** 1905300800EST  
**E)** EDGE LGT RWY04/22 U/S.

**C0304/19** NOTAMR C0259/19 **RWY EDGE LGTS**  
**Q)** RPHI/QLEAS/IV/BO/A/000/999/1335N12316E005  
**A)** RPUN **B)** 1904290852 **C)** 1905300800EST  
**E)** THR LGT RWY04/22 U/S.

**C0305/19** NOTAMR C0260/19 **RWY END ID LGTS**  
**Q)** RPHI/QLIAS/IV/BO/A/000/999/1335N12316E005  
**A)** RPUN **B)** 1904290854 **C)** 1905300800EST  
**E)** END LGT RWY04/22 U/S.

**RPUS - SAN FERNANDO COMMUNITY AIRPORT**

**C0118/19** NOTAMR C0880/18 **PAPI**  
**Q)** RPHI/QLPAS/V/BO/A/000/999/1636N12018E005  
**A)** RPUS **B)** 1902220928 **C)** 1905230800EST  
**E)** PAPI RWY01 U/S.

**C0119/19** NOTAMR C0881/18 **PAPI**  
**Q)** RPHI/QLPAS/V/BO/A/000/999/1636N12018E005  
**A)** RPUS **B)** 1902220929 **C)** 1905230800EST  
**E)** PAPI RWY19 U/S.

**C0156/19** NOTAMR C0154/19 **TWR**  
**Q)** RPHI/QSTXX/V/BO/AE/000/999/1636N12018E005  
**A)** RPUS **B)** 1903051004 **C)** 1906040800EST  
**E)** SAN FERNANDO AD CTL TWR DOWNGRADED TO SAN FERNANDO FSS  
 WITH THE FLW PARTICULARS:  
 SER DESIGNATION : FSS  
 CALL SIGN : SAN FERNANDO RDO  
 FREQ : 122.1MHZ (A/G)  
 HR OF OPS : 0000-0800  
 RMK : FOR EXTENSION OF SER, ONE (1) DAY PN IS REQUIRED

**C0157/19** NOTAMR C0155/19 **ATZ**  
**Q)** RPHI/QAZCH/V/NBO/AE/000/020/1636N12018E005  
**A)** RPUS **B)** 1903051005 **C)** 1906040800EST  
**E)** ATZ DOWNGRADED TO CLASS G AIRSPACE.

**C0159/19** NOTAMR C0158/19 **FIRE AND RESCUE**  
**Q)** RPHI/QFFAH/IV/NBO/A/000/999/1636N12018E005  
**A)** RPUS **B)** 1903051013 **C)** 1906091000  
**E)** RESCUE AND FIRE FIGHTING HRS OF OPS: 2200-1000

**C0160/19** NOTAMR C0052/18 **RWY**  
**Q)** RPHI/QMRXX/V/NBO/A/000/999/1636N12018E005  
**A)** RPUS **B)** 1903051014 **C)** 1906090800  
**E)** TEMPO RWY PHYSICAL CHARACTERISTICS:

RWY	RWY DIMENSION	THR COORD OF RWY	THR ELEV
01	1319M X 45M	16 35 22.8120N 120 18 09.5691E	THR 5.047M/16.557FT TDZ 5.005M/16.421FT
19	1319M X 45M	16 36 05.5399N 120 18 13.5780E	THR 4.199M/13.775FT TDZ 4.370M/14.338FT
RWY	SWY	CWY	
01	60M	60M	
19	801M	660M	

**C0161/19** NOTAMR C0053/18 **DECLARED DIST**  
**Q)** RPHI/QMDCH/V/NBO/A/000/999/1636N12018E005  
**A)** RPUS **B)** 1903051015 **C)** 1906090800  
**E)** TEMPO DECLARED DIST:  
 RWY TORA TODA ASDA LDA  
 01 1319M 1379M 1379M 1319M  
 19 1319M 1979M 2120M 1319M

**RPUT - TUGUEGARAO PRINCIPAL AIRPORT (CLASS 1)**

**C0188/19** NOTAMN **PAPI**

**Q)** RPHI/QLPXX/IV/BO/A/000/999/1739N12144E005  
**A)** RPUT **B)** 1904250000 **C)** PERM  
**E)** PAPI RWY17 EFFECTIVE GLIDE ANGLE CHANGED TO 3.0DEG.

RMK:  
PATH WID: 0.33DEG

REF AIP PHILIPPINES RPUT AD 2-5 SECTION 2.14 DTD 17 AUG 17

**C0189/19** NOTAMN **PAPI**

**Q)** RPHI/QLPXX/IV/BO/A/000/999/1739N12144E005  
**A)** RPUT **B)** 1904250000 **C)** PERM  
**E)** PAPI RWY35 EFFECTIVE GLIDE ANGLE CHANGED TO 3.0DEG.

RMK:  
PATH WID: 0.33DEG

REF AIP PHILIPPINES RPUT AD 2-5 SECTION 2.14 DTD 17 AUG 17

**C0226/19** NOTAMN **ABN**

**Q)** RPHI/QLBCS/V/M/A/000/999/1739N12144E005  
**A)** RPUT **B)** 1904250000 **C)** PERM  
**E)** ABN COMMISSIONED WITH THE FLW PARTICULARS:  
1. LOCATION: ON TOP OF TWR  
2. CHARACTERISTICS: ALTN W G EV 24-30 FLASHES PER MIN  
INTST - LIH  
3. HR OF OPS: H24

REF AIP PAGE RPUT AD 2-5 SECN RPUT AD 2.15

**C0228/19** NOTAMN **THR LGTS**

**Q)** RPHI/QLTCS/IV/BO/A/000/999/1739N12144E005  
**A)** RPUT **B)** 1904250000 **C)** PERM  
**E)** THR LGT RWY17 COMMISSIONED WITH THE FLW PARTICULARS:  
1. COLOR: GREEN  
2. WING BAR: NONE

REF AIP PAGE RPUT AD 2-5 SECN RPUT AD 2.14.

**C0230/19** NOTAMN **THR LGTS**

**Q)** RPHI/QLTCS/IV/BO/A/000/999/1739N12144E005  
**A)** RPUT **B)** 1904250000 **C)** PERM  
**E)** THR LGT RWY35 COMMISSIONED WITH THE FLW PARTICULARS:  
1. COLOR: GREEN  
2. WING BAR: NONE

REF AIP PAGE RPUT AD 2-5 SECN AD 2.14

**C0232/19** NOTAMN **RWY END ID LGTS**

**Q)** RPHI/QLICS/IV/BO/A/000/999/1739N12144E005  
**A)** RPUT **B)** 1904250000 **C)** PERM  
**E)** END LGT RWY17 COMMISSIONED WITH THE FLW PARTICULARS:  
1. COLOR: RED  
2. WING BAR: NONE.

REF AIP PAGE RPUT AD 2-5 SECN RPUT AD 2.14.

**C0234/19** NOTAMN **RWY END ID LGTS**

**Q)** RPHI/QLICS/IV/BO/A/000/999/1739N12144E005  
**A)** RPUT **B)** 1904250000 **C)** PERM  
**E)** END LGT RWY35 COMMISSIONED WITH THE FLW PARTICULARS:  
1. COLOR: RED  
2. WING BAR: NONE.

REF AIP PAGE RPUT AD 2-5 SECN RPUT AD 2.14

**C0236/19** NOTAMN **RWY EDGE LGTS**

**Q)** RPHI/QLICS/I/BO/A/000/999/1739N12144E005  
**A)** RPUT **B)** 1904250000 **C)** PERM  
**E)** EDGE LGT RWY17 COMMISSIONED WITH THE FLW PARTICULARS:  
LEN: 1964M

SPACING: 60M  
COLOR: WHITE/YELLOW, WHITE/WHITE  
INTST: LIH

REF AIP PAGE RPUT AD 2-5 SECN RPUT AD 2.14.

**C0238/19** NOTAMN **RWY EDGE LGTS**

**Q)** RPHI/QLECS/I/BO/A/000/999/1739N12144E005  
**A)** RPUT **B)** 1904250000 **C)** PERM  
**E)** EDGE LGT RWY35 COMMISSIONED WITH THE FLW PARTICULARS:  
LEN: 1964M  
SPACING: 60M  
COLOR: WHITE/YELLOW, WHITE/WHITE  
INTST: LIH

REF AIP PAGE RPUT AD 2-5 SECN RPUT AD 2.14.

**C0242/19** NOTAMN **TWY EDGE LGTS**

**Q)** RPHI/QLYCS/IV/M/A/000/999/1739N12144E005  
**A)** RPUT **B)** 1904250000 **C)** PERM  
**E)** EDGE LGT TWY COMMISSIONED WITH THE FLW PARTICULARS:  
COLOR: BLUE  
NR OF LGT: 32 LGT AT VARIOUS SPACING.

REF AIP PAGE RPUT AD 2-5 SECN RPUT AD 2.15.

**C0246/19** NOTAMN **APCH LIGHT SYSTEM**

**Q)** RPHI/QLACS/IV/NBO/A/000/999/1739N12144E005  
**A)** RPUT **B)** 1904250000 **C)** PERM  
**E)** RWY THR IDENT LGT (RTIL) RWY17 COMMISSIONED WITH THE  
FLW PARTICULARS:  
1. INTST: LIH

RMK:  
COLOR: FLG WHITE LGT  
INTERVAL: 60-120 FLASH PER MIN  
VIS RANGE: 4NM, CLR AND DISINCT  
DIST FM EDGE LGT: 10M  
HORIZONTAL COVERAGE LTD TO 8 DEG AZM FM RWY17 CL  
CO-PILOT SIDE DUE TO VEGETATION

REF AIP PAGE RPUT AD 2-5 SECN RPUT AD 2.14.

**C0248/19** NOTAMN **APCH LIGHT SYSTEM**

**Q)** RPHI/QLACS/IV/NBO/A/000/999/1739N12144E005  
**A)** RPUT **B)** 1904250000 **C)** PERM  
**E)** RWY THR IDENT LGT (RTIL) RWY35 COMMISSIONED WITH THE  
FLW PARTICULARS:  
1. INTST: LIH

RMK:  
COLOR: FLG WHITE LGT  
INTERVAL: 60-120 FLASH PER MIN  
VIS RANGE: 4NM, CLR AND DISINCT  
DIST FM EDGE LGT: 10M  
HORIZONTAL COVERAGE LTD TO 8 DEG AZM FM RWY35 CL  
CO-PILOT SIDE DUE TO VEGETATION.

REF AIP PAGE RPUT AD 2-5 SECN RPUT AD 2.14.

**C0306/19** NOTAMN **RWY**

**Q)** RPHI/QMRHW/IV/NBO/A/000/999/1739N12144E005  
**A)** RPUT **B)** 1905030000 **C)** 1908022359  
**E)** EXER CTN DRG LDG/TKOF RWY17/35 DUE WIP (STRIP WID COR).

## **RPUV - VIRAC PRINCIPAL AIRPORT (CLASS 2)**

**C0972/18** NOTAMN **NDB**

**Q)** RPHI/QNBAW/V/BO/A/000/999/1338N12413E025  
**A)** RPUV **B)** 1901310000 **C)** PERM  
**E)** NDB VC 268KHZ DECOMMISSIONED.

**C0026/19** NOTAMR C0603/18 **FSS**  
**Q)** RPHI/QSSAH/V/B/A/000/999/1335N12413E005  
**A)** RPUV **B)** 1901100704 **C)** 1904080500EST  
**E)** FSS TEMPO HR OF OPS: 2100-0500.

**C0093/19** NOTAMN **APRON**  
**Q)** RPHI/QMNHV/IV/BO/A/000/999/1335N12412E005  
**A)** RPUV **B)** 1902022200 **C)** 1905030600  
**E)** EXER EXTREME CTN WHEN PRKG/TAX APN DUE WIP (WIDENING OF APN ON THE EASTERN PART WITH A DIMENSION OF 23.75M - PHASE 1).

RMK: CONST ACT WILL START 1HR AFTER THE LAST FLT OF THE DAY AND WILL END 2HR BFR THE FST FLT OF THE FLW DAY.

**C0142/19** NOTAMR C0895/18 **PAPI**  
**Q)** RPHI/QLPAS/IV/BO/A/000/999/1335N12412E005  
**A)** RPUV **B)** 1903010709 **C)** 1905280800EST  
**E)** PAPI RWY06 U/S.

**C0143/19** NOTAMR C0896/18 **PAPI**  
**Q)** RPHI/QLPAS/IV/BO/A/000/999/1335N12413E005  
**A)** RPUV **B)** 1903010711 **C)** 1905280800EST  
**E)** PAPI RWY24 U/S.

**RPWU - MARINDUQUE PRINCIPAL AIRPORT (CLASS 2)**

**C0124/19** NOTAMR C0870/18 **FSS**  
**Q)** RPHI/QSSLC/V/B/A/000/999/1320N12151E005  
**A)** RPUW **B)** 1902220951 **C)** 1905220600EST  
**E)** FSS CLSD.

**C0137/19** NOTAMR C0884/18 **PAPI**  
**Q)** RPHI/QLPAS/V/BO/A/000/999/1320N12151E005  
**A)** RPUW **B)** 1902261128 **C)** 1905260800EST  
**E)** PAPI RWY16 U/S.

**C0138/19** NOTAMR C0885/18 **PAPI**  
**Q)** RPHI/QLPXX/V/NBO/A/000/999/1320N12151E005  
**A)** RPUW **B)** 1902261131 **C)** 1905260800EST  
**E)** PAPI RWY34 WITH THE FLW RESTRICTION:  
LTD VIS AT LEFT SECT OF APCH PATH DUE OBSTRUCTING VEGETATION.

**C0165/19** NOTAMN **AERODROME**  
**Q)** RPHI/QFAXX/V/NBO/A/000/999/1320N12151E005  
**A)** RPUW **B)** 1904250000 **C)** PERM  
**E)** THE FLW AD PARTICULARS CHANGED:  
1. ARP COORD: 13 21 40.4148N 121 49 31.7894E  
2. AD ELEV 8.220M.

**C0167/19** NOTAMN **RWY**  
**Q)** RPHI/QMRXX/V/NBO/A/000/999/1320N12151E005  
**A)** RPUW **B)** 1904250000 **C)** PERM  
**E)** NEW RWY PHYSICAL CHARACTERISTICS:

RWY	RWY DIMENSION (M)	THR COORD OF RWY	THR ELEV (M)
16	1534 X 30	13 22 04.0868N 121 49 23.7095E	5.116
34	1534 X 30	13 21 16.7428N 121 49 39.8693E	8.220
RWY	SWY DIMENSIONS (M)	CWY DIMENSIONS (M)	
16	0	200	
34	0	200	

RWY STRIP DIMENSION: 1718M X 80M  
SLOPE OF RWY-SWY: 0.205 PERCENT UPHILL TOWARDS THR RWY34.

**C0169/19** NOTAMN **DECLARED DIST**

**Q)** RPHI/QMDCH/V/NBO/A/000/999/1320N12151E005  
**A)** RPUW                   **B)** 1904250000   **C)** PERM  
**E)** NEW DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA
16	1534M	1734M	1534M	1534M
34	1534M	1734M	1534M	1534M.

## RPUX - PLARIDEL COMMUNITY AIRPORT

**C0274/19** NOTAMR C0045/19 **RWY**

**Q)** RPHI/QMRXX/V/NBO/A/000/999/1453N12051E005  
**A)** RPUX                   **B)** 1904050952   **C)** 1907050900EST  
**E)** TEMPO RWY PHYSICAL CHARACTERISTICS:

RWY	RWY DIMENSION	THR COORD OF RWY	THR ELEV
17	805M X 18M	14 53 40.0731N 120 51 08.4906E	THR 8.948M
35	805M X 18M	14 53 14.0347N 120 51 11.3079E	THR 9.041M

RWY	SWY	CWY
17	181M	NIL
35	163M	NIL

RESTRICTIONS: 1. NO TOUCH AND GO  
2. NO RELEASE FOR SOLO FLT

**C0275/19** NOTAMR C0046/19 **DECLARED DIST**

**Q)** RPHI/QMDCH/IV/NBO/A/000/999/1453N12051E005  
**A)** RPUX                   **B)** 1904050953   **C)** 1907050900EST  
**E)** TEMPO DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA	RMK
17	624M	624M	805M	461M	DISPLACED BY 163M
35	642M	642M	805M	461M	DISPLACED BY 181M

RESTRICTIONS: 1. NO TOUCH AND GO  
2. NO RELEASE FOR SOLO FLT

## RPUY - CAUAYAN COMMUNITY AIRPORT

**C0832/18** NOTAMN **TWY**

**Q)** RPHI/QMXCS/V/M/A/000/999/1656N12145E005  
**A)** RPUY                   **B)** 1812060000   **C)** PERM  
**E)** ESTABLISHMENT OF TWY NORTH WITH THE FLW PARTICULARS:

WID : 23M  
SFC : CONC  
STRENGTH : PCN 47 R/A/W/T  
MARKINGS : CL MARKED  
AND LGT

REF AIP PAGE RPUY AD 2-2.

**C0834/18** NOTAMN **TWY**

**Q)** RPHI/QMXCS/V/M/A/000/999/1656N12145E005  
**A)** RPUY                   **B)** 1812060000   **C)** PERM  
**E)** ESTABLISHMENT OF TWY SOUTH WITH THE FLW PARTICULARS:

WID : 23M  
SFC : CONC  
STRENGTH : PCN 47 R/A/W/T  
MARKINGS : CL MARKED  
AND LGT

REF AIP PAGE RPUY AD 2-2.

**C0836/18** NOTAMN **APRON**

**Q)** RPHI/QMNXX/V/NBO/A/000/999/1656N12145E005  
**A)** RPUY                   **B)** 1812060000   **C)** PERM  
**E)** APN EXPANDED WITH THE FLW PARTICULARS:

SFC : CONC  
STRENGTH: PCN 47 R/A/W/T

REF AIP PAGE RPUY AD 2-2.

**C0144/19** NOTAMR C0913/18 **FSS**  
**Q)** RPHI/QSSAH/V/B/A/000/999/1656N12145E005  
**A)** RPUY **B)** 1903010716 **C)** 1906010800EST  
**E)** FSS TEMPO HR OF OPS 2300-0700.

**C0249/19** NOTAMR C0947/18 **DECLARED DIST**  
**Q)** RPHI/QMDCH/IV/NBO/A/000/999/1656N12145E005  
**A)** RPUY **B)** 1903180953 **C)** 1906180700  
**E)** TEMPO DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA	RMK
12	2098M	2098M	2098M	2038M	DISPLACED BY 60M
30	2098M	2098M	2098M	1739M	DISPLACED BY 359M

RWY	SWY	CWY
12	0	0
30	0	0.

**C0250/19** NOTAMR C0948/18 **RWY**  
**Q)** RPHI/QMRHW/IV/NBO/A/000/999/1656N12145E005  
**A)** RPUY **B)** 1903180953 **C)** 1906180700  
**E)** EXER EXTREME CTN DRG LDG/TKOF RWY12/30 DUE WIP (RWY EXTENSION AND SHOULDER GRADE CORRECTION).

## **RPVA - DANIEL Z. ROMUALDEZ PRINCIPAL AIRPORT (CLASS 1)**

**C0040/19** NOTAMN **AERODROME**  
**Q)** RPHI/QFAAH/IV/NBO/A/000/999/1114N12502E005  
**A)** RPVA **B)** 1902280000 **C)** PERM  
**E)** AP HR OF OPS: 2030-1230.  
REF AIP PAGE RPVA AD 2-1.

**C0042/19** NOTAMN **TWR**  
**Q)** RPHI/QSTAH/IV/BO/A/000/999/1114N12502E005  
**A)** RPVA **B)** 1902280000 **C)** PERM  
**E)** TWR HR OF OPS: 2030-1230.  
REF AIP PAGE RPVA AD 2-6.

**C0044/19** NOTAMN **APP**  
**Q)** RPHI/QSPA/IV/BO/AE/000/999/1114N12502E025  
**A)** RPVA **B)** 1902280000 **C)** PERM  
**E)** APP HR OF OPS: 2030-1230.  
REF AIP PAGE RPVA AD 2-6.

**C0185/19** NOTAMN **RWY**  
**Q)** RPHI/QMRXX/IV/NBO/A/000/999/1114N12502E005  
**A)** RPVA **B)** 1903130000 **C)** 1906131300  
**E)** EXER EXTREME CTN DRG LDG/TKOF DUE WIP  
(REPAIR OF SHORE PROTECTION). PRESENCE OF OBST (CRANE)  
TOWARDS RWY18 WITH A MAX HGT OF 72FT.

**C0254/19** NOTAMR C0091/19 **APRON**  
**Q)** RPHI/QMNHW/IV/BO/A/000/999/1114N12502E005  
**A)** RPVA **B)** 1903200845 **C)** 1906201230  
**E)** EXER EXTREME CTN WHEN TAX/PRKG AT THE APN DUE WIP  
(REBLOCKING OF APN, PHASE 2).

## **RPVC - CALBAYOG PRINCIPAL AIRPORT CLASS 2**

**C0291/19** NOTAMR C0079/19 **RWY**  
**Q)** RPHI/QMRHW/IV/NBO/A/000/999/1205N12433E005  
**A)** RPVC **B)** 1904240435 **C)** 1907240500  
**E)** EXER CTN DRG LDG/TKOF RWY 17/35 DUE WIP  
(RWY WIDENING, APN EXPANSION AND CONST OF NEW TWY).

**C0292/19** NOTAMR C0078/19 **DECLARED DIST**  
**Q)** RPHI/QMDCH/IV/NBO/A/000/999/1205N12433E005



**A)** RPVC                    **B)** 1904240436    **C)** 1907240500  
**E)** RWY35 THR DISPLACED BY 185M. AVBL RWY LEN IS 1340M.

TEMPO DECLARED DIST:  
RWY    TORA        TODA        ASDA        LDA  
17     1340M     1340M     1340M     1340M  
35     1340M     1340M     1340M     1340M

RWY        SWY        CWY  
17         0           0  
35         0           0.

## RPVD - DUMAGUETE PRINCIPAL AIRPORT (CLASS 1)

**C0273/18** NOTAMN **RWY**

**Q)** RPHI/QMRXX/IV/NBO/A/000/999/0920N12318E005  
**A)** RPVD                    **B)** 1805240000    **C)** PERM  
**E)** ADDN DATA FOR RWY PHYSICAL CHARACTERISTICS:

RWY	TRUE BRG	THR COORD	THR ELEV
09	93.2 DEG GEO	09 20 03.972N 123 17 50.754E	9.776M/32.072FT
27	273.2 DEG GEO	09 20 01.360N 123 18 37.772E	3.7143M/12.186FT

**C0661/18** NOTAMN **AERODROME**

**Q)** RPHI/QFAAH/IV/NBO/A/000/999/0920N12318E005  
**A)** RPVD                    **B)** 1810110000    **C)** PERM  
**E)** AP NEW HR OF OPS: 2100-1300

REF AIP PAGE RPVD AD 2-1 SECN RPVD AD 2.3.

**C0663/18** NOTAMN **TWR**

**Q)** RPHI/QSTAH/IV/BO/A/000/999/0920N12318E005  
**A)** RPVD                    **B)** 1810110000    **C)** PERM  
**E)** TWR NEW HR OF OPS: 2100-1300

REF AIP PAGE RPVD AD 2-6 SECN RPVD AD 2.18

**C0788/18** NOTAMR C0453/18 **ARO**

**Q)** RPHI/QSBAH/IV/BO/A/000/999/0920N12318E005  
**A)** RPVD                    **B)** 1810250343    **C)** 1901251300EST  
**E)** ATS HR OF OPS 2100-1300 WITH THE FLW PARTICULARS:  
1. LDG RWY27 ALLOWED DRG IMC.  
DEP RWY27 ALLOWED DRG DAY VMC ONLY.  
  
2. LDG RWY09 ALLOWED DRG DAY VMC EXC FOR A319 AND  
HIGHER CAT ACFT.  
DEP RWY09 ALLOWED DRG IMC.

RMK: TKOF/LDG BEYOND HR OF OPS IS ALLOWED UPON REQ.

**C0925/18** NOTAMN **AERODROME**

**Q)** RPHI/QFAXX/IV/NBO/A/000/999/0920N12318E005  
**A)** RPVD                    **B)** 1812100714    **C)** 1903101000EST  
**E)** ALL ARRIVING AND DEPARTING FLT ARE SUBJECTED TO ATFM CALCULATED TAKE  
OFF TIME (CTOT) DUE RAMP CONGESTION AND LTD PRKG BAYS.

**C0251/19** NOTAMR C0944/18 **VOR**

**Q)** RPHI/QNVCT/IV/BO/A/000/999/0920N12318E025  
**A)** RPVD                    **B)** 1903190046    **C)** 1906180800EST  
**E)** VOR DGT 114.1MHZ ON TEST. DO NOT USE  
(AWAITING FLTCK VERIFICATION).

**C0282/19** NOTAMR C0034/19 **THR LGTS**

**Q)** RPHI/QLTAS/IV/BO/A/000/999/0920N12318E005  
**A)** RPVD                    **B)** 1904120905    **C)** 1907110800EST  
**E)** RWY THR IDENT LGT (RTIL) RWY09 U/S.

**C0283/19** NOTAMR C0035/19 **PAPI**

**Q)** RPHI/QLPAS/IV/BO/A/000/999/0920N12318E005  
**A)** RPVD **B)** 1904120906 **C)** 1907110800EST  
**E)** PAPI RWY09 U/S.

**C0293/19** NOTAMR C0085/19 **TWY**  
**Q)** RPHI/QMXLC/IV/M/A/000/999/0920N12318E005  
**A)** RPVD **B)** 1904240439 **C)** 1907241300  
**E)** WEST TWY CLSD DUE WIP (CONCRETING OF TWY).

**C0294/19** NOTAMR C0086/19 **APRON**  
**Q)** RPHI/QMNLC/IV/NBO/A/000/999/0920N12318E005  
**A)** RPVD **B)** 1904240439 **C)** 1907241300  
**E)** PORTION OF APN (FM THE WESTERN PART WITH DIMENSION OF 120M X 100M)  
CLSD DUE WIP (CONCRETING OF APN).

RMK:  
1. APN USABLE DIMENSION: 149M X 100M  
2. APN STRENGTH AND SFC: PCN 33 R/X/B/U CONC.

**C0295/19** NOTAMR C0087/19 **DECLARED DIST**  
**Q)** RPHI/QMDCH/IV/NBO/A/000/999/0920N12318E005  
**A)** RPVD **B)** 1904240440 **C)** 1907241300  
**E)** TEMPO DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA	RMK
09	1845M	1845M	1845M	1437M	THR DISPLACED BY 408M
27	1845M	1845M	1845M	1845M	NIL

RWY	SWY	CWY
09	0	0
27	0	0.

**C0296/19** NOTAMR C0088/19 **APRON**  
**Q)** RPHI/QMNLT/IV/NBO/A/000/999/0920N12318E005  
**A)** RPVD **B)** 1904240441 **C)** 1907241300  
**E)** APN LTD TO TWO (2) CODE 4C ACFT AND ONE (1) CODE 3C ACFT ONLY  
AT ANY GIVEN TIME.

## **RPVE – GODOFREDO P. RAMOS PRINCIPAL AIRPORT (CLASS 2)**

**C0805/18** NOTAMR C0792/18 **RWY**  
**Q)** RPHI/QMRLT/IV/NBO/A/000/999/1156N12157E005  
**A)** RPVE **B)** 1810260915 **C)** 1901251000EST  
**E)** 1. CAT C ACFT FLYING THE PBN PROC:  
A) LDG BEFORE SUNSET ALLOWED PROVIDED WX IS VMC.  
B) TKOF UNTIL TWILIGHT ALLOWED PROVIDED WX IS VMC.  
2. CAT B ACFT FLYING THE PBN PROC:  
A) LDG AND TKOF ALLOWED PROVIDED WX IS VMC.  
3. EXER CTN WHEN OPR AFTER SUNSET DUE:  
A) NO OBST LGT OVER THE HILL ABM THR OF RWY06.  
B) NEGATIVE APN EDGE LGT.  
C) NON-STANDARD FLOOD LGT FIXTURES.  
4. NO RE-LAND (CATICLAN) AFTER SUNSET FOR CAT C ACFT.  
NOTE: AP HR OF OPS REMAIN AT 2200-1000. EXTENSION (ITEM 1 B  
AND 2 A) NEEDS CONCURRENCE FM TRANSAIRE AND CATICLAN TWR.

**C0038/19** NOTAMN **A/G FACILITY**  
**Q)** RPHI/QCACF/IV/B/AE/000/999/1156N12157E005  
**A)** RPVE **B)** 1902280000 **C)** PERM  
**E)** TWR SRY FREQ CHANGED TO 122.6MHZ.  
REF AIP PAGE RPVE AD 2-6.

**C0150/19** NOTAMR C0894/18 **OBST**  
**Q)** RPHI/QOBCE/IV/M/AE/000/999/1156N12157E001  
**A)** RPVE **B)** 1903050241 **C)** 1906071000EST  
**E)** CODE 4C ACFT SHALL EXER EXTREME CTN DRG ENTRY/EXIT AT THE APN  
VIA TWY E1 DUE PRESENCE OF OBST:

OBST	COORD	DIST FM	TOP ELEV
		TWY CL (M)	(M AMSL)

AKELCO TWR 11 55 39.95N 26.47 20.81  
121 57 55.63E

SECURITY 11 55 40.03N 23.36 10.80  
FENCE 121 57 55.55E

**C0171/19** NOTAMN **APRON**

**Q)** RPHI/QMNCS/IV/B/A/000/999/1156N12157E005  
**A)** RPVE **B)** 1904250000 **C)** PERM  
**E)** NEW APN ESTABLISHED WITH THE FLW PARTICULARS:  
DESIGNATOR: APRON 2  
SFC: CONC  
STRENGTH: PCN 67 R/B/W/T

**C0173/19** NOTAMN **PARKING AREA**

**Q)** RPHI/QMKXX/IV/BO/A/000/999/1156N12157E005  
**A)** RPVE **B)** 1904250000 **C)** PERM  
**E)** PRKG BAY 9 CHANGED WITH THE FLW PARTICULARS:

PRKG BAY	COORD	ELEV (M)	ACFT TYPE	RESTRICTIONS
9	11 55 31.96N 121 57 46.53E	8.31	A321 AND LOWER CAT ACFT	PWR-IN AND PUSHBACK

**C0175/19** NOTAMN **PARKING AREA**

**Q)** RPHI/QMKXX/IV/BO/A/000/999/1156N12157E005  
**A)** RPVE **B)** 1904250000 **C)** PERM  
**E)** PRKG BAY ESTABLISHED WITH THE FLW PARTICULARS:

PRKG BAY	COORD	ELEV (M)	ACFT TYPE	RESTRICTIONS
10	11 55 30.79N 121 57 47.14E	8.28	A321 AND LOWER CAT ACFT	PWR-IN AND PUSHBACK
11	11 55 29.61N 121 57 47.75E	8.30	A321 AND LOWER CAT ACFT	PWR-IN AND PUSHBACK
12	11 55 28.44N 121 57 48.36E	8.31	A321 AND LOWER CAT ACFT	PWR-IN AND PUSHBACK

**C0261/19** NOTAMR C0945/18 **AERODROME**

**Q)** RPHI/QFAHX/IV/NBO/A/000/999/1156N12157E005  
**A)** RPVE **B)** 1903230625 **C)** 1906251000EST  
**E)** EXER EXTREME CTN DRG LDG/TKOF DUE CONCENTRATION OF BIRDS  
IN THE VCY OF THE AD.

**C0284/19** NOTAMN **DME**

**Q)** RPHI/QNDCH/IV/BO/AE/000/999/1155N12157E025  
**A)** RPVE **B)** 1904180939 **C)** 1905222359  
**E)** CATICLAN DME PARTICULARS CHANGED TO:

PSN OF TRANSMITTING ANTENNA COORD-  
11 55 27.7176N 121 57 25.961E

ELEV OF DME TRANSMITTING ANTENNA-  
24.263M/ 79.583FT.

**C0285/19** NOTAMN **DME**

**Q)** RPHI/QNDCH/IV/BO/AE/000/999/1155N12157E025  
**A)** RPVE **B)** 1905230000 **C)** PERM  
**E)** CATICLAN DME PARTICULARS CHANGED TO:

PSN OF TRANSMITTING ANTENNA COORD-  
11 55 27.7176N 121 57 25.961E

ELEV OF DME TRANSMITTING ANTENNA-  
24.263M/ 79.583FT.

REF AIP PAGE RPVE AD 2-6 SECN RPVK AD 2.19.

**C0288/19** NOTAMR C0048/19 **PARKING AREA**

**Q)** RPHI/QMKLC/IV/BO/A/000/999/1156N12157E005  
**A)** RPVE **B)** 1904230231 **C)** 1907241000EST

E) PRKG BAY NR 2 CLSD DUE WIP.

**C0289/19** NOTAMR C0049/19 **RWY**  
Q) RPHI/QMRXX/IV/NBO/A/000/999/1156N12157E005  
A) RPVE **B)** 1904230232 **C)** 1907241000EST  
E) EXER CTN DRG LDG/TKOF RWY06/24 DUE RANDOM LASER LGT EMITTING  
FM UNIDENTIFIED SOURCES WEST PART OF APCH RWY06.

**RPVG - GUIUAN COMMUNITY AIRPORT**

**C0854/18** NOTAMN **AERODROME**  
Q) RPHI/QFAAH/IV/NBO/A/000/999/1102N12545E005  
A) RPVG **B)** 1901030000 **C)** PERM  
E) AP NEW HR OF OPS 0000-0900.

REF AIP PAGE RPVG AD 2-1.

**RPVH - HILONGOS COMMUNITY AIRPORT**

**C0847/18** NOTAMN **AERODROME**  
Q) RPHI/QFAAH/IV/NBO/A/000/999/1023N12446E005  
A) RPVH **B)** 1901030000 **C)** PERM  
E) AP HR OF OPS 0000-0900.

REF AIP PAGE RPVH AD 2-1

**RPVI - ILOILO PRINCIPAL AIRPORT (CLASS 1)**

**C0180/19** NOTAMN **IFR APCH PROC**  
Q) RPHI/QPIAU/I/NBO/A/000/999/1050N12230E005  
A) RPVI **B)** 1903110000 **C)** 1903110900EST  
E) IAP VOR RWY02/20 SUSPENDED DUE IOO DVOR/DME 116.3MHZ/CH110X,  
DVOR PART U/S DUE SKED PREVENTIVE MAINT.

REF AIP PAGE RPVI AD 2-46 TO 2-47.

**C0181/19** NOTAMR C0930/18 **ILS**  
Q) RPHI/QICAS/I/NBO/A/000/999/1049N12229E005  
A) RPVI **B)** 1903110354 **C)** 1906110800EST  
E) ILS RWY20 U/S.

**C0182/19** NOTAMR C0931/18 **IFR APCH PROC**  
Q) RPHI/QPIAU/I/NBO/A/000/999/1050N12230E005  
A) RPVI **B)** 1903110355 **C)** 1906110800EST  
E) IAP ILS RWY20 SUSPENDED DUE ILS RWY20 U/S.  
REF AIP PAGE RPVI AD 2-45.

**C0266/19** NOTAMR C0977/18 **FIRE AND RESCUE**  
Q) RPHI/QFFCG/IV/NBO/A/000/999/1050N12230E005  
A) RPVI **B)** 1903270814 **C)** 1906262359  
E) AD CAT FOR FIRE FIGHTING DOWNGRADED TO CAT VII.

**RPVO - ORMOC PRINCIPAL AIRPORT (CLASS 2)**

**C0297/19** NOTAMN **RWY**  
Q) RPHI/QMRHW/V/NBO/A/000/999/1103N12434E005  
A) RPVO **B)** 1904260000 **C)** 1907261000  
E) EXER EXTREME CTN DRG LDG/TKOF RWY18/36 DUE WIP  
(ASPH OVERLAY OF RWY AND STRIP WIDTH COR).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

**C0298/19** NOTAMR C0139/19 **RWY**  
Q) RPHI/QMRXX/V/NBO/A/000/999/1103N12434E005  
A) RPVO **B)** 1904261001 **C)** 1906192359  
E) TEMPO RWY PHYSICAL CHARACTERISTICS:  
RWY DIMENSIONS THR COORD THR ELEV  
18 2042M X 36M 11 04 05.7709N 15.7168M  
124 33 58.9071E

36 2042M X 36M 11 03 08.2170N 8.5950M  
 124 33 54.8560E

RWY SWY CWY  
 18 0 0  
 36 0 0

**C0299/19** NOTAMN **RWY**

**Q)** RPHI/QMRXX/V/NBO/A/000/999/1103N12434E005  
**A)** RPVO **B)** 1906200000 **C)** PERM  
**E)** RWY PHYSICAL CHARACTERISTICS:

RWY	DIMENSIONS	THR COORD	THR ELEV
18	2042M X 36M	11 04 05.7709N 124 33 58.9071E	15.7168M

36 2042M X 36M 11 03 08.2170N 8.5950M  
 124 33 54.8560E

RWY SWY CWY  
 18 0 0  
 36 0 0

**C0300/19** NOTAMR C0140/19 **DECLARED DIST**

**Q)** RPHI/QMDCH/V/NBO/A/000/999/1103N12434E005  
**A)** RPVO **B)** 1904261005 **C)** 1906192359  
**E)** TEMPO DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA	RMK
18	2042M	2042M	2042M	2042M	
36	2042M	2042M	2042M	1772M	THR DISPLACED BY 270M.

**C0301/19** NOTAMN **DECLARED DIST**

**Q)** RPHI/QMDCH/V/NBO/A/000/999/1103N12434E005  
**A)** RPVO **B)** 1906200000 **C)** PERM  
**E)** DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA	RMK
18	2042M	2042M	2042M	2042M	
36	2042M	2042M	2042M	1772M	THR DISPLACED BY 270M.

**RPVQ - BILIRAN COMMUNITY AIRPORT**

**C0845/18** NOTAMN **AERODROME**

**Q)** RPHI/QFAAH/IV/NBO/A/000/999/1134N12425E005  
**A)** RPVQ **B)** 1901030000 **C)** PERM  
**E)** AP HR OF OPS 0000-0900.

REF AIP PAGE RPVQ AD 2-1

**RPVR - ROXAS PRINCIPAL AIRPORT (CLASS 1)**

**C0787/18** NOTAMR C0373/18 **TWR**

**Q)** RPHI/QSTAH/IV/BO/A/000/999/1136N12245E005  
**A)** RPVR **B)** 1810250341 **C)** 1901251000EST  
**E)** TWR TEMPO HR OF OPS: 2200-1000.

**C0010/19** NOTAMN **RWY**

**Q)** RPHI/QMRLT/IV/NBO/A/000/999/1136N12245E005  
**A)** RPVR **B)** 1901030700 **C)** 1902030800EST  
**E)** RWY32 LDG LTD TO DAY VMC ONLY DUE PAPI RWY32 U/S.

**C0092/19** NOTAMN **TWY**

**Q)** RPHI/QMXHW/IV/M/A/000/999/1136N12245E005  
**A)** RPVR **B)** 1902022200 **C)** 1905031000  
**E)** EXER EXTREME CTN DRG LDG/TKOF DUE WIP (STRIP GRADE COR AND ASPH OVERLAY OF RWY SHOULDER).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

**RPVS - ANTIQUE PRINCIPAL AIRPORT (CLASS 2)**

**C0938/18** NOTAMN **FSS**  
**Q)** RPHI/QSSAR/V/B/A/000/999/1046N12156E005  
**A)** RPVS **B)** 1812152200 **C)** 1903160600EST  
**E)** ANTIQUE FSS TEMPO ESTABLISHED WITH THE FLW PARTICULARS:

CALL SIGN: ANTIQUE RADIO  
HR OF OPS: 2200-0600  
FREQ : 127.1MHZ A/G  
: 5205KHZ P/P PRI FREQ (MACTAN NETWORK)  
OPERATOR : CAAP  
RMK: THE TWR FREQ FOR AP WITH AD CTL SER OR FSS FREQ WITH  
ATS ADVS IS THE DESIGNATED UNICOM FREQ FOR USE WHEN  
THESE SER ARE CLSD (REF AIP PAGE GEN 3.4-3 ITEM 3.6.1).  
: FOR EXTENSION OF SER, ONE DAY PN IS REQUIRED.

**C0192/19** NOTAMR C0937/18 **AERODROME**  
**Q)** RPHI/QFAXX/V/NBO/A/000/999/1046N12156E005  
**A)** RPVS **B)** 1903140628 **C)** 1906140600  
**E)** ARP COORD CHANGED TO:  
10 46 02.06075N  
121 55 56.85872E.

**C0193/19** NOTAMR C0935/18 **DECLARED DIST**  
**Q)** RPHI/QMDCH/V/NBO/A/000/999/1046N12156E005  
**A)** RPVS **B)** 1903140631 **C)** 1906140600  
**E)** TEMPO DECLARED DIST:  
RWY TORA TODA ASDA LDA  
18 1370M 1507M 1370M 1370M  
36 1370M 1430M 1370M 1330M.

**C0194/19** NOTAMR C0936/18 **RWY**  
**Q)** RPHI/QMRXX/V/NBO/A/000/999/1046N12156E005  
**A)** RPVS **B)** 1903140632 **C)** 1906140600  
**E)** TEMPO RWY PHYSICAL CHARACTERISTICS:  
RWY DIMENSIONS THR COORD THR ELEV  
18 1370M X 30M 10 46 24.038N 6.8384M  
121 55 56.915E  
36 1370M X 30M 10 45 40.73433N 10.2874M  
121 55 56.80460E  
RWY SWY CWY  
18 0 137M  
36 0 60M.

**C0196/19** NOTAMR C0934/18 **AERODROME**  
**Q)** RPHI/QFAAH/V/NBO/A/000/999/1046N12156E005  
**A)** RPVS **B)** 1903150809 **C)** 1906150800EST  
**E)** AP HR OF OPS 2200-0600.

## RPVT - TAGBILARAN PRINCIPAL AIRPORT (CLASS 1)

**C0046/15** NOTAMR C0520/14 **OBST**  
**Q)** RPHI/QOBCE/IV/M/AE/000/017/0940N12351E005  
**A)** RPVT **B)** 1501220903 **C)** 1503311000EST  
**E)** EXER CTN DRG LDG/TKOF RWY 17/35 DUE PRESENCE OF OBST:  
RADIO BCST ANTENNA APRX 1590M FM RWY 35 THR WITH ELEV 64.13M  
CLUSTER OF ANTENNA APRX 5667M FM RWY 35 THR WITH ELEV 221.43M  
SELF SUPPORT ANTENNA APRX 1572M FM RWY 35 THR AND 96M RIGHT OF  
THE PROJECTED RWY CL WITH ELEV 51.68M.

**C0890/18** NOTAMN **AERODROME**  
**Q)** RPHI/QFALC/IV/NBO/A/000/999/0940N12351E005  
**A)** RPVT **B)** 1811272200 **C)** 1902271000EST  
**E)** AP CLSD TO ACFT OPS.

**C0106/19** NOTAMN **AIRSPACE RESERVATION**  
**Q)** RPHI/QRALW/IV/NBO/AW/000/020/0940N12351E006  
**A)** RPVT **B)** 1903220000 **C)** 1906222359  
**E)** SPECIAL ACT WILL TAKE PLACE WI:

5NM RADIUS CENTERED ON 09 39.90N 123 51.20E  
(TAGBILARAN AP, BOHOL)  
F) SFC G) 2000FT AMSL

## RPVU – ROMBLON PRINCIPAL AIRPORT (CLASS 2)

**C0146/19** NOTAMR C0008/19 **RWY**  
Q) RPHI/QMRLC/IV/NBO/A/000/999/1219N12205E005  
A) RPVU B) 1903040714 C) 1906040700  
D) SUN MON WED FRI 2300-0700, TUE THU SAT 2300-0359  
E) RWY03/21 CLSD DUE WIP (RE-BLOCKING OF RWY).

**C0277/19** NOTAMR C0968/18 **FSS**  
Q) RPHI/QSSLC/V/B/A/000/999/1219N12205E005  
A) RPVU B) 1904080603 C) 1907102300EST  
E) FSS CLSD.

RMK: THE TWR FREQ FOR AP WITH AD CTL SER OR FSS FREQ WITH  
ATS ADVS IS THE DESIGNATED UNICOM FREQ FOR USE WHEN  
THESE SER ARE CLSD

## RPVW – BORONGAN COMMUNITY AIRPORT

**C0851/18** NOTAMN **AERODROME**  
Q) RPHI/QFAAH/IV/NBO/A/000/999/1140N12529E005  
A) RPVW B) 1901030000 C) PERM  
E) AP HR OF OPS 0000-0900.

REF AIP PAGE RPVW AD 2-1

## RPVY – CATBALOGAN COMMUNITY AIRPORT

**C0849/18** NOTAMN **AERODROME**  
Q) RPHI/QFAAH/IV/NBO/A/000/999/1148N12450E005  
A) RPVY B) 1901030000 C) PERM  
E) AP HR OF OPS 0000-0900.

REF AIP PAGE RPVY AD 2-1

## RPVZ – SIQUIJOR COMMUNITY AIRPORT

**C0252/19** NOTAMN **RWY**  
Q) RPHI/QMRLC/IV/NBO/A/000/999/0913N12328E005  
A) RPVZ B) 1903212150 C) 1906180000  
E) FIRST 598M FM RWY04 THR CLSD DUE WIP.

RMK: AVBL RWY LEN IS 602M.

**C0253/19** NOTAMN **DECLARED DIST**  
Q) RPHI/QMDCH/IV/NBO/A/000/999/0913N12328E005  
A) RPVZ B) 1903212150 C) 1906180000  
E) TEMPO DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA
04	602M	602M	602M	602M
22	602M	602M	602M	602M

RWY	SWY	CWY
04	0	0
22	0	0

## RPXX

**C0045/04** NOTAMN **HELIPORT**  
Q) RPHI/QFPXX/IV/B/A/000/999/1436N12104E005  
A) RPXX B) 0402050000 C) PERM  
E) LDG/TKOF OF CIVILIAN HELICOPTERS AT CAMP AGUINALDO  
SHALL USE THE LOGISTIC CENTER HELIPAD COORD 143626N 1210413E

**C0046/04** NOTAMR C0465/03 **AERODROME**  
**Q)** RPHI/QFAXX/IV/NBO/A/000/999/1215N12348E769  
**A)** RPXX **B)** 0402030200 **C)** PERM  
**E)** APURAWAN AD, APURAWAN ABORLAN, PALAWAN IS  
 OPEN TO ACFT OPS.

**C0098/04** NOTAMN **NDB**  
**Q)** RPHI/QNBXX/IV/BO/AE/000/999/1151N11918E025  
**A)** RPXX **B)** 0403200000 **C)** PERM  
**E)** MALAMPAYA NDB COORD 115141.2834N 1191849.0772E IS  
 HEREBY COMMISSIONED WITHN THE FLW PARTICULARS:  
 LOCATION 115141.2834N 1191849.0772E (MALAMPAYA  
 OFFSHORE PLATFORM,PALAWAN)  
 FREQ 315KHZ  
 OUTPUT 50W  
 COVERAGE 100NM  
 IDENT MP  
 EMISSION A2A/A3E  
 OPR AUTH SHELL PHILIPPINES EXPLORATION B.V.

**C0059/10** NOTAMR C0079/08 **RWY**  
**Q)** RPHI/QMRLC/IV/NBO/A/000/020/1151N11956E005  
**A)** RPXX **B)** 1001260908 **C)** 1004251000EST  
**E)** CULION RWY CLSD TO ACFT OPS DUE WIP (UPGRADING OF RWY)

**C0174/10** NOTAMR C0173/10 **AERODROME**  
**Q)** RPHI/QFAXX/IV/NBO/A/000/020/0738N12443E005  
**A)** RPXX **B)** 1004200230 **C)** 1007191000EST  
**D)** 2200 - 1000  
**E)** WAO AP, LANA O DEL SUR IS OPN TO ACFT OPS WITH THE  
 FLW PARTICULARS:  
 RWY DIMENSION : 1000M X 30M (MACADAM)  
 RWY DESIGNATION : 18/36  
 SWY : 50M/50M  
 CWY : 50M/50M  
 APRON : 80M X 50M (MACADAM)  
 ELEVATION : 536.00 AMSL  
 SLOPE : 0.70  
 HRS OF OPS : 2200-1000  
 ARP : 073819N 1244375E  
 RESTRICTION : CAOWW  
 OPR AUTH : CIVIL AVIATION AUTHORITY OF THE  
 PHILIPPINES  
 DECLARED DISTANCES:  

RWY	TORA	TODA	ASDA	LDA
18	1000	1050	1050	1000
36	1000	1050	1050	1000

**RMKS:**

1. PILOTS ARE ADZ TO PASS OVR THE FIELD PRIOR TO ENTERING  
 TFC PATTERN TO BUZZ UNAUTHORIZED PERSONS/VEHICLES TO CLR  
 RWY BEFORE LDG.
2. VISUAL DAY MARKERS, DISTANCE TO GO, SWY MARKERS, RWY  
 SIDE MARKERS, RWY END MARKERS, WINDCONE AVBL.

**Latest AIP Amendments:**

AIRAC IFR Amendment: 068 dated 16 AUG 2018

**AIP Supplements in force:**

AIRAC IFR Supplements: 007/18; 008/18; 009/18; 010/18

NON-AIRAC IFR Supplements: 012/99; 043/00; 001/18

**IFR:**

NR 003 of 1999

NR 008 of 2000

NR 004; 006; 007 of 2007

NR 005; 007 of 2008

NR 006; 007; 008 of 2009

NR 004 of 2010



NR 003; 005; 006 of 2011  
NR 005; 007; 008; 009 of 2012  
NR 003; 004; 006 of 2013  
NR 003 of 2014  
NR 003 of 2015  
NR 005 of 2016  
NR 003; 004; 005; 006 of 2017  
NR 001; 002 of 2018

*END OF NOTAM List*