

**CIVIL AVIATION AUTHORITY OF THE PHILIPPINES  
AERONAUTICAL INFORMATION AND COMMUNICATIONS DIVISION**

**INTERNATIONAL NOTAM OFFICE  
AIS Operations  
2/F Airways Facilities Complex, CAAP Compound  
Old MIA Road**

**Phone: (63-2) 944-2264 to 2266  
Fax: (63-2) 879-9288  
AFS address: RPLLYNYX**

**Pasay City 1300  
PHILIPPINES**

**MONTHLY SUMMARY  
08/17**

---

**SUMMARY OF NOTAM IN FORCE**

The following NOTAM C Series are still in force at **1708010503UTC**. NOTAMs not included herein have either time expired or have been cancelled, replaced or superseded by AIP Supplement or incorporated into the AIP-PHILIPPINES.

In the compilation of the Integrated Aeronautical Information Package (IAIP), care has been taken to ensure that the information contained therein is accurate and complete. Any errors and omissions, which may be detected, as well as any correspondence concerning the IAIP, should be referred to the above address.

---

YEAR = 2004  
0045 0046 0098  
YEAR = 2010  
0059 0174 0251  
YEAR = 2011  
0357  
YEAR = 2015  
0046 0256  
YEAR = 2016  
0618 0746 0851 0853 0855  
YEAR = 2017  
0073 0178 0179 0180 0248 0268 0279 0328 0331 0334 0335 0337 0339  
0353 0358 0360 0365 0367 0368 0370 0371 0373 0374 0376 0377 0379  
0381 0383 0390 0409 0412 0413 0416 0417 0418 0427 0431 0437 0439  
0442 0445 0449 0450 0451 0453 0454 0481 0497 0498 0503 0508 0509  
0510 0511 0512 0513 0514 0515 0521 0523 0524 0525 0526 0534 0535  
0536 0537 0538 0560 0563 0567 0568 0569 0570 0571 0575 0576 0577  
0578 0579 0582 0583 0586 0587 0591 0592 0593 0594 0597 0598 0599  
0600 0601 0602 0603 0604 0608 0609 0610 0611 0612 0613

**Latest AIP Amendments:**

AIRAC AIP Amendment: 063 dated 17 AUG 2017

**AIP Supplements in force:**

AIRAC AIP Supplements: 002/13; 010/14; 003/17; 004/17; 005/17; 006/17; 007/17;  
008/17; 009/17; 010/17; 011/17; 012/17; 013/17; 014/17; 015/17

NON-AIRAC AIP Supplements: 012/99; 043/00; 002/17

**AIC:**

NR 001; 002; 003; 006 of 1999

NR 008 of 2000

NR 004; 006; 007 of 2007

NR 005; 006; 007 of 2008

NR 006; 007; 008 of 2009

NR 004 of 2010

NR 003; 005; 006 of 2011

NR 005; 007; 008; 009 of 2012

NR 003; 004; 006 of 2013

NR 003; 005; 006 of 2014

NR 003 of 2015

NR 005 of 2016

NR 001; 002; 003; 004 of 2017

**RPHI - MANILA FIR**

**C0613/17** NOTAMR C0527/17

**CHECKLIST**

- A) RPHI**      **B) 1708010005**      **C) 1709010005EST**
- E) CHECKLIST**

YEAR=2004 0045 0046 0098  
YEAR=2010 0059 0174 0251  
YEAR=2011 0357  
YEAR=2015 0046 0256  
YEAR=2016 0618 0746 0851 0853 0855  
YEAR=2017 0073 0178 0179 0180 0248 0268 0279 0328 0331 0334 0335  
0337 0339 0353 0358 0360 0365 0367 0368 0370 0371 0373  
0374 0376 0377 0379 0381 0383 0390 0409 0412 0413 0416  
0417 0418 0427 0431 0437 0439 0442 0445 0449 0450 0451  
0453 0454 0481 0497 0498 0503 0508 0509 0510 0511 0512  
0513 0514 0515 0521 0523 0524 0525 0526 0534 0535 0536  
0537 0538 0560 0563 0567 0568 0569 0570 0571 0575 0576  
0577 0578 0579 0582 0583 0586 0587 0591 0592 0593 0594  
0597 0598 0599 0600 0601 0602 0603 0604 0608 0609 0610  
0611 0612

**LATEST PUBLICATIONS**

AIP AIRAC AMDT 063/2017 EFFECTIVE DATE 17 AUG 17  
AIP AIRAC SUP 015/2017 EFFECTIVE DATE 17 AUG 17  
AIP SUP 002/2017 EFFECTIVE DATE 03 MAR 17  
AIC 004/2017 EFFECTIVE DATE 23 JUN 17  
AIRAC AIP AMDT EFFECTIVE DATE 14 SEP 17 - NIL

**AERODROMES**

**RPLP - LEGAZPI**

**C0618/16** NOTAMN

**AD**

- A) RPLP**      **B) 1609302130**      **C) 1612301330EST**
- E) AP TEMPO HRS OF OPS 2130-1330**

**C0851/16** NOTAMN

**REPORTING POINT**

- A) RPLP**      **B) 1701050000**      **C) PERM**
- E) ESTABLISHMENT OF WPT IN RPLP RNAV STAR RWY 24, MASBA 1W:**

NAME OF SIGNIFICANT PT: SAMON  
COORD: 12 56 33.493N 124 01 05.601E

REF AIRAC AIP SUP 010/14 DATED 27 JUNE 2014.

**C0853/16** NOTAMN

**STAR**

- A) RPLP**      **B) 1701050000**      **C) PERM**
- E) ADDN RNAV ARR RTE UTILIZING RWY 24:**

MASBA 1W  
FM MASBA AT OR ABOVE 10000FT TO SAMON (12 56 33.493N 124 01 05.601E)  
TO PANIK AT OR ABOVE 4500FT TO GAYON AT OR ABOVE 2900FT.

REF AIRAC AIP SUP 010/14 DATED 27 JUNE 2014.

**C0855/16** NOTAMN

**STAR**

- A) RPLP**      **B) 1701050000**      **C) PERM**
- E) ADDN RNAV ARR ROUTE UTILIZING RWY 06:**

MASBA 1E  
FM MASBA AT OR ABOVE 10000FT TO LAHAR AT OR ABOVE 2700FT.

REF AIRAC AIP SUP 010/14 DATED 27 JUNE 2014.

**C0353/17** NOTAMN

**RWY**

- A) RPLP      B) 1705072330      C) 1708081330  
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP  
(ASPH OVERLAY OF RWY).

**C0449/17** NOTAMR C0075/17 **STAR**  
A) RPLP      B) 1706050635      C) 1709050800EST  
E) ALTN/ADDITIONAL RTE FOR FLT ARR TO LEGAZPI UTILIZING RWY24:  
FM RAGAY PROCEED DIRECT TO LAHAR DIRECT TO PANIK DIRECT  
TO GAYON (IAF) FOR RNAV (GNSS) APCH RWY24.

RMK: EXP MINIMUM DESCENT ALT OF 4500FT UNTIL PANIK.

**C0450/17** NOTAMR C0076/17 **TWR**  
A) RPLP      B) 1706050637      C) 1709050800EST  
E) TWR TEMPO HRS OF OPS 2130-1330

**C0451/17** NOTAMR C0079/17 **APP**  
A) RPLP      B) 1706050638      C) 1709050800EST  
E) APP TEMPO HRS OF OPS 2130-1330

**C0503/17** NOTAMR C0304/17 **MOVEMENT AREA**  
A) RPLP      B) 1706190613      C) 1708191330  
E) WEST TWY CLSD DUE WIP (REBLOCKING OF APN - PHASE II).

RMK:

1. WHEN USING PRKG BAY NR 1, 2 AND 3 TAX IN AND OUT AT EAST TWY ONLY.

**C0575/17** NOTAMR C0491/17 **A/G FACILITY**  
A) RPLP      B) 1707130208      C) 1708130800EST  
E) LEGAZPI APP FREQ 120.2MHZ ON LTD OPS AT EST LOCATION  
20NM NORTH OF LEGAZPI DUE TO TERRAIN OBSTRUCTION.

## **RPMC - COTABATO**

**C0534/17** NOTAMR C0533/17 **TWR**  
A) RPMC      B) 1707050622      C) 1710052300  
E) AD CTL TWR SER CHANGED TO AD ADVS

RMK: TWR CAB VIS BLOCKED BY TALL TREES ON THE FINAL APCH OF RWY10

## **RPME - BUTUAN**

**C0508/17** NOTAMN **AERODROME**  
A) RPME      B) 1708170000      C) 1708312359  
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17.  
CHANGES IN THE FLW PAGES:  
1. REVISION TO OPR HRS (REF RPME AD 2-1).  
2. REVISION TO AD OBST (REF RPME AD 2-3).  
3. REVISION TO FLT PROC (REF RPME AD 2-9 TO 2-10).  
4. REVISION TO CHARTS RELATED TO AN AD (REF RPME AD 2-12).  
5. REVISION TO AREA CHART (REF RPME AD 2-13).  
6. REVISION TO SID CHART (RNAV SID RWY12)  
(REF RPME AD 2-15 TO 2-16).  
7. REVISION TO SID CHART (RNAV SID RWY30)  
(REF RPME AD 2-17 TO 2-18).  
8. REVISION TO STAR CHART (RNAV STAR RWY12)  
(REF RPME AD 2-19 TO 2-20).  
9. REVISION TO STAR CHART (RNAV STAR RWY30)  
(REF RPME AD 2-21 TO 2-22).  
10. REVISION TO IAC (RNAV (GNSS) RWY12) (REF RPME AD 2-23 TO 2-24).  
11. REVISION TO IAC (RNAV (GNSS) RWY30) (REF RPME AD 2-25 TO 2-26).  
12. REVISION TO TFC CIRCUIT CHART RWY12 (REF RPME AD 2-27).  
13. REVISION TO TFC CIRCUIT CHART RWY30 (REF RPME AD 2-28).

**RPMG - DIPOLOG**

**C0535/17** NOTAMR C0282/17 **TWR**  
**A) RPMG**      **B) 1707050624**      **C) 1710052359EST**  
**E) AD CTL TWR SER CHANGED TO AD ADVS**

RMK: TWR CAB VIS BLOCKED BY TALL TREES APRX 300M BEGINNING Rwy20

**C0586/17** NOTAMR C0036/17 **RWY**  
**A) RPMG**      **B) 1707190323**      **C) 1710180900EST**  
**E) EXER CTN DRG LDG Rwy20.**

RMK: FIRST 500M Rwy20 NOT VISIBLE FM TWR CAB DUE BLOCKED BY TALL TREES.

**RPMO - OZAMIS**

**C0454/17** NOTAMN **RWY**  
**A) RPMO**      **B) 1706122100**      **C) 1709130500**  
**E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP (ASPHALT OVERLAY OF Rwy).**

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE Rwy.

**RPMP - PAGADIAN**

**C0358/17** NOTAMN **RWY**  
**A) RPMP**      **B) 1706220000**      **C) PERM**  
**E) NEW Rwy PHYSICAL CHARACTERISTICS:**

Rwy	Rwy DIMENSION (M)	THR COORD THR GEOID OF Rwy	Rwy END COORD UNDULATION	THR ELEV AND HIGHEST ELEV OF TDZ OF PRECISION APP Rwy
02	2004 X 45	07 49 03.29329N 123 27 26.38921E (68.822M/225.794FT)		THR 3.006M/9.862FT
20	2004 X 45	07 50 06.0370N 123 27 44.3670E (68.770M/225.623FT)		THR 4.633M/15.200FT

Rwy	SWY DIMENSIONS (M)	CWY DIMENSIONS (M)	STRIP DIMENSIONS (M)
02	60 X 45	100	2175 X 66
20	NIL	100	2175 X 66

(REF AIP PHILIPPINES RPMP AD 2-3 (RPMP AD 2.12 Rwy PHYSICAL CHARACTERISTICS) DATED 08 DEC 2016)

**C0360/17** NOTAMN **DECLARED DIST**  
**A) RPMP**      **B) 1706220000**      **C) PERM**  
**E) NEW DECLARED DIST:**

Rwy	TORA (M)	TODA (M)	ASDA (M)	LDA (M)
02	2004	2104	2064	2004
20	2004	2104	2004	2004

(REF AIP PHILIPPINES RPMP AD 2-3 (RPMP AD 2.13 DECLARED DISTANCES) DATED 08 DEC 2016)

**RPMS - SURIGAO**

**C0746/16** NOTAMN **RWY**  
**A) RPMS        B) 1611080642        C) 1612080000EST**  
**E) EXER CTN DRG LDG/TKOF RWY18/36 DUE PRESENCE OF SOFT, UNCOVERED EXCAVATION AND STOCK PILES (APRX 600M LENGTH) LEFT SHOULDER OF RWY18, STARTING 900M FM THR18. SOFT, UNCOVERED EXCAVATION (APRX 300M LENGTH) LEFT SHOULDER OF RWY36, STARTING 300M FM THR36.**

**C0481/17** NOTAMN **RWY**  
**A) RPMS        B) 1706122200        C) 1709130800**  
**E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP (WIDENING OF RWY).**  
 RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLEAR THE RWY.

**C0597/17** NOTAMR C0505/17 **PAPI**  
**A) RPMS        B) 1707210654        C) 1708220800EST**  
**E) PAPI RWY 18/36 U/S.**

**C0611/17** NOTAMN **RWY**  
**A) RPMS        B) 1707310319        C) 1711020800EST**  
**E) TEMPO RWY PHYSICAL CHARACTERISTICS:**

RWY	DIMENSIONS	THR COORD	THR ELEV
18	1000M X 30M	09 45 33.612N 125 28 51.627E	7.71M
36	1000M X 30M	09 45 01.090N 125 28 52.620E	8.85M

RWY	SWY	CWY
18	0	60M
36	0	500M

**C0612/17** NOTAMR C0164/17 **RWY**  
**A) RPMS        B) 1707310321        C) 1711020800EST**  
**E) RWY OPEN WITH THE FLW INFO:**

TEMPO DECLARED DIST				
RWY	TORA	TODA	ASDA	LDA
36	1000M	1500M	1000M	1000M
18	1000M	1060M	1000M	1000M

RWY	CWY	SWY
36	500M	0
18	60M	0

RESTRICTIONS: 1. ONLY SOUTH TWY IS USABLE.

RMK: OBSTRUCTION (RED HOUSE) APRX 195M FM RWY36 THR ALONG THE EXTENDED RWY CL.

**RPMY - LAGUINDINGAN**

**C0515/17** NOTAMN **AERODROME**  
**A) RPMY        B) 1708170000        C) 1708312359**  
**E) TRIGGER NOTAM - AIRAC AIP SUP A015/17 WEF 17 AUG 17. AD PARTICULARS FOR LAGUINDINGAN AP.**

**C0560/17** NOTAMN **IFR APCH PROC**  
**A) RPMY        B) 1709120000        C) 1712120000EST**  
**E) AMEND PARTICULARS IN PROFILE VIEW TO READ AS FLW:**  
 ILS ID ILDG TO ILGD  
 VOR ID LDG TO LGD

REF AIRAC AIP SUP A015/17 PAGE 22 (IAP ILS OR LOC RWY 27) DATED 23 JUN 17.

**RPNO - SIOCON**

**C0357/11** NOTAMN **RWY**  
A) **RPNO** B) 1108250348 C) 1111250900EST  
E) AMEND RPNO AD 2.13 DECLARED DISTANCES RWY 09 REMARKS TO READ  
AS CAOWW/FST 50M IS CONCRETE (PCCP).

**C0453/17** NOTAMR C0361/11 **AERODROME**  
A) **RPNO** B) 1706070517 C) 1709070500  
E) AP OPEN WITH THE FLW AP RESTRICTIONS:  
1. NO PERIMETER FENCE  
2. NO RWY DAY MARKERS AND MARKINGS.  
3. OBSTRUCTION (PRESENCE OF TREES) AT BOTH TRANSITION AND  
APCH AT RWY 27  
4. PILOTS ARE ADVISED TO BUZZ OVER THE FIELD PRIOR TO ENTERING  
TFC PATTERN.

**RPNS - SIARGAO**

**C0416/17** NOTAMR C0135/17 **FSS**  
A) **RPNS** B) 1705290603 C) 1708300700EST  
E) TEMPO ESTABLISHMENT OF SIARGAO FSS WITH THE FLW PARTICULARS:  
CALL SIGN: SIARGAO RDO  
HR OF OPS: 2300-0700  
A/G FREQ : 127.1MHZ  
G/G FREQ : 5205KHZ PRI (MACTAN NETWORK)  
OPERATOR : CAAP  
RMK : FOR EXTENSION OF SER ONE (1) DAY PN.

**C0442/17** NOTAMR C0085/11 **OBST**  
A) **RPNS** B) 1706011008 C) 1709010800EST  
E) EXER EXTREME CTN DRG LDG/TKOF DUE PRESENCE OF OBSTRUCTION  
(ELECTRICAL POST LOCATED 205M FM EDGE OF RWY 19).

**RPSN - UBAY**

**C0251/10** NOTAMR C0259/06 **RWY**  
A) **RPSN** B) 1006100607 C) 1009101000EST  
E) RWY CLSD DUE ABSENCE OF RWY MARKINGS/MARKERS AND INCOMPLETE  
PERIMETER FENCE.

**RPUB - BAGUIO**

**C0593/17** NOTAMR C0500/17 **PAPI**  
A) **RPUB** B) 1707190928 C) 1708180800EST  
E) PAPI RWY27 LTD VIS AT LEFT SECT OF RWY DUE  
TO OBST. USABLE ON CO-PILOT SIDE ONLY.

**RPUG - LINGAYEN**

**C0328/17** NOTAMN **RWY**  
A) **RPUG** B) 1705072330 C) PERM  
E) PILOTS ARE ADZ THAT EV SUN (2330-0030)  
TKOF ALLOWED AT RWY08 AND LDG AT RWY26 ONLY  
DUE TO WEEKLY HLDG OF FLAG CEREMONY AT PROVINCIAL  
CAPITOL PLAZA OF LINGAYEN, PANGASINAN.

**C0514/17** NOTAMN **AERODROME**  
A) **RPUG** B) 1708170000 C) 1708312359  
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17.  
NEW INFO TO LOCAL TFC REGULATIONS (REF RPUG AD 2-3).

**RPUH - SAN JOSE**

C0418/17 NOTAMR C0163/17 **FSS**  
A) **RPUH** B) 1705290641 C) 1708310500EST  
E) SAN JOSE FSS TEMPO HR OF OPS: 2100-0500  
(REF AIP PHILIPPINES RPUH AD 2-4, RPUH AD 2.18 ATS COM FACILITIES).

**RPUN - NAGA**

C0587/17 NOTAMR C0074/17 **APP**  
A) **RPUN** B) 1707190325 C) 1710180800EST  
E) APP CTL SER NOT AVBL FOR ARR OR DEP DUE LTD COM.  
  
RMK: FLT ARE ADZ TO CTC NAGA RDO FREQ 122.1MHZ AS SOON AS PRACTICABLE.

C0602/17 NOTAMR C0572/17 **PAPI**  
A) **RPUN** B) 1707250625 C) 1708250800EST  
E) PAPI RWY22 ON TEST, DO NOT USE.  
(AWAITING FLTCK VERIFICATION)

**RPUO - BASCO**

C0279/17 NOTAMN **PAPI**  
A) **RPUO** B) 1705250000 C) PERM  
E) PAPI RWY06 EFFECTIVE GLIDE ANGLE CHANGED TO 3.0 DEG.  
  
REF AIP PHILIPPINES PAGE RPUO AD 2-3 DATED 30 APR 15  
(RPUO AD 2.14 APPROACH AND RUNWAY LIGHTING ITEM 4).

C0512/17 NOTAMN **APCH LIGHT SYSTEM**  
A) **RPUO** B) 1708170000 C) 1708312359  
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17.  
REVISION TO APCH AND RWY LGT (REF RPUO AD 2-3).

**RPUS - SAN FERNANDO**

C0073/17 NOTAMR C0529/16 **FIRE AND RESCUE**  
A) **RPUS** B) 1702060426 C) 1705091000EST  
E) RESCUE AND FIRE FIGHTING HRS OF OPS: 2200-1000  
  
(REF AIP PAGE RPUS AD 2-1 DTD 30 APR 15,  
RPUS AD 2.3 OPERATIONAL HOURS).

C0591/17 NOTAMR C0502/17 **PAPI**  
A) **RPUS** B) 1707190859 C) 1708180800EST  
E) PAPI RWY01 U/S.

C0592/17 NOTAMR C0501/17 **PAPI**  
A) **RPUS** B) 1707190911 C) 1708180800EST  
E) PAPI RWY19 ON TEST, DO NOT USE  
(AWAITING FLTCK VERIFICATION).

C0603/17 NOTAMN **ATZ**  
A) **RPUS** B) 1707250732 C) 1710250900EST  
E) ATZ DOWNGRADED TO CLASS G AIRSPACE.

C0604/17 NOTAMN **TWR**  
A) **RPUS** B) 1707250738 C) 1710250900EST  
E) AD CTL TWR SER DOWNGRADED TO ADVS.

RMK: TWR CAB VIS BLOCKED BY TALL TREES  
ON FINAL APCH OF RWY01

**RPUV - VIRAC**

**C0437/17** NOTAMN **AERODROME**  
A) **RPUV** B) 1707200000 C) PERM  
E) ELEV/REF TEMP - 46.5299M

(REF AIP PHILIPPINES RPUV AD 2-1 DATED 23 JUN 2016).

**C0439/17** NOTAMN **RWY**  
A) **RPUV** B) 1707200000 C) PERM  
E) RWY PHYSICAL CHARACTERISTICS:

RWY	THR COORD	RWY END COORD	THR ELEV AND HIGHEST ELEV OF TDZ OF PRECISION APP RWY
06	13 34	23.08321N	46.5299M / 152.657FT
	124 11	52.23058E	
24	13 34	51.21772N	30.8445M / 101.196FT
	124 12	43.15434E	

SLOPE OF RWY-SWY  
0.892 PCT UPHILL TOWARDS THR 06.

(REF AIP PHILIPPINES RPUV AD 2-3 DATED 30 APR 2015).

**C0525/17** NOTAMR C0258/17 **FSS**  
A) **RPUV** B) 1706290149 C) 1709290500EST  
E) VIRAC FSS TEMPO HRS OF OPS 2100-0500 DLY.

**C0576/17** NOTAMR C0492/17 **PAPI**  
A) **RPUV** B) 1707130209 C) 1708130800EST  
E) PAPI RWY06 U/S.

**C0577/17** NOTAMR C0493/17 **PAPI**  
A) **RPUV** B) 1707130211 C) 1708150800EST  
E) PAPI RWY24 U/S.

**C0608/17** NOTAMR C0522/17 **NDB**  
A) **RPUV** B) 1707280630 C) 1708290800EST  
E) NDB VC 268KHZ U/S.

**RPUW - MARINDUQUE**

**C0498/17** NOTAMR C0266/17 **RWY**  
A) **RPUW** B) 1706140525 C) 1709140600  
E) RWY OPN TO ACFT OPS WITH THE FLW TEMPO

DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA
16	1137M	1137M	1137M	1137M
34	1137M	1137M	1137M	1077M

  

RWY	CWY	SWY
16	0	0
34	0	0

RMK: FIRST 60M OF RWY34 IS DISPLACED.

**C0567/17** NOTAMR C0455/17 **PAPI**  
A) **RPUW** B) 1707100140 C) 1708100800EST  
E) PAPI RWY16 U/S.

**C0568/17** NOTAMR C0456/17 **PAPI**  
A) **RPUW** B) 1707100144 C) 1708100800EST  
E) PAPI RWY34 WITH THE FLW RESTRICTION:  
LTD VIS AT LEFT SECT OF APCH PATH DUE  
OBSTRUCTING VEGETATION.



**RPVA - DANIEL Z. ROMUALDEZ**

**C0594/17** NOTAMN **RWY**  
A) **RPVA**      B) 1707232100      C) 1710241300  
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP  
(CONST OF SHORE PROTECTION).

**C0598/17** NOTAMR C0528/17 **RWY**  
A) **RPVA**      B) 1707250214      C) 1708220800EST  
E) LDG RWY18 LTD TO DAY VMC ONLY DUE DVOR TAC 115.5MHZ ON TEST.

**C0599/17** NOTAMR C0529/17 **IFR APCH PROC**  
A) **RPVA**      B) 1707250215      C) 1708220800EST  
E) IAP VOR Y AND VOR Z RWY36 SUSPENDED DUE  
DVOR TAC 115.5MHZ ON TEST.

REF AIP PHILIPPINES RPVA AD 2-23 TO 2-24 DATED 23 JUN 16

**C0600/17** NOTAMR C0530/17 **SID**  
A) **RPVA**      B) 1707250216      C) 1708220800EST  
E) SID RWY36 SUSPENDED DUE DVOR TAC 115.5MHZ ON TEST.

REF AIP PHILIPPINES RPVA AD 2-11 TO 2-12 DATED 23 JUN 16

**C0601/17** NOTAMR C0531/17 **STAR**  
A) **RPVA**      B) 1707250217      C) 1708220800EST  
E) STAR RWY36 SUSPENDED DUE DVOR TAC 115.5MHZ ON TEST.

REF AIP PHILIPPINES RPVA AD 2-17 TO 2-18 DATED 23 JUN 16.

**RPVB - BACOLOD**

**C0582/17** NOTAMN **RWY**  
A) **RPVB**      B) 1707251600      C) 1708211900  
D) 1600-1900  
E) RWY03/21 CLSD DUE WIP (REPAINTING OF RWY SIGN AND MARKINGS  
AND RESEALING OF RWY).

**RPVC - CALBAYOG**

**C0390/17** NOTAMR C0170/17 **RWY**  
A) **RPVC**      B) 1705160543      C) 1708160500  
E) EXER CTN DRG LDG/TKOF DUE WIP (RWY WIDENING, ASPH OVERLAY AND  
PAINTING OF DISPLACED THR MARKINGS).  
RWY35 THR DISPLACED BY 185M. AVBL RWY LEN IS 1340M.  
TEMPO DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA
17	1340M	1340M	1340M	1340M
35	1340M	1340M	1340M	1340M

RWY	SWY	CWY
17	0	0
35	0	0.

**C0536/17** NOTAMN **RWY**  
A) **RPVC**      B) 1707100000      C) 1710100500  
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP  
(CONST OF SHORE AND SLOPE PROTECTION).

**RPVD - DUMAGUETE**

- C0497/17** NOTAMR C0265/17 **DECLARED DIST**  
**A) RPVD** **B) 1706140519** **C) 1709140000**  
**E) RWY OPEN TO ACFT OPS WITH THE FLW TEMPO DECLARED DIST:**  
RWY TORA TODA ASDA LDA RMK  
09 1845M 1845M 1845M 1437M THR DISPLACED BY 408M  
27 1845M 1845M 1845M 1845M NIL  
RWY SWY CWY  
09 0 0  
27 0 0.
- C0537/17** NOTAMR C0324/17 **ARO**  
**A) RPVD** **B) 1707060502** **C) 1710061000EST**  
**E) ATS HRS OF OPS 2200-1000 WITH THE FLW PARTICULARS:**  
1. LDG RWY27 ALLOWED DRG IMC.  
DEP RWY27 ALLOWED DRG DAY VMC ONLY.  
2. LDG RWY09 ALLOWED DRG DAY VMC EXC FOR A319 AND  
HIGHER CAT ACFT.  
DEP RWY09 ALLOWED DRG IMC.  
  
RMK: TKOF/LDG BEYOND HR OF OPS IS ALLOWED UPON REQ.
- C0563/17** NOTAMN **THR LGT**  
**A) RPVD** **B) 1707071058** **C) 1710071000**  
**E) RWY THR LGT RWY09 UNRELIABLE DUE DISPLACEMENT OF RWY THR  
CAUSED BY OBSTRUCTION AT RWY09 APCH.**
- C0578/17** NOTAMR C0494/17 **THR LGT**  
**A) RPVD** **B) 1707130212** **C) 1708130800EST**  
**E) RWY THR IDENT LGT (RTIL) RWY09 U/S.**
- C0579/17** NOTAMR C0495/17 **PAPI**  
**A) RPVD** **B) 1707130213** **C) 1708150800EST**  
**E) PAPI RWY09 U/S.**

**RPVE - GODOFREDO P. RAMOS**

- C0248/17** NOTAMR C0791/16 **TWY**  
**A) RPVE** **B) 1703200908** **C) 1706201000EST**  
**E) EXER EXTREME CTN DRG TAXI/TURN AROUND AT TWY E1 AND RWY24 DUE WIP.**  
  
-ONGOING LANDSCAPING OF RWY STRIP AT THE RIGHT HAND SIDE OF  
RWY24 THR.  
-CONST EQPT CROSSING ACT FM TWY E1 TO END OF RWY24 THR.
- C0521/17** NOTAMR C0388/17 **FIRE AND RESCUE**  
**A) RPVE** **B) 1706270656** **C) 1707271000EST**  
**E) AD CAT FOR FIRE FIGHTING SER DOWNGRADED TO CAT VII.**
- C0524/17** NOTAMN **PARKING AREA**  
**A) RPVE** **B) 1706300400** **C) 1709271000EST**  
**E) PRKG BAY NR 08 CLSD DUE WIP.**
- C0526/17** NOTAMN **AERODROME**  
**A) RPVE** **B) 1706300843** **C) 1709301300EST**  
**E) EXER EXTREME CTN DRG LDG/TKOF DUE CONCENTRATION OF BIRDS  
IN THE VICINITY OF THE AD**
- C0583/17** NOTAMR C0496/17 **RWY**  
**A) RPVE** **B) 1707180935** **C) 1710181000EST**  
**E) 1. CAT C ACFT FLYING THE PBN PROC:**  
A) LDG AND TKOF BEFORE SUNSET ALLOWED PROVIDED WX IS VMC.  
B) TKOF AFTER SUNSET ALLOWED PROVIDED WX IS VMC.

-continuation-

2. CAT B ACFT FLYING THE PBN PROC:
  - A) LDG AND TKOF BEFORE SUNSET ALLOWED.
  - B) LDG AND TKOF AFTER SUNSET ALLOWED PROVIDED WX IS VMC.
3. EXER CTN WHEN OPR AFTER SUNSET DUE:
  - A) NO OBST LGT OVER THE HILL ABM THR OF RWY06.
  - B) NEGATIVE APN EDGE LGT.
  - C) NON-STANDARD FLOOD LGT FIXTURES.
4. NO RE-LAND (CATICLAN) AFTER SUNSET FOR CAT C ACFT.

NOTE: AP HR OF OPS REMAIN AT 2200-1000. EXTENSION (ITEM 1 B AND 2 B) NEEDS CONCURRENCE FM TRANSAIRE AND CATICLAN TWR.

## RPVF - CATARMAN

C0427/17 NOTAMN

AERODROME

- A) RPVF            B) 1707200000            C) PERM  
E) ELEV/REF TEMP - 5.5901M AMSL.

(REF AIP PHILIPPINES RPVF AD 2-1 DATED 08 DEC 2016).

C0431/17 NOTAMN

RWY

- A) RPVF            B) 1707200000            C) PERM  
E) RWY PHYSICAL CHARACTERISTICS:
- | RWY | THR COORD       | RWY END COORD    | THR ELEV AND HIGHEST ELEV OF TDZ OF PRECISION APP RWY |
|-----|-----------------|------------------|---|
| 04  | 12 29 47.60515N | 124 37 48.22578E | 5.0198M / 16.469FT                                    |
| 22  | 12 30 24.44234N | 124 38 24.41554E | 4.7610M / 15.620FT                                    |

(REF AIP PHILIPPINES RPVF AD 2-2 DATED 08 DEC 2016).

## RPVG - GUIUAN

C0256/15 NOTAMR C0854/13

AD

- A) RPVG            B) 1503190516            C) 1506192359EST  
E) GUIUAN AP HR OF OPS : HJ

## RPVI - ILOILO

C0178/17 NOTAMN

SID

- A) RPVI            B) 1704270000            C) PERM  
E) RNAV SID RWY20 TABLE 3 GALIA 1S WPT/ID SISCA  
DELETE ALT (FT) VALUE 6000+

(REF AIP PHILIPPINES RPVI AD 2-25 DATED 02 MAR 2017)

C0179/17 NOTAMN

STAR

- A) RPVI            B) 1704270000            C) PERM  
E) RNAV STAR RWY02 WPT JAMEL COURSE TR 199 DEG CHANGED TO 200 DEG.

(REF AIP PHILIPPINES RPVI AD 2-29 DATED 02 MAR 2017)

C0180/17 NOTAMN

IFR APCH PROC

- A) RPVI            B) 1704270000            C) PERM  
E) IAC RNAV GNSS RWY02 WPT JOHAN COURSE TR 195 DEG CHANGED TO 196 DEG.

(REF AIP PHILIPPINES RPVI AD 2-41 DATED 02 MAR 2017).

C0509/17 NOTAMN

AERODROME

- A) RPVI            B) 1708170000            C) 1708312359  
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17.

-continuation-

CHANGES IN THE FLW PAGES:

1. REVISION TO SID CHART (RNAV SID RWY20) (REF RPVI AD 2-25).
2. REVISION TO STAR CHART (RNAV STAR RWY02) (REF RPVI AD 2-29).
3. REVISION TO IAC (RNAV (GNSS) RWY02) (REF RPVI AD 2-41).

**C0609/17** NOTAMN **ILS**  
**A) RPVI            B) 1707310115            C) 1708290800EST**  
**E) ILS RWY20 ON TEST, DO NOT USE (AWAITING FLTCK VERIFICATION).**

**C0610/17** NOTAMN **IFR APCH PROC**  
**A) RPVI            B) 1707310132            C) 1708290800EST**  
**E) IAP ILS RWY20 SUSPENDED DUE ILS RWY20 ON TEST.**  
  
(REF AIP PAGE RPVI AD 2-37)

**RPVJ - MASBATE**

**C0413/17** NOTAMN **AERODROME**  
**A) RPVJ            B) 1705282200            C) 1708290400**  
**E) AP TEMPO HR OF OPS: 2200-0400.**

**C0445/17** NOTAMN **FSS**  
**A) RPVJ            B) 1706032100            C) 1708290500**  
**E) MASBATE FSS TEMPO HR OF OPS 2100-0500.**

**RPVO - ORMOC**

**C0417/17** NOTAMR C0174/17 **FSS**  
**A) RPVO            B) 1705290617            C) 1708300600EST**  
**E) TEMPO ESTABLISHMENT OF ORMOC FSS WITH THE FLW PARTICULARS:**  
CALL SIGN: ORMOC RDO  
HR OF OPS: 2200-0600  
A/G FREQ: 122.5MHZ  
G/G FREQ: 5205KHZ PRI (MACTAN NETWORK)  
OPERATOR: CAAP  
RMK : FOR EXTENSION OF SER ONE (1) DAY PN.

**C0570/17** NOTAMN **RWY**  
**A) RPVO            B) 1707100640            C) 1710100000EST**  
**E) TEMPO RWY PHYSICAL CHARACTERISTICS:**  

RWY	DIMENSIONS	THR COORD	THR ELEV
18	1442M X 36M	11 04 05.7709N 124 33 58.9071E	15.7168M
36	1442M X 36M	11 03 18.9317N 124 33 55.6102E	09.81M

  

RWY	SWY	CWY
18	0	600M X 36M
36	0	100M X 36M

(REF AIP PHILIPPINES RPVO AD 2-2 DATED 08 DEC 16)

**C0571/17** NOTAMR C0562/17 **DECLARED DIST**  
**A) RPVO B) 1707100737            C) 1710100000EST**  
**E) TEMPO DECLARED DIST:**  

RWY	TORA	TODA	ASDA	LDA
18	1442M	2042M	1442M	1442M
36	1442M	1542M	1442M	1442M

(REF AIP PHILIPPINES RPVO AD 2-3 DATED 08 DEC 16)

**RPVR - ROXAS**

- C0334/17** NOTAMN **PAPI**  
A) **RPVR** B) 1704260310 C) PERM  
E) OLD PAPI RWY14 DECOMMISSIONED.
- C0335/17** NOTAMN **PAPI**  
A) **RPVR** B) 1704260311 C) PERM  
E) OLD PAPI RWY32 DECOMMISSIONED.
- C0337/17** NOTAMN **PAPI**  
A) **RPVR** B) 1705250000 C) PERM  
E) NEW PAPI RWY14 COMMISSIONED WITH THE FLW PARTICULARS:  
1. EFFECTIVE GLIDE ANGLE: 3.0 DEG  
2. PSN OF THE LGT UNITS: LEFT  
3. MNM EYE HGT OVER THE THR: 14.67M  
  
RMK:  
PATH WID: 0.33 DEG  
VIS RANGE: 5NM  
DIST FM THR: 300M  
HORIZONTAL ANGULAR CLR: OBSTRUCTION WI 5 DEG OF LEFT SECTOR  
OF FINAL APCH
- C0339/17** NOTAMN **PAPI**  
A) **RPVR** B) 1705250000 C) PERM  
E) NEW PAPI RWY32 COMMISSIONED WITH THE FLW PARTICULARS:  
1. EFFECTIVE GLIDE ANGLE: 3.1 DEG  
2. PSN OF THE LGT UNITS: LEFT  
3. MNM EYE HGT OVER THE THR: 15.19M  
  
RMK:  
PATH WID: 0.33 DEG  
VIS RANGE: 5NM  
DIST FM THR: 300M  
HORIZONTAL ANGULAR CLR: CLEAR
- C0365/17** NOTAMN **TWY EDGE LGTS**  
A) **RPVR** B) 1705120000 C) PERM  
E) OLD TWY EDGE LGT DECOMMISSIONED.
- C0367/17** NOTAMN **TWY**  
A) **RPVR** B) 1706220000 C) PERM  
E) NEW TWY EDGE LGT COMMISSIONED WITH THE FLW PARTICULARS:  
COLOR: BLUE  
NR OF LGT: 29.
- C0368/17** NOTAMN **THR LGTS**  
A) **RPVR** B) 1705120000 C) PERM  
E) OLD RWY THR LGT RWY14 DECOMMISSIONED.
- C0370/17** NOTAMN **THR LGTS**  
A) **RPVR** B) 1706220000 C) PERM  
E) NEW RWY THR LGT RWY14 COMMISSIONED WITH THE FLW PARTICULARS:  
1. COLOR: GREEN  
2. WING BAR: 8.
- C0371/17** NOTAMN **THR LGTS**  
A) **RPVR** B) 1705120000 C) PERM  
E) OLD RWY THR LGT RWY32 DECOMMISSIONED.
- C0373/17** NOTAMN **THR LGTS**  
A) **RPVR** B) 1706220000 C) PERM  
E) NEW RWY THR LGT RWY32 COMMISSIONED WITH THE FLW PARTICULARS:  
1. COLOR: GREEN  
2. WING BAR: 8.

**C0374/17** NOTAMN **RWY EDGE LGTS**  
**A) RPVR B) 1705120000 C) PERM**  
**E) OLD RWY EDGE LGT RWY14 DECOMMISSIONED.**

**C0376/17** NOTAMN **RWY EDGE LGTS**  
**A) RPVR B) 1706220000 C) PERM**  
**E) NEW RWY EDGE LGT RWY14 COMMISSIONED WITH THE FLW PARTICULARS:**  
LENGTH : 1725M  
SPACING : 59.5M  
COLORS : WHITE/YELLOW (W/Y), WHITE/WHITE (W/W)  
INTENSITY: LGT INTENSITY HIGH (LIH).

**C0377/17** NOTAMN **RWY EDGE LGTS**  
**A) RPVR B) 1705120000 C) PERM**  
**E) OLD RWY EDGE LGT RWY32 DECOMMISSIONED.**

**C0379/17** NOTAMN **RWY EDGE LGTS**  
**A) RPVR B) 1706220000 C) PERM**  
**E) NEW RWY EDGE LGT RWY32 COMMISSIONED WITH THE FLW PARTICULARS:**  
LENGTH : 1725M  
SPACING : 59.5M  
COLORS : WHITE/YELLOW (W/Y), WHITE/WHITE (W/W)  
INTENSITY: LGT INTENSITY HIGH (LIH).

**C0381/17** NOTAMN **RWY END ID LGTS**  
**A) RPVR B) 1706220000 C) PERM**  
**E) RWY END LGT RWY14 COMMISSIONED WITH THE FLW PARTICULARS:**  
1. COLOR: RED  
2. WING BAR: NONE.

**C0383/17** NOTAMN **RWY END ID LGTS**  
**A) RPVR B) 1706220000 C) PERM**  
**E) RWY END LGT RWY32 COMMISSIONED WITH THE FLW PARTICULARS:**  
1. COLOR: RED  
2. WING BAR: NONE.

**C0510/17** NOTAMN **AERODROME**  
**A) RPVR B) 1708170000 C) 1708312359**  
**E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17.**  
CHANGES IN THE FLW PAGES:  
1. REVISION TO STAR CHART - ICAO (RWY14/32)  
(REF RPVR AD 2-11 TO 2-12).  
2. REVISION TO IAC - ICAO (VOR RWY14) (REF RPVR AD 2-13).

**C0538/17** NOTAMR C0340/17 **TWR**  
**A) RPVR B) 1707060504 C) 1710061000EST**  
**E) TWR HR OF OPS: 2200-1000.**

RMK: TKOF/LDG RWY14 ALLOWED BEYOND HR OF OPS UPON REQ.

REF AIP PHILIPPINES PAGE RPVR AD 2-5 DATED 02 MAR 17  
(RPVR AD 2.18 ATS COMMUNICATION FACILITIES).

## RPVT - TAGBILARAN

**C0046/15** NOTAMR C0520/14 **OBST**  
**A) RPVT B) 1501220903 C) 1503311000EST**  
**E) EXER CTN DRG LDG/TKOF RWY 17/35 DUE PRESENCE OF OBST:**

RADIO BCST ANTENNA APRX 1590M FM RWY 35 THR WITH ELEV 64.13M  
CLUSTER OF ANTENNA APRX 5667M FM RWY 35 THR WITH ELEV 221.43M  
SELF SUPPORT ANTENNA APRX 1572M FM RWY 35 THR AND 96M RIGHT OF  
THE PROJECTED RWY CL WITH ELEV 51.68M.

**C0268/17** NOTAMN

**AD**

- A) RPVT**      **B) 1704270000**      **C) PERM**
- E) AD ELEV CHANGED TO 13.717M (45.003FT)**

REF PHILIPPINE AIP PAGE RPVT AD 2-1 DATED 23 JUN 16  
RPVT AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE  
DATA

**C0511/17** NOTAMN

**AERODROME**

- A) RPVT**      **B) 1708170000**      **C) 1708312359**
- E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17.**  
CHANGES IN THE FLW PAGES:
  1. REVISION TO AD GEOGRAPHICAL AND ADMINISTRATIVE DATA  
(REF RPVT AD 2-1).
  2. REVISION TO VFR AREA CHART (RPVT AD 2-9).
  3. REVISION TO TFC CIRCUIT CHART (RWY17) (REF RPVT AD 2-11).
  4. REVISION TO TFC CIRCUIT CHART (RWY35) (REF RPVT AD 2-12).

**RPVU - ROMBLON**

**C0409/17** NOTAMN

**AERODROME**

- A) RPVU**      **B) 1705290300**      **C) 1708290600**
- E) AP TEMPO HRS OF OPS:**  
EV MON WED FRI SUN 0300-0600

**C0412/17** NOTAMN

**RWY**

- A) RPVU**      **B) 1705292300**      **C) 1708290700**
- D) MON WED FRI 2300-2359, TUE THU SAT 0000-0700**
- E) RWY CLSD DUE WIP (ASPH OVERLAY).**

**RPVV - FRANCISCO B. REYES**

**C0331/17** NOTAMN

**RWY**

- A) RPVV**      **B) 1705250000**      **C) PERM**
- E) RWY PHYSICAL CHARACTERISTICS:**  
SLOPE OF RWY-SWY  
0.19 PCT UPHILL TO THE E CHANGED TO 0.15 PCT DOWNHILL TOWARDS RWY26.

REF PHIL AIP PAGE RPVV AD 2-3 DATED 15 OCT 15.

**C0513/17** NOTAMN

**RWY**

- A) RPVV**      **B) 1708170000**      **C) 1708312359**
- E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17.**  
REVISION TO RWY PHYSICAL CHARACTERISTICS (REF RPVV AD 2-3).

**C0523/17** NOTAMN

**AIRSPACE RESERVATION**

- A) RPVV**      **B) 1706302200**      **C) 1708130800**
- D) 2200-0800**
- E) SPECIAL OPS (DIGITAL AERIAL PHOTOGRAPHY) WI:**  
12 10 31.90N 120 01 28.19E  
12 10 33.55N 120 04 01.14E  
12 07 54.57N 120 04 16.33E  
12 07 53.42N 120 01 32.66E  
12 10 31.90N 120 01 28.19E
- F) SFC**      **G) 1200FT AMSL**

**C0569/17** NOTAMR C0458/17

**PAPI**

- A) RPVV**      **B) 1707100155**      **C) 1708100800EST**
- E) PAPI RWY26 ON TEST, DO NOT USE.**  
(AWAITING FLTKC VERIFICATION).

**RPXX**

**C0045/04** NOTAMN **HELIPORT**  
**A) RPXX**      **B) 0402050000**      **C) PERM**  
**E) LDG/TKOF OF CIVILIAN HELICOPTERS AT CAMP AGUINALDO SHALL USE THE LOGISTIC CENTER HELIPAD COORD 143626N 1210413E WGS-84 (143631N 1210408E)**

**C0046/04** NOTAMR C0465/03 **AERODROME**  
**A) RPXX**      **B) 0402030200**      **C) PERM**  
**E) APURAWAN AD, APURAWAN ABORLAN, PALAWAN IS OPEN TO ACFT OPS.**

**C0098/04** NOTAMN **NDB**  
**A) RPXX**      **B) 0403200000**      **C) PERM**  
**E) MALAMPAYA NDB COORD 115141.2834N 1191849.0772E IS HEREBY COMMISSIONED WITHN THE FLW PARTICULARS:**

LOCATION	115141.2834N 1191849.0772E (MALAMPAYA OFFSHORE PLATFORM, PALAWAN)
FREQ	315KHZ
OUTPUT	50W
COVERAGE	100NM
IDENT	MP
EMISSION	A2A/A3E
OPR AUTH	SHELL PHILIPPINES EXPLORATION B.V.

**C0059/10** NOTAMR C0079/08 **RWY**  
**A) RPXX**      **B) 1001260908**      **C) 1004251000EST**  
**E) CULION RWY CLSD TO ACFT OPS DUE WIP (UPGRADING OF RWY)**

**C0174/10** NOTAMR C0173/10 **AERODROME**  
**A) RPXX**      **B) 1004200230**      **C) 1007191000EST**  
**D) 2200 - 1000**  
**E) WAO AP, LANA O DEL SUR IS OPN TO ACFT OPS WITH THE FLW PARTICULARS:**

RWY DIMENSION	:	1000M X 30M (MACADAM)
RWY DESIGNATION	:	18/36
SWY	:	50M/50M
CWY	:	50M/50M
APRON	:	80M X 50M (MACADAM)
ELEVATION	:	536.00 AMSL
SLOPE	:	0.70
HRS OF OPS	:	2200-1000
ARP	:	073819N 1244375E
RESTRICTION	:	CAOWW
OPR AUTH	:	CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

DECLARED DISTANCES:

RWY	TORA	TODA	ASDA	LDA
18	1000	1050	1050	1000
36	1000	1050	1050	1000

**RMKS:**

1. PILOTS ARE ADZ TO PASS OVR THE FIELD PRIOR TO ENTERING TFC PATTERN TO BUZZ UNAUTHORIZED PERSONS/VEHICLES TO CLR RWY BEFORE LDG.
2. VISUAL DAY MARKERS, DISTANCE TO GO, SWY MARKERS, RWY SIDE MARKERS, RWY END MARKERS, WINDCONE AVBL.

**\*\*\*END OF NOTAM LIST \*\*\***