

**CIVIL AVIATION AUTHORITY OF THE PHILIPPINES
AERONAUTICAL INFORMATION AND COMMUNICATIONS DIVISION**

**INTERNATIONAL NOTAM OFFICE
AIS Operations
2/F Airways Facilities Complex, CAAP Compound
Old MIA Road**

**Phone: (63-2) 944-2264 to 2266
Fax: (63-2) 879-9288
AFS address: RPLLYNYX**

**Pasay City 1300
PHILIPPINES**

**MONTHLY SUMMARY
12/17**

SUMMARY OF NOTAM IN FORCE

The following NOTAM C Series are still in force at **1712020037UTC**. NOTAMs not included herein have either time expired or have been cancelled, replaced or superseded by AIP Supplement or incorporated into the AIP-PHILIPPINES.

In the compilation of the Integrated Aeronautical Information Package (IAIP), care has been taken to ensure that the information contained therein is accurate and complete. Any errors and omissions, which may be detected, as well as any correspondence concerning the IAIP, should be referred to the above address.

YEAR=2004
0045 0046 0098
YEAR=2010
0059 0174 0251
YEAR=2011
0357
YEAR=2015
0046 0256
YEAR=2016
0746 0851 0853 0855
YEAR=2017
0427 0431 0437 0439 0442 0586 0587 0603 0604 0611 0612 0616 0617
0667 0672 0686 0688 0691 0692 0702 0707 0708 0711 0712 0713 0714
0715 0717 0718 0719 0731 0732 0739 0740 0746 0758 0764 0767 0772
0784 0791 0792 0793 0794 0795 0796 0797 0798 0799 0800 0801 0814
0816 0833 0834 0843 0846 0853 0856 0857 0859 0861 0862 0864 0866
0867 0868 0894 0895 0896 0897 0898 0901 0902 0904 0905 0906 0907
0908 0909 0910 0911 0912 0913 0914 0923 0924 0925 0927 0928 0929
0930 0931 0932 0933 0934 0935 0936 0937 0938 0940 0941 0946 0949
0951 0953 0954 0955 0956 0957 0959 0961 0962 0963 0964

Latest AIP Amendments:

AIRAC Amendment: 065 dated 07 DEC 2017

AIP Supplements in force:

AIRAC Supplements: 002/13; 003/17; 004/17; 007/17; 009/17; 010/17; 011/17;
013/17; 014/17; 015/17; 016/17; 017/17; 018/17; 019/17; 020/17

NON-AIRAC Supplements: 012/99; 043/00; 002/17

AIC:

NR 001; 002; 003; 006 of 1999

NR 008 of 2000

NR 004; 006; 007 of 2007

NR 005; 006; 007 of 2008

NR 006; 007; 008 of 2009

NR 004 of 2010

NR 003; 005; 006 of 2011

NR 005; 007; 008; 009 of 2012

NR 003; 004; 006 of 2013

NR 003 of 2014

NR 003 of 2015

NR 005 of 2016

NR 001; 002; 003; 004; 005; 006 of 2017

FIR

RPHI - MANILA FIR

C0964/17 NOTAMR C0899/17

CHECKLIST

A) RPHI B) 1712010017 C) 1801010017EST

E) CHECKLIST

YEAR=2004 0045 0046 0098
YEAR=2010 0059 0174 0251
YEAR=2011 0357
YEAR=2015 0046 0256
YEAR=2016 0746 0851 0853 0855
YEAR=2017 0427 0431 0437 0439 0442 0586 0587 0603 0604 0611 0612
0616 0617 0667 0672 0686 0688 0691 0692 0702 0707 0708
0711 0712 0713 0714 0715 0717 0718 0719 0731 0732 0739
0740 0746 0758 0764 0767 0772 0784 0791 0792 0793 0794
0795 0796 0797 0798 0799 0800 0801 0814 0816 0833 0834
0843 0846 0853 0856 0857 0859 0861 0862 0864 0866 0867
0868 0894 0895 0896 0897 0898 0901 0902 0904 0905 0906
0907 0908 0909 0910 0911 0912 0913 0914 0923 0924 0925
0927 0928 0929 0930 0931 0932 0933 0934 0935 0936 0937
0938 0940 0941 0946 0949 0951 0953 0954 0955 0956 0957
0959 0961 0962 0963

LATEST PUBLICATIONS

AIP AIRAC AMDT 065/2017 EFFECTIVE DATE 07 DEC 17
AIP AIRAC SUP 020/2017 EFFECTIVE DATE 07 DEC 17
AIP SUP 002/2017 EFFECTIVE DATE 03 MAR 17
AIC 006/2017 EFFECTIVE DATE 13 OCT 17
AIRAC AIP AMDT EFFECTIVE DATE 04 JAN 2018 - NIL.

AERODROMES

RPLP - LEGAZPI

C0851/16 NOTAMN

REPORTING POINT

A) RPLP B) 1701050000 C) PERM

E) ESTABLISHMENT OF WPT IN RPLP RNAV STAR RWY 24, MASBA 1W:

NAME OF SIGNIFICANT PT: SAMON
COORD: 12 56 33.493N 124 01 05.601E

REF AIRAC AIP SUP 010/14 DATED 27 JUNE 2014.

C0853/16 NOTAMN

STAR

A) RPLP B) 1701050000 C) PERM

E) ADDN RNAV ARR RTE UTILIZING RWY 24:

MASBA 1W
FM MASBA AT OR ABOVE 10000FT TO SAMON (12 56 33.493N 124 01 05.601E)
TO PANIK AT OR ABOVE 4500FT TO GAYON AT OR ABOVE 2900FT.

REF AIRAC AIP SUP 010/14 DATED 27 JUNE 2014.

C0855/16 NOTAMN

STAR

A) RPLP B) 1701050000 C) PERM

E) ADDN RNAV ARR ROUTE UTILIZING RWY 06:

MASBA 1E
FM MASBA AT OR ABOVE 10000FT TO LAHAR AT OR ABOVE 2700FT.

REF AIRAC AIP SUP 010/14 DATED 27 JUNE 2014.

C0707/17 NOTAMR C0450/17 **TWR**
A) RPLP B) 1709040758 C) 1712050800EST
E) TWR TEMPO HRS OF OPS 2130-1330.

C0708/17 NOTAMR C0451/17 **APP**
A) RPLP B) 1709040800 C) 1712050800EST
E) APP TEMPO HRS OF OPS 2130-1330.

C0711/17 NOTAMN **AD**
A) RPLP B) 1711090000 C) PERM
E) AP HR OF OPS 2130-1330.
REF AIP PAGE RPLP AD 2-1 SECTION RPLP AD 2.3.

C0718/17 NOTAMN **RWY**
A) RPLP B) 1709092330 C) 1712101330
E) EXER EXTREME CTN DRG LDG/TKOF RWY 06/24 DUE WIP
(ASPHALT OVERLAY OF RWY)

C0719/17 NOTAMN **MOV AREA**
A) RPLP B) 1709110000 C) 1712111330
E) EAST TWY CLSD DUE WIP (REBLOCKING OF APRON - PHASE III).

RMK: 1. WHEN USING PRKG BAY NR 3 AND 4, TAX IN AND OUT AT THE WEST TWY ONLY.

C0758/17 NOTAMR C0449/17 **STAR**
A) RPLP B) 1709200829 C) 1712050800EST
E) ALTN/ADDITIONAL RTE FOR FLT ARR TO LEGAZPI UTILIZING RWY24:

FM RAGAY PROCEED DIRECT TO LAHAR DIRECT TO PANIK DIRECT TO GAYON (IAF) FOR RNAV (GNSS) APCH RWY24.

RMK: EXP MINIMUM DESCENT ALT OF 4500FT UNTIL PANIK.

C0846/17 NOTAMN **DECLARED DIST**
A) RPLP B) 1710222130 C) 1801230930
E) TEMPO DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA	RMK
06	1980M	2119M	2119M	1401M	THR DISPLACED BY 579M
24	1980M	2080M	2080M	1980M	NIL

C0853/17 NOTAMN **PAPI**
A) RPLP B) 1710222130 C) 1801230930
E) PAPI RWY06 U/S DUE DISPLACED THR06.

C0856/17 NOTAMN **THR LGT**
A) RPLP B) 1710222130 C) 1801230930
E) RWY THR IDENT LGT (RTIL) RWY06 U/S.

C0861/17 NOTAMR C0835/17 **RWY**
A) RPLP B) 1710240928 C) 1801242359EST
E) RWY06 LDG LTD TO VFR.

C0862/17 NOTAMN **RWY**
A) RPLP B) 1710240941 C) 1801241330
E) RWY06 LDG LTD TO TYPE 3C AND BELOW CAT ACFT.

C0864/17 NOTAMR C0863/17 **IFR APCH PROC**
A) RPLP B) 1710242319 C) 1801242130EST
E) IAP RNAV GNSS RWY06 SUSPENDED DUE DISPLACED THR06.

REF AIP PAGE RPLP AD 2-17 TO 2-18.

C0867/17 NOTAMN **REPORTING POINT**
A) RPLP **B) 1711090000** **C) 1712062359**
E) ESTABLISHMENT OF WPT IN RPLP RNAV STAR RWY 24, MASBA 4W, NAGA 4W, RAGAY 4W:

NAME OF SIGNIFICANT PT: AMYEL
COORD: 13 09 08.762N 123 59 50.409E

NAME OF SIGNIFICANT PT: LEMOR
COORD: 13 01 06.429N 123 45 19.661E

C0868/17 NOTAMN **REPORTING POINT**
A) RPLP **B) 1712070000** **C) PERM**
E) ESTABLISHMENT OF WPT IN RPLP RNAV STAR RWY 24, MASBA 4W, NAGA 4W, RAGAY 4W:

NAME OF SIGNIFICANT PT: AMYEL
COORD: 13 09 08.762N 123 59 50.409E

NAME OF SIGNIFICANT PT: LEMOR
COORD: 13 01 06.429N 123 45 19.661E

C0925/17 NOTAMR C0824/17 **WDI**
A) RPLP **B) 1711170552** **C) 1712180800EST**
E) WDI RWY06 U/S.

C0927/17 NOTAMR C0869/17 **STAR**
A) RPLP **B) 1711191208** **C) PERM**
E) ADDN RNAV ARR RTE UTILIZING RWY24:

1. MASBA 4W
FM MASBA AT OR ABV 10000FT TO LEMOR TO AMYEL AT OR ABV 3500FT
TO GAYON AT OR ABV 2900FT.
2. NAGA 4W
FM NGA AT OR ABV 10000FT TO CARAM TO AMYEL AT OR ABV 3500FT
TO GAYON AT OR ABV 2900FT.
3. RAGAY 4W
FM RAGAY AT OR ABV 10000FT TO CARAM TO AMYEL AT OR ABV 3500FT
TO GAYON AT OR ABV 2900FT.

(REF AIP PAGE RPLP AD 2-15 TO 2-16)

C0936/17 NOTAMR C0831/17 **A/G FACILITY**
A) RPLP **B) 1711220452** **C) 1712210800EST**
E) LEGAZPI APP FREQ 120.2MHZ ON LTD OPS AT EST LOCATION 20NM NORTH OF LEGAZPI DUE TO TERRAIN OBSTRUCTION.

RPMC - COTABATO

C0739/17 NOTAMN **AD**
A) RPMC **B) 1709140412** **C) 1712130900EST**
E) AP TEMPO HR OF OPS: 2300-0900.

C0740/17 NOTAMN **TWR**
A) RPMC **B) 1709140416** **C) 1712130900EST**
E) TWR TEMPO HR OF OPS: 2300-0900.

C0791/17 NOTAMN **TWR**
A) RPMC **B) 1710132340** **C) 1801132359**
E) AD CTL TWR SER CHANGED TO AD ADVS.

RMK: TWR CAB VIS BLOCKED BY TALL TREES ON THE FINAL APCH OF RWY10.

RPMG - DIPOLOG

C0586/17 NOTAMR C0036/17 **RWY**
A) **RPMG** B) 1707190323 C) 1710180900EST
E) EXER CTN DRG LDG RWY20.

RMK: FIRST 500M RWY20 NOT VISIBLE FM TWR CAB DUE BLOCKED BY TALL TREES.

C0784/17 NOTAMR C0535/17 **TWR**
A) **RPMG** B) 1710120527 C) 1801120600EST
E) AD CTL TWR SER CHANGED TO AD ADVS.

RMK: TWR CAB VIS BLOCKED BY TALL TREES APRX 300M BEGINNING RWY20.

C0793/17 NOTAMN **AD**
A) **RPMG** B) 1712070000 C) 1712202359
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 065/17 WEF 07 DEC 2017.

CHANGES IN THE FLW PAGES:
1. REVISION TO AD GEOGRAPHICAL AND ADMINISTRATIVE DATA (REF RPMG AD 2-1).
2. REVISION TO RWY PHYSICAL CHARACTERISTICS (REF RPMG AD 2-3).
3. REVISION TO DECLARED DIST (REF RPMG AD 2-3).
4. REVISION TO ATS AIRSPACE (REF RPMG AD 2-4).

C0955/17 NOTAMR C0892/17 **PAPI**
A) **RPMG** B) 1711270358 C) 1712270800EST
E) PAPI RWY02 ON TEST, DO NOT USE.
(AWAITING FLTCK VERIFICATION).

C0956/17 NOTAMR C0893/17 **PAPI**
A) **RPMG** B) 1711270400 C) 1712270800EST
E) APAPI RWY20 ON TEST, DO NOT USE.
(AWAITING FLTCK VERIFICATION).

RPMN - SANGA-SANGA

C0691/17 NOTAMN **DECLARED DIST**
A) **RPMN** B) 1709030000 C) 1710142359EST
E) RWY02 DISPLACED BY 196M. AVBL RWY LEN IS 1664M.

TEMPO DECLARED DIST:
RWY TORA TODA ASDA LDA
02 1664M 1664M 1664M 1664M
20 1664M 1664M 1664M 1664M

RWY SWY CWY
02 0 0
20 0 0.

C0692/17 NOTAMN **RWY**
A) **RPMN** B) 1709030000 C) 1710142359EST
E) EXER CTN DRG LDG/TKOF DUE WIP (WIDENING OF RWY, SITE DEVELOPMENT FOR RWY EXTENSION AND EMBANKMENT OF OPN DRAINAGE CANAL PROJECT).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLEAR THE RWY.

RPMO - OZAMIS

C0731/17 NOTAMR C0454/17 **RWY**
A) **RPMO** B) 1709130240 C) 1712130500
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP
(ASPHALT OVERLAY OF RWY).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

RPMP - PAGADIAN

C0914/17 NOTAMR C0781/17 **PAPI**
A) RPMP B) 1711100603 C) 1712100800EST
E) PAPI RWY02 ON TEST, DO NOT USE (AWAITING FLTCK VERIFICATION).

RPMS - SURIGAO

C0746/16 NOTAMN **RWY**
A) RPMS B) 1611080642 C) 1612080000EST
E) EXER CTN DRG LDG/TKOF RWY18/36 DUE PRESENCE OF SOFT, UNCOVERED EXCAVATION AND STOCK PILES (APRX 600M LENGTH) LEFT SHOULDER OF RWY18, STARTING 900M FM THR18. SOFT, UNCOVERED EXCAVATION (APRX 300M LENGTH) LEFT SHOULDER OF RWY36, STARTING 300M FM THR36.

C0611/17 NOTAMN **RWY**
A) RPMS B) 1707310319 C) 1711020800EST
E) TEMPO RWY PHYSICAL CHARACTERISTICS:

RWY	DIMENSIONS	THR COORD	THR ELEV
18	1000M X 30M	09 45 33.612N 125 28 51.627E	7.71M
36	1000M X 30M	09 45 01.090N 125 28 52.620E	8.85M

RWY	SWY	CWY
18	0	60M
36	0	500M

C0612/17 NOTAMR C0164/17 **RWY**
A) RPMS B) 1707310321 C) 1711020800EST
E) RWY OPEN WITH THE FLW INFO:

TEMPO	DECLARED	DIST		
RWY	TORA	TODA	ASDA	LDA
36	1000M	1500M	1000M	1000M
18	1000M	1060M	1000M	1000M

RWY	CWY	SWY
36	500M	0
18	60M	0

RESTRICTIONS: 1. ONLY SOUTH TWY IS USABLE.
RMK: OBSTRUCTION (RED HOUSE) APRX 195M FM RWY36 THR ALONG THE EXTENDED RWY CL.

C0732/17 NOTAMR C0481/17 **RWY**
A) RPMS B) 1709130255 C) 1712150800
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP (ASPHALT OVERLAY AND WIDENING OF RWY AND SHOULDER GRADE CORRECTION).
RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLEAR THE RWY.

C0949/17 NOTAMR C0860/17 **PAPI**
A) RPMS B) 1711230756 C) 1712230800EST
E) PAPI RWY 18/36 U/S.

RPMY - LAGUINDINGAN

C0717/17 NOTAMN **IAP**
A) RPMY B) 1709070641 C) 1710060800EST
E) IAP ILS RWY27 SUSPENDED DUE ILS ILGD RWY27 ON TEST.

C0799/17 NOTAMN **AD**
A) RPMY B) 1712070000 C) 1712202359
E) TRIGGER NOTAM - AIRAC AIP SUPPLEMENT A018/17 WEF 07 DEC 2017. AD PARTICULARS.

C0902/17 NOTAMR C0773/17 **APCH LIGHT SYSTEM**
A) RPMY B) 1711030227 C) 1712050800EST
E) RWY THR IDENT LGT (RTIL) RWY09 U/S.

C0909/17 NOTAMR C0560/17 **IFR APCH PROC**
A) RPMY B) 1711071017 C) 1712062359
E) PARTICULARS IN PROFILE VIEW TO READ AS FLW:
 ILS ID ILDG CHANGED TO ILGD
 VOR ID LDG CHANGED TO LGD

 REF AIRAC AIP SUP A015/17 PAGE 22 (IAP ILS OR LOC RWY27)
 DATED 23 JUN 17.

C0910/17 NOTAMN **IFR APCH PROC**
A) RPMY B) 1712070000 C) 1803072359EST
E) PARTICULARS IN PROFILE VIEW TO READ AS FLW:
 ILS ID ILDG CHANGED TO ILGD
 VOR ID LDG CHANGED TO LGD

 REF AIRAC AIP SUP A018/17 PAGE 22 (IAP ILS OR LOC RWY27)
 DATED 13 OCT 17.

C0911/17 NOTAMN **SIGNIFICANT POINT**
A) RPMY B) 1711090000 C) 1712062359
E) SIG POINT ANDRO CHANGED TO ANIKA.

 REF AIRAC AIP SUP A015/17 PAGE 22 (IAP ILS OR LOC RWY27)
 DATED 23 JUN 17.

C0912/17 NOTAMN **SIGNIFICANT POINT**
A) RPMY B) 1712070000 C) 1803072359EST
E) SIG POINT ANDRO CHANGED TO ANIKA.

 REF AIRAC AIP SUP A018/17 PAGE 22 (IAP ILS OR LOC RWY27)
 DATED 13 OCT 17.

C0941/17 NOTAMR C0855/17 **ILS GP**
A) RPMY B) 1711220459 C) 1712220800EST
E) ILS RWY27, GP 332.3MHZ PART ON TEST, DO NOT USE.
 AWAITING FLTCK VERIFICATION.

RPNO - SIOCON

C0357/11 NOTAMN **RWY**
A) RPNO B) 1108250348 C) 1111250900EST
E) AMEND RPNO AD 2.13 DECLARED DISTANCES RWY 09 REMARKS TO READ
 AS CAOWW/FST 50M IS CONCRETE (PCCP).

RPNS - SIARGAO

C0442/17 NOTAMR C0085/11 **OBST**
A) RPNS B) 1706011008 C) 1709010800EST
E) EXER EXTREME CTN DRG LDG/TKOF DUE PRESENCE OF OBSTRUCTION
 (ELECTRICAL POST LOCATED 205M FM EDGE OF RWY 19).

C0712/17 NOTAMR C0416/17 **FSS**
A) RPNS B) 1709050349 C) 1712050700EST
E) TEMPO ESTABLISHMENT OF SIARGAO FSS WITH THE FLW PARTICULARS:
 CALL SIGN: SIARGAO RDO
 HR OF OPS: 2300-0700
 A/G FREQ : 127.1MHZ
 G/G FREQ : 5205KHZ PRI (MACTAN NETWORK)
 OPERATOR : CAAP
 RMK : FOR EXTENSION OF SER ONE (1) DAY PN.

C0800/17 NOTAMN **AD**
A) RPNS B) 1712070000 C) 1712202359
E) TRIGGER NOTAM - AIRAC AIP SUPPLEMENT A019/17 WEF 07 DEC 2017.
 NEW VFR PROC AND TFC CIRCUIT CHARTS.

C0833/17 NOTAMR C0756/17 **RWY**
A) RPNS B) 1710180635 C) PERM
E) RWY PHYSICAL CHARACTERISTICS:

RWY	TRUE BRG	RWY DIMENSION	THR COORD OF RWY
01	9.87 GEO	1347M X 30M	09 51 09.2548N 126 00 50.8814E
19	189.87 GEO	1347M X 30M	09 51 52.4300N 126 00 58.4566E

RWY	THR ELEV	SWY	CWY
01	4.4095M/14.467FT	NIL	60M X 150M
19	9.9288M/32.574FT	NIL	60M X 150M

ARP COORD: 09 51 30.8410N 126 00 54.6690E
 AP ELEV : 9.9288M/32.574FT

REF AIP PAGE RPNS AD 2-2 SECTION RPNS AD 2.12

C0834/17 NOTAMR C0738/17 **DECLARED DIST**
A) RPNS B) 1710180647 C) PERM
E) DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA
01	1347M	1407M	1347M	1347M
19	1347M	1407M	1347M	1347M

REF AIP PAGE RPNS AD 2-2 SECTION RPNS AD 2.13

RPSN - UBAY

C0251/10 NOTAMR C0259/06 **RWY**
A) RPSN B) 1006100607 C) 1009101000EST
E) RWY CLSD DUE ABSENCE OF RWY MARKINGS/MARKERS AND INCOMPLETE PERIMETER FENCE.

RPSV - SAN VICENTE AIRPORT

C0951/17 NOTAMN **RWY**
A) RPSV B) 1711270000 C) 1712262359
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP
 (PAINTING OF RWY MARKINGS, CONSTRUCTION OF DISTANCE-TO-GO MARKERS, WINDCONE ASSEMBLY).

RPUB - BAGUIO

C0928/17 NOTAMN **RWY**
A) RPUB B) 1711222330 C) 1712300730
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP
 (REPAIR/REPAINTING OF RWY MARKINGS/MARKERS).
 RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLEAR THE RWY.

C0937/17 NOTAMR C0832/17 **PAPI**
A) RPUB B) 1711220453 C) 1712200800EST
E) PAPI RWY27 LTD VIS AT LEFT SECT OF RWY DUE TO OBST. USABLE ON CO-PILOT SIDE ONLY.

RPUH - SAN JOSE

C0713/17 NOTAMR C0418/17 **FSS**
A) **RPUH** B) 1709050748 C) 1712060600EST
E) SAN JOSE FSS TEMPO HR OF OPS: 2100-0500.

RPUN - NAGA

C0587/17 NOTAMR C0074/17 **APP**
A) **RPUN** B) 1707190325 C) 1710180800EST
E) APP CTL SER NOT AVBL FOR ARR OR DEP DUE LTD COM.
RMK: FLT ARE ADZ TO CTC NAGA RDO FREQ 122.1MHZ AS SOON AS PRACTICABLE.

C0801/17 NOTAMN **AD**
A) **RPUN** B) 1712070000 C) 1712202359
E) TRIGGER NOTAM - AIRAC AIP SUPPLEMENT A020/17 WEF 07 DEC 2017.
NEW VFR PROC AND TFC CIRCUIT CHARTS.

RPUS - SAN FERNANDO

C0603/17 NOTAMN **ATZ**
A) **RPUS** B) 1707250732 C) 1710250900EST
E) ATZ DOWNGRADED TO CLASS G AIRSPACE.

C0604/17 NOTAMN **TWR**
A) **RPUS** B) 1707250738 C) 1710250900EST
E) AD CTL TWR SER DOWNGRADED TO ADVS.

RMK: TWR CAB VIS BLOCKED BY TALL TREES
ON FINAL APCH OF RWY01

C0616/17 NOTAMR C0073/17 **FIRE AND RESCUE**
A) **RPUS** B) 1708020319 C) 1711021000EST
E) RESCUE AND FIRE FIGHTING HRS OF OPS: 2200-1000

C0714/17 NOTAMN **RWY**
A) **RPUS** B) 1709090000 C) 1712090800EST
E) TEMPO RWY PHYSICAL CHARACTERISTICS:

RWY	RWY DIMENSION	THR COORD OF RWY	THR ELEV
01	1319M X 45M	16 35 22.8120N 120 18 09.5691E	THR 5.047M/16.557FT TDZ 5.005M/16.421FT
19	1319M X 45M	16 36 05.5399N 120 18 13.5780E	THR 4.199M/13.775FT TDZ 4.370M/14.338FT
RWY	SWY	CWY	
01	60M	60M	
19	801M	660M	

C0715/17 NOTAMN **DECLARED DIST**
A) **RPUS** B) 1709090000 C) 1712090800EST
E) TEMPO DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA
01	1319M	1379M	1379M	1319M
19	1319M	1979M	2120M	1319M

C0938/17 NOTAMR C0840/17 **PAPI**
A) **RPUS** B) 1711220455 C) 1712220800EST
E) PAPI RWY19 ON TEST, DO NOT USE
(AWAITING FLTCK VERIFICATION).

C0940/17 NOTAMR C0939/17 PAPI
A) RPUS B) 1711220458 C) 1712220800EST
E) PAPI RWY01 U/S.

RPUV - VIRAC

C0437/17 NOTAMN AD
A) RPUV B) 1707200000 C) PERM
E) ELEV/REF TEMP - 46.5299M
(REF AIP PHILIPPINES RPUV AD 2-1 DATED 23 JUN 2016).

C0439/17 NOTAMN RWY
A) RPUV B) 1707200000 C) PERM
E) RWY PHYSICAL CHARACTERISTICS:
RWY THR COORD RWY END COORD THR ELEV AND HIGHEST ELEV OF
THR GEOID UNDULATION TDZ OF PRECISION APP RWY
06 13 34 23.08321N 46.5299M / 152.657FT
124 11 52.23058E
24 13 34 51.21772N 30.8445M / 101.196FT
124 12 43.15434E

SLOPE OF RWY-SWY
0.892 PCT UPHILL TOWARDS THR 06.

(REF AIP PHILIPPINES RPUV AD 2-3 DATED 30 APR 2015).

C0686/17 NOTAMN AD
A) RPUV B) 1710120000 C) PERM
E) ARP COORD CHANGED TO
13 34 37.1505N
124 12 17.6925E

REF AIP PAGE RPUV AD 2-1 SECTION RPUV AD 2.2.

C0772/17 NOTAMR C0525/17 FSS
A) RPUV B) 1710030825 C) 1801040500EST
E) VIRAC FSS TEMPO HRS OF OPS 2100-0500.

C0898/17 NOTAMR C0768/17 NDB
A) RPUV B) 1710300100 C) 1711290800EST
E) NDB VC 268KHZ U/S.

C0932/17 NOTAMR C0827/17 PAPI
A) RPUV B) 1711220446 C) 1712220800EST
E) PAPI RWY06 U/S.

C0933/17 NOTAMR C0828/17 PAPI
A) RPUV B) 1711220448 C) 1712220800EST
E) PAPI RWY24 U/S.

C0946/17 NOTAMR C0620/17 AERODROME
A) RPUV B) 1711230302 C) 1802230600
E) TEMPO AP HRS OF OPS 2100-0100.

RPUW - MARINDUQUE

C0930/17 NOTAMR C0825/17 PAPI
A) RPUW B) 1711220442 C) 1712210800EST
E) PAPI RWY34 WITH THE FLW RESTRICTION:
LTD VIS AT LEFT SECT OF APCH PATH DUE
OBSTRUCTING VEGETATION.

C0931/17 NOTAMR C0826/17 PAPI
A) RPUW B) 1711220445 C) 1712210800EST
E) PAPI RWY16 U/S.

C0953/17 NOTAMR C0704/17 **RWY**
A) RPUW **B) 1711270108** **C) 1802272359EST**
E) RWY OPN TO ACFT OPS WITH THE FLW TEMPO
 DECLARED DIST:
 RWY TORA TODA ASDA LDA
 16 1137M 1137M 1137M 1137M
 34 1137M 1137M 1137M 1077M

RWY CWY SWY
 16 0 0
 34 0 0

RMK: FIRST 60M OF RWY34 IS DISPLACED.

RPUY - CAUAYAN

C0907/17 NOTAMR C0637/17 **RWY**
A) RPUY **B) 1711060636** **C) 1802060800**
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP (CONST OF TWY).
 GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

RPVA - DANIEL Z. ROMUALDEZ

C0859/17 NOTAMR C0594/17 **RWY**
A) RPVA **B) 1710230820** **C) 1801241300**
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP
 (CONST OF SHORE PROTECTION).

RPVB - BACOLOD

C0792/17 NOTAMN **AD**
A) RPVB **B) 1712070000** **C) 1712202359**
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 065/17 WEF 07 DEC 2017.
 CHANGES IN THE FLW PAGES:
 1. REVISION TO AD OBST (REF RPVB AD 2-3 TO 2-4).
 2. NEW INFO TO FLT PROC (REF RPVB AD 2-9 TO 2-14).

C0924/17 NOTAMR C0817/17 **ILS GP**
A) RPVB **B) 1711170549** **C) 1712180800EST**
E) ILS RWY03, GP 333.2MHZ PART ON TEST, DO NOT USE
 (AWAITING FLTCK VERIFICATON).

RPVC - CALBAYOG

C0796/17 NOTAMN **AD**
A) RPVC **B) 1712070000** **C) 1712202359**
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 065/17 WEF 07 DEC 2017.
 CHANGES IN THE FLW PAGES:
 1. REVISION TO AD OBST (REF RPVC AD 2-2).
 2. NEW INFORMATION TO CHARTS RELATED TO AN AD (REF RPVC AD 2-4).
 3. NEW TFC CIRCUIT CHART (RWY17/35) (REF RPVC AD 2-5 TO 2-6).

C0904/17 NOTAMR C0638/17 **RWY**
A) RPVC **B) 1711060632** **C) 1802060500**
E) RWY35 THR DISPLACED BY 185M. AVBL RWY LEN IS 1340M.
 TEMPO DECLARED DIST:
 RWY TORA TODA ASDA LDA
 17 1340M 1340M 1340M 1340M
 35 1340M 1340M 1340M 1340M

RWY SWY CWY
 17 0 0
 35 0 0.

C0905/17 NOTAMR C0641/17 **RWY**
A) RPVC B) 1711060633 C) 1802060500
E) EXER CTN DRG LDG/TKOF DUE WIP (RWY WIDENING, ASPH OVERLAY AND PAINTING OF DISPLACED THR MARKINGS).

RPVD - DUMAGUETE

C0667/17 NOTAMN **PAPI**
A) RPVD B) 1710120000 C) PERM
E) OLD PAPI RWY27 (PILOT SIDE) DECOMMISSIONED.

C0672/17 NOTAMN **PAPI**
A) RPVD B) 1710120000 C) PERM
E) NEW PAPI RWY27 COMMISSIONED WITH THE FLW PARTICULARS:
EFFECTIVE GLIDE ANGLE: 3.0 DEG
PSN OF THE LGT UNITS: RIGHT
MNM EYE HGT OVER THE THR (MEHT): 14.67M
RMK:
PATH WID: 0.33 DEG
VIS RANGE: 5NM
DIST FM THR: 301M

C0866/17 NOTAMR C0865/17 **ARO**
A) RPVD B) 1710250340 C) 1801241000EST
E) ATS HRS OF OPS 2200-1000 WITH THE FLW PARTICULARS:
1. LDG RWY27 ALLOWED DRG IMC.
DEP RWY27 ALLOWED DRG DAY VMC ONLY.
2. LDG RWY09 ALLOWED DRG DAY VMC EXC FOR A319 AND HIGHER CAT ACFT.
DEP RWY09 ALLOWED DRG IMC.

RMK: TKOF/LDG BEYOND HR OF OPS IS ALLOWED UPON REQ.

C0934/17 NOTAMR C0829/17 **THR LGT**
A) RPVD B) 1711220449 C) 1712200800EST
E) RWY THR IDENT LGT (RTIL) RWY09 U/S.

C0935/17 NOTAMR C0830/17 **PAPI**
A) RPVD B) 1711220450 C) 1712200800EST
E) PAPI RWY09 U/S.

C0954/17 NOTAMR C0952/17 **DECLARED DIST**
A) RPVD B) 1711270125 C) 1802272359EST
E) RWY OPEN TO ACFT OPS WITH THE FLW TEMPO DECLARED DIST:
RWY TORA TODA ASDA LDA RMK
09 1845M 1845M 1845M 1437M THR DISPLACED BY 408M
27 1845M 1845M 1845M 1845M NIL

RWY SWY CWY
09 0 0
27 0 0.

RPVE - GODOFREDO P. RAMOS

C0617/17 NOTAMR C0248/17 **TWY**
A) RPVE B) 1708020752 C) 1711021300EST
E) EXER EXTREME CTN DRG TAXI/TURN AROUND AT TWY E1 AND RWY24 DUE WIP.
-ONGOING LANDSCAPING OF RWY STRIP AT THE RIGHT HAND SIDE OF RWY24 THR.
-CONST EQPT CROSSING ACT FM TWY E1 TO END OF RWY24 THR.

C0746/17 NOTAMR C0618/17 **FIRE AND RESCUE**
A) RPVE B) 1709160539 C) 1712161000EST
E) AD CAT FOR FIRE FIGHTING SER DOWNGRADED TO CAT VII.

C0767/17 NOTAMR C0524/17 **PRKG AREA**
A) RPVE B) 1709280751 C) 1712281000EST
E) PRKG BAY NR 08 CLSD DUE WIP.

C0816/17 NOTAMR C0526/17 **AD**
A) RPVE B) 1710160805 C) 1801301300EST
**E) EXER EXTREME CTN DRG LDG/TKOF DUE CONCENTRATION OF BIRDS
IN THE VICINITY OF THE AD.**

C0843/17 NOTAMR C0701/17 **RWY**
A) RPVE B) 1710200158 C) 1801191000EST
E) 1. CAT C ACFT FLYING THE PBN PROC:
A) LDG BEFORE SUNSET ALLOWED PROVIDED WX IS VMC.
B) TKOF UNTIL TWILIGHT ALLOWED PROVIDED WX IS VMC.
2. CAT B ACFT FLYING THE PBN PROC:
A) LDG AND TKOF ALLOWED PROVIDED WX IS VMC.
3. EXER CTN WHEN OPR AFTER SUNSET DUE:
A) NO OBST LGT OVER THE HILL ABM THR OF RWY06.
B) NEGATIVE APN EDGE LGT.
C) NON-STANDARD FLOOD LGT FIXTURES.
4. NO RE-LAND (CATICLAN) AFTER SUNSET FOR CAT C ACFT.

NOTE: AP HR OF OPS REMAIN AT 2200-1000. EXTENSION (ITEM 1 B
AND 2 A) NEEDS CONCURRENCE FM TRANSAIRE AND CATICLAN TWR.

RPVF - CATARMAN

C0427/17 NOTAMN **AD**
A) RPVF B) 1707200000 C) PERM
E) ELEV/REF TEMP - 5.5901M AMSL.

(REF AIP PHILIPPINES RPVF AD 2-1 DATED 08 DEC 2016).

C0431/17 NOTAMN **RWY**
A) RPVF B) 1707200000 C) PERM
E) RWY PHYSICAL CHARACTERISTICS:

RWY	THR COORD	RWY END COORD	THR ELEV AND HIGHEST ELEV OF TDZ OF PRECISION APP RWY
04	12 29 47.60515N	124 37 48.22578E	5.0198M / 16.469FT
22	12 30 24.44234N	124 38 24.41554E	4.7610M / 15.620FT

(REF AIP PHILIPPINES RPVF AD 2-2 DATED 08 DEC 2016).

C0797/17 NOTAMN **AD**
A) RPVF B) 1712070000 C) 1712202359
**E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 065/17 WEF 07 DEC 2017.
CHANGES IN THE FLW PAGES:**
**1. REVISION TO AD GEOGRAPHICAL AND ADMINISTRATIVE DATA
(REF RPVF AD 2-1).**
2. NEW INFO TO AD OBST (REF RPVF AD 2-2).
3. REVISION TO RWY PHYSICAL CHARACTERISTICS (RPVF AD 2-3).
4. NEW INFO TO CHARTS RELATED TO AN AD (REF RPVF AD 2-5).
5. NEW TFC CIRCUIT CHART (RWY04/22) (REF RPVF AD 2-7 TO 2-8).

C0906/17 NOTAMR C0630/17 **APRON**
A) RPVF B) 1711060635 C) 1802060500
**E) EXER CTN WHEN TAX AND PRKG AT THE APN DUE WIP
(REBLOCKING OF APN).**

RPVG - GUIUAN

C0256/15 NOTAMR C0854/13 **AD**
A) **RPVG** B) 1503190516 C) 1506192359EST
E) GUIUAN AP HR OF OPS : HJ

RPVI - ILOILO

C0794/17 NOTAMN **AD**
A) **RPVI** B) 1712070000 C) 1712202359
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 065/17 WEF 07 DEC 2017.
CHANGES IN THE FLW PAGES:
1. REVISION TO AD OBST (REF RPVI AD 2-3 TO 2-4).
2. NEW INFO TO FLT PROC (REF RPVI AD 2-9 TO 2-12).
3. REVISION TO SID CHART - ICAO (RWY02) (REF RPVI AD 2-22).
4. NEW SID CHART - ICAO (RWY20-VICTA 3B) (REF RPVI AD 2-25).
5. REVISION TO SID CHART (RNAV SID RWY02/20)
(REF RPVI AD 2-27 TO 2-34).

C0901/17 NOTAMR C0771/17 **ILS**
A) **RPVI** B) 1711030226 C) 1712050800EST
E) ILS RWY20 U/S.

C0929/17 NOTAMR C0774/17 **IFR APCH PROC**
A) **RPVI** B) 1711210724 C) 1712050800EST
E) IAP ILS RWY20 SUSPENDED DUE ILS RWY20 U/S.
REF AIP PAGE RPVI AD 2-37

C0957/17 NOTAMN **RWY**
A) **RPVI** B) 1711291700 C) 1712242000
D) 1700-2000
E) RWY CLSD DUE WIP (REPAINTING OF RWY MARKINGS).

RPVJ - MASBATE

C0688/17 NOTAMN **FSS**
A) **RPVJ** B) 1710112100 C) PERM
E) MASBATE FSS HR OF OPS CHANGED TO 2100-0500.

REF AIP PAGE RPVJ AD 2-4 SECTION RPVJ AD 2.18.

C0923/17 NOTAMN **RWY**
A) **RPVJ** B) 1711192200 C) 1712142359
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP
(REPAIR/REPAINTING OF RWY MARKERS/MARKINGS).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLEAR THE RWY.

C0959/17 NOTAMN **PAPI**
A) **RPVJ** B) 1801040000 C) PERM
E) PAPI RWY21 COMMISSIONED WITH THE FLW PARTICULARS:
1. EFFECTIVE GLIDE ANGLE : 3.0 DEG
2. PSN OF THE LGT UNITS : LEFT
3. MNM EYE HGT OVER THE THR (MEHT): 10.52M
RMK:
PATH WID : 0.33 DEG
VIS RANGE : 5NM
DIST FM THR : 215M.
DIST OF UNIT D FM RWY EDGE : 14M

C0961/17 NOTAMN **PAPI**
A) **RPVJ** B) 1712010000 C) 1801032359
E) PAPI RWY21 COMMISSIONED WITH THE FLW PARTICULARS:
1. EFFECTIVE GLIDE ANGLE : 3.0 DEG

-continuation-

2. PSN OF THE LGT UNITS : LEFT
3. MNM EYE HGT OVER THE THR (MEHT): 10.52M
RMK:
PATH WID : 0.33 DEG
VIS RANGE : 5NM
DIST FM THR : 215M.
DIST OF UNIT D FM RWY EDGE : 14M

RPVO - ORMOC

C0702/17 NOTAMR C0417/17 **FSS**
A) RPVO B) 1709040323 C) 1712040600EST
E) TEMPO ESTABLISHMENT OF ORMOC FSS WITH THE FLW PARTICULARS:
CALL SIGN: ORMOC RDO
HR OF OPS: 2200-0600
A/G FREQ: 122.5MHZ
G/G FREQ: 5205KHZ PRI (MACTAN NETWORK)
OPERATOR: CAAP
RMK : FOR EXTENSION OF SER ONE (1) DAY PN.

C0798/17 NOTAMN **AD**
A) RPVO B) 1712070000 C) 1712202359
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 065/17 WEF 07 DEC 2017.
CHANGES IN THE FLW PAGES:
1. REVISION TO AD OBST (REF RPVO AD 2-2).
2. NEW INFO TO CHARTS RELATED TO AN AD (REF RPVO AD 2-4).
3. NEW TFC CIRCUIT CHART (RWY18/36) (REF RPVO AD 2-5 TO 2-6).

C0894/17 NOTAMR C0570/17 **RWY**
A) RPVO B) 1710270648 C) 1801270000
E) TEMPO RWY PHYSICAL CHARACTERISTICS:
RWY DIMENSIONS THR COORD THR ELEV
18 1442M X 36M 11 04 05.7709N 15.7168M
124 33 58.9071E
36 1442M X 36M 11 03 18.9317N 09.81M
124 33 55.6102E

RWY SWY CWY
18 0 600M X 36M
36 0 100M X 36M

C0895/17 NOTAMR C0571/17 **DECLARED DIST**
A) RPVO B) 1710270650 C) 1801270000
E) TEMPO DECLARED DIST:
RWY TORA TODA ASDA LDA
18 1442M 2042M 1442M 1442M
36 1442M 1542M 1442M 1442M

C0897/17 NOTAMN **OBST**
A) RPVO B) 1710270900 C) 1801272359
E) EXER EXTREME CTN DRG LDG/TKOF RWY18/36 DUE PRESENCE OF OBST:
RWY/AREA OBST COORD ELEV
AFFECTED

36/APCH ZONE ANTENNA 11 02 12.01N 37.066M
124 33 50.43E
COCONUT TREE 11 02 24.98N 19.934M
124 33 47.90E
COCONUT TREE 11 02 45.82N 19.626M
124 33 56.78E
COCONUT TREE 11 02 45.03N 16.964M
124 33 53.60E
COCONUT TREE 11 02 39.20N 15.848M
124 33 57.04E

-continuation-

18/APCH ZONE COCONUT TREE 11 04 11.96N 35.751M
124 34 00.73E
COCONUT TREE 11 04 10.38N 32.134M
124 34 00.45E
COCONUT TREE 11 04 22.13N 31.251M
124 34 00.40E

C0963/17 NOTAMR C0900/17 **FSS**
A) RPVO B) 1711300531 C) 1712310500
E) FSS INTERIM HR OF OPS: 2100-0500.

RPVR - ROXAS

C0795/17 NOTAMN **SID**
A) RPVR B) 1712070000 C) 1712202359
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 065/17 WEF 07 DEC 2017.
REVISION TO SID CHART - ICAO (RWY14/32) (REF RPVR AD 2-11).

C0814/17 NOTAMN **TWR**
A) RPVR B) 1710160123 C) 1801151000EST
E) TWR HR OF OPS: 2200-1000.
RMK: LDG RWY14 AND TKOF RWY14/32 ALLOWED BEYOND HR OF OPS UPON REQ.

C0857/17 NOTAMN **TWR**
A) RPVR B) 1710230614 C) 1801151000EST
E) TWR HR OF OPS: 2200-1000.
RMK: LDG RWY14 AND TKOF RWY14/32 ALLOWED
BEYOND HR OF OPS UPON REQ.

C0962/17 NOTAMN **IFR APCH PROC**
A) RPVR B) 1712050500 C) 1712050800
E) IAP VOR RWY14 SUSPENDED DUE DVOR/DME ROX U/S.
REF AIP PAGE RPVR AD 2-13

RPVT - TAGBILARAN

C0046/15 NOTAMR C0520/14 **OBST**
A) RPVT B) 1501220903 C) 1503311000EST
E) EXER CTN DRG LDG/TKOF RWY 17/35 DUE PRESENCE OF OBST:

RADIO BCST ANTENNA APRX 1590M FM RWY 35 THR WITH ELEV 64.13M
CLUSTER OF ANTENNA APRX 5667M FM RWY 35 THR WITH ELEV 221.43M
SELF SUPPORT ANTENNA APRX 1572M FM RWY 35 THR AND 96M RIGHT OF
THE PROJECTED RWY CL WITH ELEV 51.68M.

C0896/17 NOTAMR C0621/17 **RWY**
A) RPVT B) 1710270722 C) 1801271000
E) EXER EXTREME CTN DRG LDG/TKOF ON RWY17/35 DUE
WIP (ASPHALT OVERLAY OF RWY).
RMK: CONST ACT WILL START AFTER THE LAST FLT OF THE DAY
TIL 2 HR BEFORE THE FST FLT THE FLW DAY.
GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

RPVU - ROMBLON

C0764/17 NOTAMN **RWY**
A) RPVU B) 1710310400 C) 1801270700
D) TUE THU SAT 0400-0700
E) RWY CLSD DUE WIP (ASPH OVERLAY).
RMK: CONST ACT WILL START 1HR AFTER LAST FLT OF THE DAY.

RPVV - FRANCISCO B. REYES

C0913/17 NOTAMR C0780/17 **PAPI**
A) **RPVV** B) 1711100602 C) 1712100800EST
E) PAPI RWY26 ON TEST, DO NOT USE (AWAITING FLTCK VERIFICATION).

RPVZ - SIQUIJOR

C0908/17 NOTAMR C0640/17 **DECLARED DIST**
A) **RPVZ** B) 1711060639 C) 1802061000
E) 598M FM RWY04 THR CLSD. AVBL RWY LEN IS 602M.

TEMPO DECLARED DIST:
RWY TORA TODA ASDA LDA
04 602M 602M 602M 602M
22 602M 602M 602M 602M

RWY SWY CWY
04 0 0
22 0 0

RPXX

C0045/04 NOTAMN **HEL**
A) **RPXX** B) 0402050000 C) PERM
E) LDG/TKOF OF CIVILIAN HELICOPTERS AT CAMP AGUINALDO SHALL USE THE LOGISTIC CENTER HELIPAD COORD 143626N 1210413E WGS-84 (143631N 1210408E)

C0046/04 NOTAMR C0465/03 **AD**
A) **RPXX** B) 0402030200 C) PERM
E) APURAWAN AD, APURAWAN ABORLAN, PALAWAN IS OPEN TO ACFT OPS.

C0098/04 NOTAMN **NDB**
A) **RPXX** B) 0403200000 C) PERM
E) MALAMPAYA NDB COORD 115141.2834N 1191849.0772E IS HEREBY COMMISSIONED WITHN THE FLW PARTICULARS:
LOCATION 115141.2834N 1191849.0772E (MALAMPAYA OFFSHORE PLATFORM, PALAWAN)
FREQ 315KHZ
OUTPUT 50W
COVERAGE 100NM
IDENT MP
EMISSION A2A/A3E
OPR AUTH SHELL PHILIPPINES EXPLORATION B.V.

C0059/10 NOTAMR C0079/08 **RWY**
A) **RPXX** B) 1001260908 C) 1004251000EST
E) CULION RWY CLSD TO ACFT OPS DUE WIP (UPGRADING OF RWY)

C0174/10 NOTAMR C0173/10 **AD**
A) **RPXX** B) 1004200230 C) 1007191000EST
D) 2200 - 1000
E) WAO AP, LANA O DEL SUR IS OPN TO ACFT OPS WITH THE FLW PARTICULARS:
RWY DIMENSION : 1000M X 30M (MACADAM)
RWY DESIGNATION : 18/36
SWY : 50M/50M
CWY : 50M/50M
APRON : 80M X 50M (MACADAM)
ELEVATION : 536.00 AMSL
SLOPE : 0.70
HRS OF OPS : 2200-1000

-continuation-

ARP : 073819N 1244375E
RESTRICTION : CAOWW
OPR AUTH : CIVIL AVIATION AUTHORITY OF THE
PHILIPPINES

DECLARED DISTANCES:

RWY	TORA	TODA	ASDA	LDA
18	1000	1050	1050	1000
36	1000	1050	1050	1000

RMKS:

1. PILOTS ARE ADZ TO PASS OVR THE FIELD PRIOR TO ENTERING TFC PATTERN TO BUZZ UNAUTHORIZED PERSONS/VEHICLES TO CLR RWY BEFORE LDG.
2. VISUAL DAY MARKERS, DISTANCE TO GO, SWY MARKERS, RWY SIDE MARKERS, RWY END MARKERS, WINDCONE AVBL.

*****END OF NOTAM LIST *****