

**CIVIL AVIATION AUTHORITY OF THE PHILIPPINES
AERONAUTICAL INFORMATION AND COMMUNICATIONS DIVISION**

**INTERNATIONAL NOTAM OFFICE
AIS Operations
2/F Airways Facilities Complex, CAAP Compound
Old MIA Road**

**Phone: (63-2) 944-2264 to 2266
Fax: (63-2) 879-9288
AFS address: RPLLYNYX**

**Pasay City 1300
PHILIPPINES**

**MONTHLY SUMMARY
07/17**

SUMMARY OF NOTAM IN FORCE

The following NOTAM C Series are still in force at **1707010325UTC**. NOTAMs not included herein have either time expired or have been cancelled, replaced or superseded by AIP Supplement or incorporated into the AIP-PHILIPPINES.

In the compilation of the Integrated Aeronautical Information Package (IAIP), care has been taken to ensure that the information contained therein is accurate and complete. Any errors and omissions, which may be detected, as well as any correspondence concerning the IAIP, should be referred to the above address.

YEAR = 2004
0045 0046 0098
YEAR = 2010
0059 0174 0251
YEAR = 2011
0357
YEAR = 2015
0046 0256
YEAR = 2016
0618 0746 0851 0853 0855
YEAR = 2017
0036 0073 0074 0164 0178 0179 0180 0248 0268 0276 0277 0279 0281
0282 0305 0324 0328 0331 0334 0335 0337 0339 0340 0342 0343 0344
0353 0358 0360 0364 0365 0367 0368 0370 0371 0373 0374 0376 0377
0379 0381 0383 0390 0401 0402 0403 0404 0409 0412 0413 0416 0417
0418 0425 0427 0429 0431 0436 0437 0438 0439 0442 0445 0449 0450
0451 0453 0454 0455 0456 0457 0458 0481 0482 0491 0492 0493 0494
0495 0496 0497 0498 0500 0501 0502 0503 0505 0508 0509 0510 0511
0512 0513 0514 0515 0517 0518 0519 0520 0521 0522 0523 0524 0525
0526 0527

Latest AIP Amendments:

AIRAC AIP Amendment: 063 dated 17 AUG 2017

AIP Supplements in force:

AIRAC AIP Supplements: 002/13; 010/14; 009/15; 003/17; 004/17; 005/17; 006/17;
007/17; 008/17; 009/17; 010/17; 011/17; 012/17; 013/17; 014/17; 015/17

NON-AIRAC IFR Supplements: 012/99; 043/00; 002/17

AIC:

NR 001; 002; 003; 006 of 1999
NR 008 of 2000
NR 004; 006; 007 of 2007
NR 005; 006; 007 of 2008
NR 006; 007; 008 of 2009
NR 004 of 2010
NR 003; 005; 006 of 2011
NR 005; 007; 008; 009 of 2012
NR 003; 004; 006 of 2013
NR 003; 005; 006 of 2014
NR 003 of 2015
NR 005 of 2016
NR 001; 002; 003; 004 of 2017

FIR

RPHI - MANILA FIR

C0527/17 NOTAMR C0441/17

CHECKLIST

- A) RPHI** **B) 1707010305** **C) 1708010305EST**
- E) CHECKLIST**
- YEAR=2004 0045 0046 0098
- YEAR=2010 0059 0174 0251
- YEAR=2011 0357
- YEAR=2015 0046 0256
- YEAR=2016 0618 0746 0851 0853 0855
- YEAR=2017 0036 0073 0074 0164 0178 0179 0180 0248 0268 0276
- 0277 0279 0281 0282 0305 0324 0328 0331 0334 0335
- 0337 0339 0340 0342 0343 0344 0353 0358 0360 0364
- 0365 0367 0368 0370 0371 0373 0374 0376 0377 0379
- 0381 0383 0390 0401 0402 0403 0404 0409 0412 0413
- 0416 0417 0418 0425 0427 0429 0431 0436 0437 0438
- 0439 0442 0445 0449 0450 0451 0453 0454 0455 0456
- 0457 0458 0481 0482 0491 0492 0493 0494 0495 0496
- 0497 0498 0500 0501 0502 0503 0505 0508 0509 0510
- 0511 0512 0513 0514 0515 0517 0518 0519 0520 0521
- 0522 0523 0524 0525 0526

LATEST PUBLICATIONS

- AIP AIRAC AMDT 063/2017 EFFECTIVE DATE 17 AUG 17
- AIP AIRAC SUP 015/2017 EFFECTIVE DATE 17 AUG 17
- AIP SUP 002/2017 EFFECTIVE DATE 03 MAR 17
- AIC 004/2017 EFFECTIVE DATE 23 JUN 17

AERODROMES

RPLP - LEGAZPI

C0618/16 NOTAMN

AD

- A) RPLP** **B) 1609302130** **C) 1612301330EST**
- E) AP TEMPO HRS OF OPS 2130-1330**

C0851/16 NOTAMN

REPORTING POINT

- A) RPLP** **B) 1701050000** **C) PERM**
- E) ESTABLISHMENT OF WPT IN RPLP RNAV STAR RWY 24, MASBA 1W:**

NAME OF SIGNIFICANT PT: SAMON
 COORD: 12 56 33.493N 124 01 05.601E

REF AIRAC AIP SUP 010/14 DATED 27 JUNE 2014.

C0853/16 NOTAMN

STAR

- A) RPLP** **B) 1701050000** **C) PERM**
- E) ADDN RNAV ARR RTE UTILIZING RWY 24:**

MASBA 1W
 FM MASBA AT OR ABOVE 10000FT TO SAMON (12 56 33.493N 124 01 05.601E)
 TO PANIK AT OR ABOVE 4500FT TO GAYON AT OR ABOVE 2900FT.

REF AIRAC AIP SUP 010/14 DATED 27 JUNE 2014.

C0855/16 NOTAMN

STAR

- A) RPLP** **B) 1701050000** **C) PERM**
- E) ADDN RNAV ARR ROUTE UTILIZING RWY 06:**

-continuation-

MASBA 1E
FM MASBA AT OR ABOVE 10000FT TO LAHAR AT OR ABOVE 2700FT.

REF AIRAC AIP SUP 010/14 DATED 27 JUNE 2014.

- C0353/17** NOTAMN **RWY**
A) RPLP **B) 1705072330** **C) 1708081330**
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP
(ASPH OVERLAY OF RWY).
- C0449/17** NOTAMR C0075/17 **STAR**
A) RPLP **B) 1706050635** **C) 1709050800EST**
E) ALTN/ADDITIONAL RTE FOR FLT ARR TO LEGAZPI UTILIZING RWY24:
FM RAGAY PROCEED DIRECT TO LAHAR DIRECT TO PANIK DIRECT
TO GAYON (IAF) FOR RNAV (GNSS) APCH RWY24.
RMK: EXP MINIMUM DESCENT ALT OF 4500FT UNTIL PANIK.
- C0450/17** NOTAMR C0076/17 **TWR**
A) RPLP **B) 1706050637** **C) 1709050800EST**
E) TWR TEMPO HRS OF OPS 2130-1330
- C0451/17** NOTAMR C0079/17 **APP**
A) RPLP **B) 1706050638** **C) 1709050800EST**
E) APP TEMPO HRS OF OPS 2130-1330
- C0491/17** NOTAMR C0362/17 **A/G FACILITY**
A) RPLP **B) 1706130218** **C) 1707130800EST**
E) LEGAZPI APP FREQ 120.2MHZ ON LTD OPS AT EST LOCATION
20NM NORTH OF LEGAZPI DUE TO TERRAIN OBSTRUCTION.
- C0503/17** NOTAMR C0304/17 **MOVEMENT AREA**
A) RPLP **B) 1706190613** **C) 1708191330**
E) WEST TWY CLSD DUE WIP (REBLOCKING OF APN - PHASE II).
RMK:
1. WHEN USING PRKG BAY NR 1, 2 AND 3 TAX IN AND OUT AT EAST TWY
ONLY.

RPME - BUTUAN

- C0281/17** NOTAMN **TWR**
A) RPME **B) 1704050303** **C) 1707032359EST**
E) AD CTL TWR SER CHANGED TO AD ADVS

RMK: TWR CAB VIS BLOCKED BY TALL TREES ON THE FINAL APCH OF RWY10

RPME - BUTUAN

- C0342/17** NOTAMN **AERODROME**
A) RPME **B) 1706220000** **C) 1707062359**
E) TRIGGER NOTAM - AIRAC AIP SUP A011/17 WEF 22 JUN 17.
VFR PROCEDURES OF BUTUAN PRINCIPAL AIRPORT (CLASS 1)
- C0508/17** NOTAMN **AERODROME**
A) RPME **B) 1708170000** **C) 1708312359**
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17.
CHANGES IN THE FLW PAGES:
1. REVISION TO OPR HRS (REF RPME AD 2-1).
2. REVISION TO AD OBST (REF RPME AD 2-3).
3. REVISION TO FLT PROC (REF RPME AD 2-9 TO 2-10).
4. REVISION TO CHARTS RELATED TO AN AD (REF RPME AD 2-12).
5. REVISION TO AREA CHART (REF RPME AD 2-13).
6. REVISION TO SID CHART (RNAV SID RWY12)

- (REF RPME AD 2-15 TO 2-16).
- 7. REVISION TO SID CHART (RNAV SID RWY30)
(REF RPME AD 2-17 TO 2-18).
- 8. REVISION TO STAR CHART (RNAV STAR RWY12)
(REF RPME AD 2-19 TO 2-20).
- 9. REVISION TO STAR CHART (RNAV STAR RWY30)
(REF RPME AD 2-21 TO 2-22).
- 10. REVISION TO IAC (RNAV (GNSS) RWY12) (REF RPME AD 2-23 TO 2-24).
- 11. REVISION TO IAC (RNAV (GNSS) RWY30) (REF RPME AD 2-25 TO 2-26).
- 12. REVISION TO TFC CIRCUIT CHART RWY12 (REF RPME AD 2-27).
- 13. REVISION TO TFC CIRCUIT CHART RWY30 (REF RPME AD 2-28).

RPMG - DIPOLOG

C0036/17 NOTAMR C0653/16 **RWY**
A) RPMG **B) 1701170643** **C) 1704170900EST**
E) EXER CTN DRG LDG RWY20.

RMK: FIRST 500M RWY20 NOT VISIBLE FM TWR CAB DUE BLOCKED BY TALL TREES.

C0282/17 NOTAMN **TWR**
A) RPMG **B) 1704050318** **C) 1707032359EST**
E) AD CTL TWR SER CHANGED TO AD ADVS

RMK: TWR CAB VIS BLOCKED BY TALL TREES APRX 300M BEGINNING RWY20

RPMH - CAMIGUIN

C0364/17 NOTAMN **AERODROME**
A) RPMH **B) 1705122200** **C) 1707300200**
E) AP TEMPO HRS OF OPS 2200-0200 DLY.

RPMO - OZAMIS

C0454/17 NOTAMN **RWY**
A) RPMO **B) 1706122100** **C) 1709130500**
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP
 (ASPHALT OVERLAY OF RWY).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

RPMP - PAGADIAN

C0358/17 NOTAMN **RWY**
A) RPMP **B) 1706220000** **C) PERM**
E) NEW RWY PHYSICAL CHARACTERISTICS:

RWY	RWY DIMENSION (M)	THR COORD THR GEOID OF RWY	RWY END COORD UNDULATION	THR ELEV AND HIGHEST ELEV OF TDZ OF PRECISION APP RWY
02	2004 X 45	07 49 03.29329N 123 27 26.38921E (68.822M/225.794FT)		THR 3.006M/9.862FT
20	2004 X 45	07 50 06.0370N 123 27 44.3670E (68.770M/225.623FT)		THR 4.633M/15.200FT

-continuation-

RWY	SWY DIMENSIONS (M)	CWY DIMENSIONS (M)	STRIP DIMENSIONS (M)
02	60 X 45	100	2175 X 66
20	NIL	100	2175 X 66

(REF AIP PHILIPPINES RPMP AD 2-3 (RPMP AD 2.12 RWY PHYSICAL CHARACTERISTICS) DATED 08 DEC 2016)

C0360/17 NOTAMN **DECLARED DIST**

A) RPMP **B) 1706220000** **C) PERM**

E) NEW DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA
DESIGNATOR	(M)	(M)	(M)	(M)
02	2004	2104	2064	2004
20	2004	2104	2004	2004

(REF AIP PHILIPPINES RPMP AD 2-3 (RPMP AD 2.13 DECLARED DISTANCES) DATED 08 DEC 2016)

RPMS - SURIGAO

C0746/16 NOTAMN **RWY**

A) RPMS **B) 1611080642** **C) 1612080000EST**

E) EXER CTN DRG LDG/TKOF RWY18/36 DUE PRESENCE OF SOFT, UNCOVERED EXCAVATION AND STOCK PILES (APRX 600M LENGTH) LEFT SHOULDER OF RWY18, STARTING 900M FM THR18. SOFT, UNCOVERED EXCAVATION (APRX 300M LENGTH) LEFT SHOULDER OF RWY36, STARTING 300M FM THR36.

C0164/17 NOTAMR C0161/17 **RWY**

A) RPMS **B) 1702230920** **C) 1705230800EST**

E) RWY OPEN WITH THE FLW INFO:

TEMPO DECLARED DIST				
RWY	TORA	TODA	ASDA	LDA
36	1000M	1500M	1000M	1000M
18	1000M	1060M	1000M	1000M

RWY	CWY	SWY
36	500M	0
18	60M	0

RESTRICTIONS: 1. ONLY SOUTH TWY IS USABLE.

RMK: OBSTRUCTION (RED HOUSE) APRX 195M FM RWY36 THR ALONG THE EXTENDED RWY CL.

C0481/17 NOTAMN **RWY**

A) RPMS **B) 1706122200** **C) 1709130800**

E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP (WIDENING OF RWY).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLEAR THE RWY.

C0505/17 NOTAMR C0400/17 **PAPI**

A) RPMS **B) 1706210222** **C) 1707210800EST**

E) PAPI RWY 18/36 U/S.

RPMY - LAGUINDINGAN

C0515/17 NOTAMN **AERODROME**

A) RPMY **B) 1708170000** **C) 1708312359**

E) TRIGGER NOTAM - AIRAC AIP SUP A015/17 WEF 17 AUG 17. AD PARTICULARS FOR LAGUINDINGAN AP.

RPNO - SIOCON

C0357/11 NOTAMN **RWY**
A) RPNO B) 1108250348 C) 1111250900EST
E) AMEND RPNO AD 2.13 DECLARED DISTANCES RWY 09 REMARKS TO READ AS CAOWW/FST 50M IS CONCRETE (PCCP).

C0453/17 NOTAMR C0361/11 **AERODROME**
A) RPNO B) 1706070517 C) 1709070500
E) AP OPEN WITH THE FLW AP RESTRICTIONS:
1. NO PERIMETER FENCE
2. NO RWY DAY MARKERS AND MARKINGS.
3. OBSTRUCTION (PRESENCE OF TREES) AT BOTH TRANSITION AND APCH AT RWY 27
4. PILOTS ARE ADVISED TO BUZZ OVER THE FIELD PRIOR TO ENTERING TFC PATTERN.

RPNS - SIARGAO

C0416/17 NOTAMR C0135/17 **FSS**
A) RPNS B) 1705290603 C) 1708300700EST
E) TEMPO ESTABLISHMENT OF SIARGAO FSS WITH THE FLW PARTICULARS:
CALL SIGN: SIARGAO RDO
HR OF OPS: 2300-0700
A/G FREQ : 127.1MHZ
G/G FREQ : 5205KHZ PRI (MACTAN NETWORK)
OPERATOR : CAAP
RMK : FOR EXTENSION OF SER ONE (1) DAY PN.

C0442/17 NOTAMR C0085/11 **OBST**
A) RPNS B) 1706011008 C) 1709010800EST
E) EXER EXTREME CTN DRG LDG/TKOF DUE PRESENCE OF OBSTRUCTION (ELECTRICAL POST LOCATED 205M FM EDGE OF RWY 19).

RPSN - UBAY

C0251/10 NOTAMR C0259/06 **RWY**
A) RPSN B) 1006100607 C) 1009101000EST
E) RWY CLSD DUE ABSENCE OF RWY MARKINGS/MARKERS AND INCOMPLETE PERIMETER FENCE.

RPUB - BAGUIO

C0500/17 NOTAMR C0395/17 **PAPI**
A) RPUB B) 1706190146 C) 1707190800EST
E) PAPI RWY27 LTD VIS AT LEFT SECT OF RWY DUE TO OBST. USABLE ON CO-PILOT SIDE ONLY.

RPUG - LINGAYEN

C0328/17 NOTAMN **RWY**
A) RPUG B) 1705072330 C) PERM
E) PILOTS ARE ADZ THAT EV SUN (2330-0030) TKOF ALLOWED AT RWY08 AND LDG AT RWY26 ONLY DUE TO WEEKLY HLDG OF FLAG CEREMONY AT PROVINCIAL CAPITOL PLAZA OF LINGAYEN, PANGASINAN.

C0514/17 NOTAMN **AERODROME**
A) RPUG B) 1708170000 C) 1708312359
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17. NEW INFO TO LOCAL TFC REGULATIONS (REF RPUG AD 2-3).

RPUH - SAN JOSE

C0418/17 NOTAMR C0163/17 **FSS**
A) RPUH B) 1705290641 C) 1708310500EST
E) SAN JOSE FSS TEMPO HR OF OPS: 2100-0500
(REF AIP PHILIPPINES RPUH AD 2-4, RPUH AD 2.18 ATS COM FACILITIES).

RPUN - NAGA

C0074/17 NOTAMR C0398/16 **APP**
A) RPUN B) 1702061025 C) 1705060800EST
E) APP CTL SER NOT AVBL FOR ARR OR DEP DUE LTD COM.

RMK: FLT ARE ADZ TO CTC NAGA RDO FREQ 122.1MHZ AS SOON AS PRACTICABLE.

C0517/17 NOTAMR C0488/17 **PAPI**
A) RPUN B) 1706250924 C) 1707090600
E) PAPI RWY22 U/S.

C0518/17 NOTAMR C0489/17 **RWY EDGE LGTS**
A) RPUN B) 1706250939 C) 1707090600
E) RWY EDGE LGT RWY22 U/S.

C0519/17 NOTAMR C0490/17 **THR LGTS**
A) RPUN B) 1706250941 C) 1707090600
E) RWY THR LGT RWY22 U/S.

RPUB - BASCO

C0279/17 NOTAMN **PAPI**
A) RPUO B) 1705250000 C) PERM
E) PAPI RWY06 EFFECTIVE GLIDE ANGLE CHANGED TO 3.0 DEG.

REF AIP PHILIPPINES PAGE RPUO AD 2-3 DATED 30 APR 15 (RPUO AD 2.14 APPROACH AND RUNWAY LIGHTING ITEM 4).

C0512/17 NOTAMN **APCH LIGHT SYSTEM**
A) RPUO B) 1708170000 C) 1708312359
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17.
REVISION TO APCH AND RWY LGT (REF RPUO AD 2-3).

RPUS - SAN FERNANDO

C0073/17 NOTAMR C0529/16 **FIRE AND RESCUE**
A) RPUS B) 1702060426 C) 1705091000EST
E) RESCUE AND FIRE FIGHTING HRS OF OPS: 2200-1000

(REF AIP PAGE RPUS AD 2-1 DTD 30 APR 15, RPUS AD 2.3 OPERATIONAL HOURS).

C0501/17 NOTAMR C0396/17 **PAPI**
A) RPUS B) 1706190147 C) 1707190800EST
E) PAPI RWY19 ON TEST, DO NOT USE
(AWAITING FLTCK VERIFICATION).

C0502/17 NOTAMR C0397/17 **PAPI**
A) RPUS B) 1706190147 C) 1707190800EST
E) PAPI RWY01 U/S.

RPUV - VIRAC

C0436/17 NOTAMN **AERODROME**
A) RPUV B) 1706010000 C) 1707192359
E) ELEV/REF TEMP - 46.5299M

(REF AIP PHILIPPINES RPUV AD 2-1 DATED 23 JUN 2016).

C0437/17 NOTAMN **AERODROME**
A) RPUV B) 1707200000 C) PERM
E) ELEV/REF TEMP - 46.5299M

(REF AIP PHILIPPINES RPUV AD 2-1 DATED 23 JUN 2016).

C0438/17 NOTAMN **RWY**
A) RPUV B) 1706010000 C) 1707192359
E) RWY PHYSICAL CHARACTERISTICS:
RWY THR COORD RWY END COORD THR ELEV AND HIGHEST ELEV OF
THR GEOID UNDULATION TDZ OF PRECISION APP RWY
06 13 34 23.08321N 46.5299M / 152.657FT
124 11 52.23058E
24 13 34 51.21772N 30.8445M / 101.196FT
124 12 43.15434E

SLOPE OF RWY-SWY
0.892 PCT UPHILL TOWARDS THR 06.

(REF AIP PHILIPPINES RPUV AD 2-3 DATED 30 APR 2015).

C0439/17 NOTAMN **RWY**
A) RPUV B) 1707200000 C) PERM
E) RWY PHYSICAL CHARACTERISTICS:
RWY THR COORD RWY END COORD THR ELEV AND HIGHEST ELEV OF
THR GEOID UNDULATION TDZ OF PRECISION APP RWY
06 13 34 23.08321N 46.5299M / 152.657FT
124 11 52.23058E
24 13 34 51.21772N 30.8445M / 101.196FT
124 12 43.15434E

SLOPE OF RWY-SWY
0.892 PCT UPHILL TOWARDS THR 06.

(REF AIP PHILIPPINES RPUV AD 2-3 DATED 30 APR 2015).

C0492/17 NOTAMR C0363/17 **PAPI**
A) RPUV B) 1706130235 C) 1707130800EST
E) PAPI RWY06 U/S.

C0493/17 NOTAMR C0384/17 **PAPI**
A) RPUV B) 1706130237 C) 1707130800EST
E) PAPI RWY24 U/S.

C0522/17 NOTAMR C0414/17 **NDB**
A) RPUV B) 1706280052 C) 1707280800EST
E) NDB VC 268KHZ U/S.

C0525/17 NOTAMR C0258/17 **FSS**
A) RPUV B) 1706290149 C) 1709290500EST
E) VIRAC FSS TEMPO HRS OF OPS 2100-0500 DLY.

RPJW - MARINDUQUE

C0455/17 NOTAMR C0355/17 **PAPI**
A) RPJW B) 1706080144 C) 1707100800EST
E) PAPI RWY16 U/S.

C0456/17 NOTAMR C0356/17 **PAPI**
A) RPJW B) 1706080151 C) 1707100800EST
E) PAPI RWY34 WITH THE FLW RESTRICTION:
LTD VIS AT LEFT SECT OF APCH PATH DUE
OBSTRUCTING VEGETATION.

C0498/17 NOTAMR C0266/17 **RWY**
A) RPJW B) 1706140525 C) 1709140600
E) RWY OPN TO ACFT OPS WITH THE FLW TEMPO
DECLARED DIST:
RWY TORA TODA ASDA LDA
16 1137M 1137M 1137M 1137M
34 1137M 1137M 1137M 1077M
RWY CWY SWY
16 0 0
34 0 0
RMK: FIRST 60M OF RWY34 IS DISPLACED.

RPVA - DANIEL Z. ROMUALDEZ

C0401/17 NOTAMR C0318/17 **RWY**
A) RPVA B) 1705220631 C) 1706220800EST
E) LDG RWY18 LTD TO DAY VMC ONLY DUE DVOR TAC 115.5MHZ ON TEST.

C0402/17 NOTAMR C0319/17 **IFR APCH PROC**
A) RPVA B) 1705220632 C) 1706220800EST
E) IAP VOR Y AND VOR Z RWY36 SUSPENDED DUE
DVOR TAC 115.5MHZ ON TEST.

REF AIP PHILIPPINES RPVA AD 2-23 TO 2-24 DATED 23 JUN 16

C0403/17 NOTAMR C0320/17 **SID**
A) RPVA B) 1705220633 C) 1706220800EST
E) SID RWY36 SUSPENDED DUE DVOR TAC 115.5MHZ ON TEST.

REF AIP PHILIPPINES RPVA AD 2-11 TO 2-12 DATED 23 JUN 16

C0404/17 NOTAMR C0321/17 **STAR**
A) RPVA B) 1705220633 C) 1706220800EST
E) STAR RWY36 SUSPENDED DUE DVOR TAC 115.5MHZ ON TEST.
REF AIP PHILIPPINES RPVA AD 2-17 TO 2-18 DATED 23 JUN 16

RPVC - CALBAYOG

C0390/17 NOTAMR C0170/17 **RWY**
A) RPVC B) 1705160543 C) 1708160500
E) EXER CTN DRG LDG/TKOF DUE WIP (RWY WIDENING, ASPH OVERLAY AND
PAINTING OF DISPLACED THR MARKINGS).
RWY35 THR DISPLACED BY 185M. AVBL RWY LEN IS 1340M.
TEMPO DECLARED DIST:
RWY TORA TODA ASDA LDA
17 1340M 1340M 1340M 1340M
35 1340M 1340M 1340M 1340M
RWY SWY CWY
17 0 0
35 0 0.

RPVD - DUMAGUETE

C0324/17 NOTAMR C0323/17 **ARO**
A) RPVD B) 1704240757 C) 1708240000EST
E) ATLS HRS OF OPS 2200-1000 WITH THE FLW PARTICULARS:
1. LDG RWY27 ALLOWED DRG IMC
DEP RWY27 ALLOWED DRG VMC ONLY
2. LDG RWY09 ALLOWED DRG VMC EXC FOR A319 AND
HIGHER CAT ACFT
DEP RWY09 ALLOWED DRG IMC

RMK: TKOF/LDG BEYOND HR OF OPS IS ALLOWED WITH PRIOR
COORD WITH THE RPVD ATLS.

C0494/17 NOTAMR C0385/17 **THR LGTS**
A) RPVD B) 1706130251 C) 1707130800EST
E) RWY THR IDENT LGT (RTIL) RWY09 U/S.

C0495/17 NOTAMR C0386/17 **PAPI**
A) RPVD B) 1706130259 C) 1707130800EST
E) PAPI RWY09 U/S.

C0497/17 NOTAMR C0265/17 **DECLARED DIST**
A) RPVD B) 1706140519 C) 1709140000
E) RWY OPEN TO ACFT OPS WITH THE FLW TEMPO DECLARED DIST:
RWY TORA TODA ASDA LDA RMK
09 1845M 1845M 1845M 1437M THR DISPLACED BY 408M
27 1845M 1845M 1845M 1845M NIL
RWY SWY CWY
09 0 0
27 0 0.

RPVE - GODOFREDO P. RAMOS

C0248/17 NOTAMR C0791/16 **TWY**
A) RPVE B) 1703200908 C) 1706201000EST
E) EXER EXTREME CTN DRG TAXI/TURN AROUND AT TWY E1 AND RWY24 DUE WIP.

-ONGOING LANDSCAPING OF RWY STRIP AT THE RIGHT HAND SIDE OF
RWY24 THR.
-CONST EQPT CROSSING ACT FM TWY E1 TO END OF RWY24 THR.

C0343/17 NOTAMN **AERODROME**
A) RPVE B) 1706220000 C) 1707062359
E) TRIGGER NOTAAM - AIRAC AIP SUP A012/17 WEF 22 JUN 17.
REVISION TO VARIOUS AERODROME PARTICULARS AND NEW INFORMATION
FOR ACFT OPS (MEMORANDUM CIRCULAR 36-16) AT
CATICLAN (GODOFREDO P. RAMOS) PRINCIPAL AP

C0496/17 NOTAMR C0487/17 **RWY**
A) RPVE B) 1706140435 C) 1707141000EST
E) 1. CAT C ACFT FLYING THE PBN PROC:
A) LDG AND TKOF BEFORE SUNSET ALLOWED PROVIDED WX IS VMC.
B) TKOF AFTER SUNSET ALLOWED PROVIDED WX IS VMC.
2. CAT B ACFT FLYING THE PBN PROC:
A) LDG AND TKOF BEFORE SUNSET ALLOWED.
B) LDG AND TKOF AFTER SUNSET ALLOWED PROVIDED WX IS VMC.
3. EXER CTN WHEN OPR AFTER SUNSET DUE:
A) NO OBST LGT OVER THE HILL ABM THR OF RWY06.
B) NEGATIVE APN EDGE LGT.
C) NON-STANDARD FLOOD LGT FIXTURES.
4. NO RE-LAND (CATICLAN) AFTER SUNSET FOR CAT C ACFT.
NOTE: AP HR OF OPS REMAIN AT 2200-1000. EXTENSION (ITEM 1 B
AND 2 B) NEEDS CONCURRENCE FM TRANSAIRE AND CATICLAN TWR.

C0521/17 NOTAMR C0388/17 **FIRE AND RESCUE**
A) RPVE B) 1706270656 C) 1707271000EST
E) AD CAT FOR FIRE FIGHTING SER DOWNGRADED TO CAT VII.

C0524/17 NOTAMN **PARKING AREA**
A) RPVE B) 1706300400 C) 1709271000EST
E) PRKG BAY NR 08 CLSD DUE WIP.

C0526/17 NOTAMN **AERODROME**
A) RPVE B) 1706300843 C) 1709301300EST
**E) EXER EXTREME CTN DRG LDG/TKOF DUE CONCENTRATION OF BIRDS
IN THE VICINITY OF THE AD**

RPVF - CATARMAN

C0425/17 NOTAMN **AERODROME**
A) RPVF B) 1706010000 C) 1707192359
E) ELEV/REF TEMP - 5.5901M AMSL.

(REF AIP PHILIPPINES RPVF AD 2-1 DATED 08 DEC 2016).

C0427/17 NOTAMN **AERODROME**
A) RPVF B) 1707200000 C) PERM
E) ELEV/REF TEMP - 5.5901M AMSL.

(REF AIP PHILIPPINES RPVF AD 2-1 DATED 08 DEC 2016).

C0429/17 NOTAMN **RWY**
A) RPVF B) 1706010000 C) 1707192359
E) RWY PHYSICAL CHARACTERISTICS:

RWY	THR COORD RWY END COORD	THR ELEV AND HIGHEST ELEV OF TDZ OF PRECISION APP RWY
04	12 29 47.60515N 124 37 48.22578E	5.0198M / 16.469FT
22	12 30 24.44234N 124 38 24.41554E	4.7610M / 15.620FT

(REF AIP PHILIPPINES RPVF AD 2-2 DATED 08 DEC 2016).

C0431/17 NOTAMN **RWY**
A) RPVF B) 1707200000 C) PERM
E) RWY PHYSICAL CHARACTERISTICS:

RWY	THR COORD RWY END COORD	THR ELEV AND HIGHEST ELEV OF TDZ OF PRECISION APP RWY
04	12 29 47.60515N 124 37 48.22578E	5.0198M / 16.469FT
22	12 30 24.44234N 124 38 24.41554E	4.7610M / 15.620FT

(REF AIP PHILIPPINES RPVF AD 2-2 DATED 08 DEC 2016).

RPVG - GUIUAN

C0256/15 NOTAMR C0854/13 **AD**
A) RPVG B) 1503190516 C) 1506192359EST
E) GUIUAN AP HR OF OPS : HJ

RPVI - ILOILO

C0178/17 NOTAMN **SID**
A) RPVI B) 1704270000 C) PERM
E) RNAV SID RWY20 TABLE 3 GALIA 1S WPT/ID SISCA

-continuation-

DELETE ALT (FT) VALUE 6000+

(REF AIP PHILIPPINES RPVI AD 2-25 DATED 02 MAR 2017)

C0179/17 NOTAMN **STAR**
A) RPVI **B) 1704270000** **C) PERM**
E) RNAV STAR RWY02 WPT JAMEL COURSE TR 199 DEG CHANGED TO 200 DEG.

(REF AIP PHILIPPINES RPVI AD 2-29 DATED 02 MAR 2017)

C0180/17 NOTAMN **IFR APCH PROC**
A) RPVI **B) 1704270000** **C) PERM**
E) IAC RNAV GNSS RWY02 WPT JOHAN COURSE TR 195 DEG CHANGED TO 196 DEG.

(REF AIP PHILIPPINES RPVI AD 2-41 DATED 02 MAR 2017).

C0482/17 NOTAMN **RWY**
A) RPVI **B) 1706121700** **C) 1707122000**
D) 1700-2000
E) RWY CLSD DUE WIP (DERUBBERIZING OF RWY)

C0509/17 NOTAMN **AERODROME**
A) RPVI **B) 1708170000** **C) 1708312359**
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17.
CHANGES IN THE FLW PAGES:
1. REVISION TO SID CHART (RNAV SID RWY20) (REF RPVI AD 2-25).
2. REVISION TO STAR CHART (RNAV STAR RWY02) (REF RPVI AD 2-29).
3. REVISION TO IAC (RNAV (GNSS) RWY02) (REF RPVI AD 2-41).

C0520/17 NOTAMN **RWY**
A) RPVI **B) 1707070100** **C) 1707070300**
E) RWY CLSD DUE FULL SCALE EXER.

RPVJ - MASBATE

C0413/17 NOTAMN **AERODROME**
A) RPVJ **B) 1705282200** **C) 1708290400**
E) AP TEMPO HR OF OPS: 2200-0400.

C0445/17 NOTAMN **FSS**
A) RPVJ **B) 1706032100** **C) 1708290500**
E) MASBATE FSS TEMPO HR OF OPS 2100-0500.

RPVO - ORMOC

C0417/17 NOTAMR C0174/17 **FSS**
A) RPVO **B) 1705290617** **C) 1708300600EST**
E) TEMPO ESTABLISHMENT OF ORMOC FSS WITH THE FLW PARTICULARS:
CALL SIGN: ORMOC RDO
HR OF OPS: 2200-0600
A/G FREQ: 122.5MHZ
G/G FREQ: 5205KHZ PRI (MACTAN NETWORK)
OPERATOR: CAAP
RMK : FOR EXTENSION OF SER ONE (1) DAY PN.

C0457/17 NOTAMN **DECLARED DIST**
A) RPVO **B) 1706090000** **C) 1709080900**
E) TEMPO DECLARED DIST:
RWY TORA TODA ASDA LDA RMK
18 2042M 2042M 2042M 2042M NIL
36 2042M 2042M 2042M 1772M THR DISPLACED BY 270M

-continuation-

RWY SWY CWY
18 0 0
36 0 0

RWY DIMENSION: 2042M X 36M
(REF AIP PHILIPPINES RPVO AD 2-3 DATED 08 DEC 16).

RPVR - ROXAS

C0277/17 NOTAMN **RWY**
A) RPVR B) 1704060000 C) 1707060700
D) 0000-0700
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP
(RWY SHOULDER GRADE CORRECTION)

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLEAR THE RWY

C0334/17 NOTAMN **PAPI**
A) RPVR B) 1704260310 C) PERM
E) OLD PAPI RWY14 DECOMMISSIONED.

C0335/17 NOTAMN **PAPI**
A) RPVR B) 1704260311 C) PERM
E) OLD PAPI RWY32 DECOMMISSIONED.

C0337/17 NOTAMN **PAPI**
A) RPVR B) 1705250000 C) PERM
E) NEW PAPI RWY14 COMMISSIONED WITH THE FLW PARTICULARS:
1. EFFECTIVE GLIDE ANGLE: 3.0 DEG
2. PSN OF THE LGT UNITS: LEFT
3. MNM EYE HGT OVER THE THR: 14.67M

RMK:
PATH WID: 0.33 DEG
VIS RANGE: 5NM
DIST FM THR: 300M
HORIZONTAL ANGULAR CLR: OBSTRUCTION WI 5 DEG OF LEFT SECTOR
OF FINAL APCH

C0339/17 NOTAMN **PAPI**
A) RPVR B) 1705250000 C) PERM
E) NEW PAPI RWY32 COMMISSIONED WITH THE FLW PARTICULARS:
1. EFFECTIVE GLIDE ANGLE: 3.1 DEG
2. PSN OF THE LGT UNITS: LEFT
3. MNM EYE HGT OVER THE THR: 15.19M

RMK:
PATH WID: 0.33 DEG
VIS RANGE: 5NM
DIST FM THR: 300M
HORIZONTAL ANGULAR CLR: CLEAR

C0340/17 NOTAMR C0325/17 **TWR**
A) RPVR B) 1704290745 C) 1708061000EST
E) TWR HR OF OPS: 2200-1000.

RMK: TKOF/LDG RWY14 ALLOWED BEYOND HR OF OPS WITH PRIOR COORD
WITH THE RPVR ATS.

REF AIP PHILIPPINES PAGE RPVR AD 2-5 DATED 02 MAR 17
(RPVR AD 2.18 ATS COMMUNICATION FACILITIES).

C0365/17 NOTAMN **TWY EDGE LGTS**
A) RPVR **B) 1705120000** **C) PERM**
E) OLD TWY EDGE LGT DECOMMISSIONED.

C0367/17 NOTAMN **TWY**
A) RPVR **B) 1706220000** **C) PERM**
E) NEW TWY EDGE LGT COMMISSIONED WITH THE FLW PARTICULARS:
COLOR: BLUE
NR OF LGT: 29.

C0368/17 NOTAMN **THR LGTS**
A) RPVR **B) 1705120000** **C) PERM**
E) OLD RWY THR LGT RWY14 DECOMMISSIONED.

C0370/17 NOTAMN **THR LGTS**
A) RPVR **B) 1706220000** **C) PERM**
E) NEW RWY THR LGT RWY14 COMMISSIONED WITH THE FLW PARTICULARS:
1. COLOR: GREEN
2. WING BAR: 8.

C0371/17 NOTAMN **THR LGTS**
A) RPVR **B) 1705120000** **C) PERM**
E) OLD RWY THR LGT RWY32 DECOMMISSIONED.

C0373/17 NOTAMN **THR LGTS**
A) RPVR **B) 1706220000** **C) PERM**
E) NEW RWY THR LGT RWY32 COMMISSIONED WITH THE FLW PARTICULARS:
1. COLOR: GREEN
2. WING BAR: 8.

C0374/17 NOTAMN **RWY EDGE LGTS**
A) RPVR **B) 1705120000** **C) PERM**
E) OLD RWY EDGE LGT RWY14 DECOMMISSIONED.

C0376/17 NOTAMN **RWY EDGE LGTS**
A) RPVR **B) 1706220000** **C) PERM**
E) NEW RWY EDGE LGT RWY14 COMMISSIONED WITH THE FLW PARTICULARS:
LENGTH : 1725M
SPACING : 59.5M
COLORS : WHITE/YELLOW (W/Y), WHITE/WHITE (W/W)
INTENSITY: LGT INTENSITY HIGH (LIH).

C0377/17 NOTAMN **RWY EDGE LGTS**
A) RPVR **B) 1705120000** **C) PERM**
E) OLD RWY EDGE LGT RWY32 DECOMMISSIONED.

C0379/17 NOTAMN **RWY EDGE LGTS**
A) RPVR **B) 1706220000** **C) PERM**
E) NEW RWY EDGE LGT RWY32 COMMISSIONED WITH THE FLW PARTICULARS:
LENGTH : 1725M
SPACING : 59.5M
COLORS : WHITE/YELLOW (W/Y), WHITE/WHITE (W/W)
INTENSITY: LGT INTENSITY HIGH (LIH).

C0381/17 NOTAMN **RWY END ID LGTS**
A) RPVR **B) 1706220000** **C) PERM**
E) RWY END LGT RWY14 COMMISSIONED WITH THE FLW PARTICULARS:
1. COLOR: RED
2. WING BAR: NONE.

C0383/17 NOTAMN **RWY END ID LGTS**
A) RPVR **B) 1706220000** **C) PERM**
E) RWY END LGT RWY32 COMMISSIONED WITH THE FLW PARTICULARS:
1. COLOR: RED
2. WING BAR: NONE.

C0510/17 NOTAMN **AERODROME**
A) RPVR B) 1708170000 C) 1708312359
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17.
CHANGES IN THE FLW PAGES:
1. REVISION TO STAR CHART - ICAO (RWY14/32)
(REF RPVR AD 2-11 TO 2-12).
2. REVISION TO IAC - ICAO (VOR RWY14) (REF RPVR AD 2-13).

RPVT - TAGBILARAN

C0046/15 NOTAMR C0520/14 **OBST**
A) RPVT B) 1501220903 C) 1503311000EST
E) EXER CTN DRG LDG/TKOF RWY 17/35 DUE PRESENCE OF OBST:

RADIO BCST ANTENNA APRX 1590M FM RWY 35 THR WITH ELEV 64.13M
CLUSTER OF ANTENNA APRX 5667M FM RWY 35 THR WITH ELEV 221.43M
SELF SUPPORT ANTENNA APRX 1572M FM RWY 35 THR AND 96M RIGHT OF
THE PROJECTED RWY CL WITH ELEV 51.68M.

C0268/17 NOTAMN **AD**
A) RPVT B) 1704270000 C) PERM
E) AD ELEV CHANGED TO 13.717M (45.003FT)

REF PHILIPPINE AIP PAGE RPVT AD 2-1 DATED 23 JUN 16
RPVT AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE
DATA

C0276/17 NOTAMN **RWY**
A) RPVT B) 1704030324 C) 1707041000
E) EXER EXTREME CTN DRG LDG/TKOF ON RWY17/35 DUE
WIP (ASPHALT OVERLAY OF RWY).

RMK: CONST ACT WILL START AFTER THE LAST FLT OF THE DAY
TIL 2 HR BEFORE THE FST FLT THE FLW DAY.
GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY

C0511/17 NOTAMN **AERODROME**
A) RPVT B) 1708170000 C) 1708312359
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17.
CHANGES IN THE FLW PAGES:
1. REVISION TO AD GEOGRAPHICAL AND ADMINISTRATIVE DATA
(REF RPVT AD 2-1).
2. REVISION TO VFR AREA CHART (RPVT AD 2-9).
3. REVISION TO TFC CIRCUIT CHART (RWY17) (REF RPVT AD 2-11).
4. REVISION TO TFC CIRCUIT CHART (RWY35) (REF RPVT AD 2-12).

RPVU - ROMBLON

C0409/17 NOTAMN **AERODROME**
A) RPVU B) 1705290300 C) 1708290600
E) AP TEMPO HRS OF OPS:
EV MON WED FRI SUN 0300-0600

C0412/17 NOTAMN **RWY**
A) RPVU B) 1705292300 C) 1708290700
D) MON WED FRI 2300-2359, TUE THU SAT 0000-0700
E) RWY CLSD DUE WIP (ASPH OVERLAY).

RPVV - FRANCISCO B. REYES

C0331/17 NOTAMN **RWY**
A) RPVV **B) 1705250000** **C) PERM**
E) RWY PHYSICAL CHARACTERISTICS:
SLOPE OF RWY-SWY
0.19 PCT UPHILL TO THE E CHANGED TO 0.15 PCT DOWNHILL TOWARDS RWY26.

REF PHIL AIP PAGE RPVV AD 2-3 DATED 15 OCT 15.

C0458/17 NOTAMN **PAPI**
A) RPVV **B) 1706080654** **C) 1707080800EST**
E) PAPI RWY26 ON TEST, DO NOT USE.
(AWAITING FLTK VERIFICATION).

C0513/17 NOTAMN **RWY**
A) RPVV **B) 1708170000** **C) 1708312359**
E) TRIGGER NOTAM - PERM AIRAC AIP AMDT 063/17 WEF 17 AUG 17.
REVISION TO RWY PHYSICAL CHARACTERISTICS (REF RPVV AD 2-3).

C0523/17 NOTAMN **AIRSPACE RESERVATION**
A) RPVV **B) 1706302200** **C) 1708130800**
D) 2200-0800
E) SPECIAL OPS (DIGITAL AERIAL PHOTOGRAPHY) WI:
12 10 31.90N 120 01 28.19E
12 10 33.55N 120 04 01.14E
12 07 54.57N 120 04 16.33E
12 07 53.42N 120 01 32.66E
12 10 31.90N 120 01 28.19E
F) SFC **G) 1200FT AMSL**

RPVZ - SIQUIJOR

C0305/17 NOTAMN **DECLARED DIST**
A) RPVZ **B) 1704170558** **C) 1707170000**
E) 598M FM RWY 04 THR CLSD. AVBL RWY LEN IS 602M.

TEMPO DECLARED DIST:
RWY TORA TODA ASDA LDA
04 602M 602M 602M 602M
22 602M 602M 602M 602M

RWY SWY CWY
04 0 0
22 0 0

RPXX

C0045/04 NOTAMN **HELIPORT**
A) RPXX **B) 0402050000** **C) PERM**
E) LDG/TKOF OF CIVILIAN HELICOPTERS AT CAMP AGUINALDO
SHALL USE THE LOGISTIC CENTER HELIPAD COORD 143626N 1210413E
WGS-84 (143631N 1210408E)

C0046/04 NOTAMR C0465/03 **AERODROME**
A) RPXX **B) 0402030200** **C) PERM**
E) APURAWAN AD, APURAWAN ABORLAN, PALAWAN IS
OPEN TO ACFT OPS.

C0098/04 NOTAMN **NDB**
A) RPXX **B) 0403200000** **C) PERM**
E) MALAMPAYA NDB COORD 115141.2834N 1191849.0772E IS
HEREBY COMMISSIONED WITHN THE FLW PARTICULARS:

-continuation-

LOCATION 115141.2834N 1191849.0772E (MALAMPAYA
OFFSHORE PLATFORM, PALAWAN)
FREQ 315KHZ
OUTPUT 50W
COVERAGE 100NM
IDENT MP
EMISSION A2A/A3E
OPR AUTH SHELL PHILIPPINES EXPLORATION B.V.

C0059/10 NOTAMR C0079/08

RWY

- A) RPXX B) 1001260908 C) 1004251000EST**
E) CULION RWY CLSD TO ACFT OPS DUE WIP (UPGRADING OF RWY)

C0174/10 NOTAMR C0173/10

AERODROME

- A) RPXX B) 1004200230 C) 1007191000EST**
D) 2200 - 1000
E) WAO AP, LANA O DEL SUR IS OPN TO ACFT OPS WITH THE

FLW PARTICULARS:

RWY DIMENSION : 1000M X 30M (MACADAM)
RWY DESIGNATION : 18/36
SWY : 50M/50M
CWY : 50M/50M
APRON : 80M X 50M (MACADAM)
ELEVATION : 536.00 AMSL
SLOPE : 0.70
HRS OF OPS : 2200-1000
ARP : 073819N 1244375E
RESTRICTION : CAOWW
OPR AUTH : CIVIL AVIATION AUTHORITY OF THE
PHILIPPINES

DECLARED DISTANCES:

RWY	TORA	TODA	ASDA	LDA
18	1000	1050	1050	1000
36	1000	1050	1050	1000

RMKS:

1. PILOTS ARE ADZ TO PASS OVR THE FIELD PRIOR TO ENTERING TFC PATTERN TO BUZZ UNAUTHORIZED PERSONS/VEHICLES TO CLR RWY BEFORE LDG.
2. VISUAL DAY MARKERS, DISTANCE TO GO, SWY MARKERS, RWY SIDE MARKERS, RWY END MARKERS, WINDCONE AVBL.

C0344/17 NOTAMN

AERODROME

- A) RPXX B) 1706220000 C) 1707062359**
E) TRIGGER NOTAM - AIRAC AIP SUP A013/17 WEF 22 JUN 17.
ESTABLISHMENT OF SAN VICENTE AP

*****END OF NOTAM LIST *****