

CIVIL AVIATION AUTHORITY OF THE PHILIPPINES
AERONAUTICAL INFORMATION AND COMMUNICATIONS DIVISION

INTERNATIONAL NOTAM OFFICE
AIS Operations
2/F Airways Facilities Complex, CAAP Compound
Old MIA Road

Phone: (63-2) 944-2264 to 2266
AFS address: RPLLYNYX

Pasay City 1300
PHILIPPINES

MONTHLY SUMMARY
05/18

SUMMARY OF NOTAM IN FORCE

The following NOTAM C Series are still in force at **1805010028UTC**. NOTAMs not included herein have either time expired or have been cancelled, replaced or superseded by AIP Supplement or incorporated into the AIP-PHILIPPINES.

In the compilation of the Integrated Aeronautical Information Package (IAIP), care has been taken to ensure that the information contained therein is accurate and complete. Any errors and omissions, which may be detected, as well as any correspondence concerning the IAIP, should be referred to the above address.

YEAR = 2004
0045 0046 0098
YEAR = 2010
0059 0174 0251
YEAR = 2011
0357
YEAR = 2015
0046 0256
YEAR = 2016
0746
YEAR = 2017
0611 0612 0711 0739 0833 0834 0868 0910 0912 0927 0994 0996 0998
YEAR = 2018
0014 0016 0020 0051 0052 0053 0056 0061 0062 0063 0074 0089 0092
0112 0124 0127 0129 0131 0132 0133 0141 0145 0148 0151 0152 0153
0161 0162 0166 0187 0188 0189 0195 0198 0202 0204 0206 0207 0208
0210 0213 0214 0221 0222 0235 0238 0239 0255 0257 0259 0264 0265
0267 0268 0269 0272 0273 0274 0275 0276 0278 0279 0280 0281 0290
0291 0292 0293 0294 0295 0296 0297 0298 0299 0300 0301 0302 0303
0304 0305 0308 0309 0310 0311 0312 0313 0314 0315 0316 0317 0318
0319 0320 0321 0322 0323 0324 0325 0326 0327 0328 0329 0330 0331
0332 0333 0334

Latest AIP Amendments:

AIRAC AIP Amendment: 066 dated 29 MAR 2018

AIP Supplements in force:

AIRAC AIP Supplements: 002/13; 004/17; 007/17; 010/17; 016/17; 017/17; 018/17;
019/17; 020/17; 002/18; 003/18; 004/18; 005/18; 006/18; 007/18; 008/18

NON-AIRAC Supplements: 012/99; 043/00; 001/18

AIC:

NR 003 of 1999
NR 008 of 2000
NR 004; 006; 007 of 2007
NR 005; 007 of 2008
NR 006; 007; 008 of 2009
NR 004 of 2010
NR 003; 005; 006 of 2011
NR 005; 007; 008; 009 of 2012
NR 003; 004; 006 of 2013
NR 003 of 2014
NR 003 of 2015
NR 005 of 2016
NR 003; 004; 005; 006 of 2017
NR 001; 002 of 2018

FIR

RPHI - MANILA FIR

C0334/18 NOTAMR C0262/18

CHECKLIST

A) RPHI B) 1805010019 C) 1806010019EST

E) CHECKLIST

YEAR=2004 0045 0046 0098

YEAR=2010 0059 0174 0251

YEAR=2011 0357

YEAR=2015 0046 0256

YEAR=2016 0746

YEAR=2017 0611 0612 0711 0739 0833 0834 0868 0910 0912 0927 0994
0996 0998

YEAR=2018 0014 0016 0020 0051 0052 0053 0056 0061 0062 0063 0074

0089 0092 0112 0124 0127 0129 0131 0132 0133 0141 0145

0148 0151 0152 0153 0161 0162 0166 0187 0188 0189 0195

0198 0202 0204 0206 0207 0208 0210 0213 0214 0221 0222

0235 0238 0239 0255 0257 0259 0264 0265 0267 0268 0269

0272 0273 0274 0275 0276 0278 0279 0280 0281 0290 0291

0292 0293 0294 0295 0296 0297 0298 0299 0300 0301 0302

0303 0304 0305 0308 0309 0310 0311 0312 0313 0314 0315

0316 0317 0318 0319 0320 0321 0322 0323 0324 0325 0326

0327 0328 0329 0330 0331 0332 0333

LATEST PUBLICATIONS

AIP AIRAC AMDT 066/2018 EFFECTIVE DATE 29 MAR 18

AIP AIRAC SUP 008/2018 EFFECTIVE DATE 21 JUN 18

AIP SUP 001/2018 EFFECTIVE DATE 02 FEB 18

AIC 002/2018 EFFECTIVE DATE 02 FEB 18

AIRAC AIP AMDT EFFECTIVE DATE 21 JUN 2018 - NIL

AERODROMES

RPLP - LEGAZPI PRINCIPAL AP (CLASS 1)

C0711/17 NOTAMN

AD

A) RPLP B) 1711090000 C) PERM

E) AP HR OF OPS 2130-1330.

REF AIP PAGE RPLP AD 2-1 SECTION RPLP AD 2.3.

C0868/17 NOTAMN

REP POINT

A) RPLP B) 1712070000 C) PERM

E) ESTABLISHMENT OF WPT IN RPLP RNAV STAR RWY 24,

MASBA 4W, NAGA 4W, RAGAY 4W:

NAME OF SIGNIFICANT PT: AMYEL

COORD: 13 09 08.762N 123 59 50.409E

NAME OF SIGNIFICANT PT: LEMOR

COORD: 13 01 06.429N 123 45 19.661E

C0927/17 NOTAMR C0869/17

STAR

A) RPLP B) 1711191208 C) PERM

E) ADDN RNAV ARR RTE UTILIZING RWY24:

1. MASBA 4W

FM MASBA AT OR ABV 10000FT TO LEMOR TO AMYEL AT OR ABV 3500FT
TO GAYON AT OR ABV 2900FT.

2. NAGA 4W

FM NGA AT OR ABV 10000FT TO CARAM TO AMYEL AT OR ABV 3500FT
TO GAYON AT OR ABV 2900FT.

3. RAGAY 4W

FM RAGAY AT OR ABV 10000FT TO CARAM TO AMYEL AT OR ABV 3500FT
TO GAYON AT OR ABV 2900FT.

(REF AIP PAGE RPLP AD 2-15 TO 2-16)

C0016/18 NOTAMR C0758/17 **STAR**
A) RPLP B) 1801050749 C) 1803312359EST
E) ALTN/ADDITIONAL RTE FOR FLT ARR TO LEGAZPI UTILIZING RWY24:
 FM RAGAY PROCEED DCT TO LAHAR DCT TO PANIK DCT TO GAYON (IAF)
 FOR RNAV (GNSS) APCH RWY24.
 RMK: EXP MNM DESCENT ALT OF 4500FT UNTIL PANIK.

C0061/18 NOTAMR C0851/16 **REP POINT**
A) RPLP B) 1801210431 C) PERM
E) ESTABLISHMENT OF WPT IN RPLP RNAV STAR RWY24, MASBA 1W:
 NAME OF SIGNIFICANT PT: SAMON
 COORD: 12 56 33.493N 124 01 05.601E
 REF AIP PAGE RPLP AD 2-15 TO 2-16.

C0062/18 NOTAMR C0853/16 **STAR**
A) RPLP B) 1801210433 C) PERM
E) ADDN RNAV ARR RTE UTILIZING RWY24:
 MASBA 1W
 FM MASBA AT OR ABOVE 10000FT TO SAMON (12 56 33.493N 124 01 05.601E)
 TO PANIK AT OR ABOVE 4500FT TO GAYON AT OR ABOVE 2900FT.
 REF AIP PAGE RPLP AD 2-15 TO 2-16.

C0063/18 NOTAMR C0855/16 **STAR**
A) RPLP B) 1801210435 C) PERM
E) ADDN RNAV ARR ROUTE UTILIZING RWY06:
 MASBA 1E
 FM MASBA AT OR ABOVE 10000FT TO LAHAR AT OR ABOVE 2700FT.
 REF AIP PAGE RPLP AD 2-13 TO 2-14.

C0089/18 NOTAMN **RWY**
A) RPLP B) 1801260716 C) 1804260500EST
E) LDG RWY06 LTD TO VFR ONLY.

C0124/18 NOTAMR C0864/17 **IFR APCH PROC**
A) RPLP B) 1802060617 C) 1804242330EST
E) IAP RNAV GNSS RWY06 SUSPENDED DUE DISPLACED THR06.
 REF AIP PAGE RPLP AD 2-17 TO 2-18.

C0151/18 NOTAMN **RWY**
A) RPLP B) 1802150000 C) 1805151330
E) EXER EXTREME CTN DRG LDG/TKOF RWY06/24 DUE WIP
 (REHABILITATION OF DRAINAGE/CANAL AT THE RWY SHOULDER).
 RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

C0235/18 NOTAMN **DECLARED DIST**
A) RPLP B) 1803220322 C) 1806220930
E) TEMPO DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA	RMK
06	1980M	2119M	2119M	1812M	THR DISPLACED BY 168M
24	1980M	2080M	2080M	1980M	NIL
RWY	SWY	CWY			
06	139M	139M			
24	100M	100M			

C0278/18 NOTAMN **THR LGT**
A) RPLP B) 1804120854 C) 1807121300
E) AD CAT FOR FIRE FIGHTING SER DOWNGRADED TO CAT 6.

C0299/18 NOTAMR C0228/18 **WDI**
A) RPLP B) 1804190549 C) 1805210800EST
E) WDI RWY06 U/S.

C0311/18 NOTAMR C0233/18 **A/G FACILITY**
A) RPLP B) 1804230621 C) 1805230800EST
E) LEGAZPI APP FREQ 120.2MHZ ON LTD OPS AT EST LOCATION
20NM NORTH OF LEGAZPI DUE TO TERRAIN OBSTRUCTION.

C0312/18 NOTAMR C0236/18 **THR LGT**
A) RPLP B) 1804230624 C) 1805230800EST
E) RWY THR IDENT LGT (RTIL) RWY06 U/S DUE DISPLACED THR06.

C0313/18 NOTAMR C0237/18 **PAPI**
A) RPLP B) 1804230625 C) 1805230800EST
E) PAPI RWY06 U/S DUE DISPLACED THR06.

RPMC - COTABATO PRINCIPAL AP (CLASS 1)

C0739/17 NOTAMN **AD**
A) RPMC B) 1709140412 C) 1712130900EST
E) AP TEMPO HR OF OPS: 2300-0900.

C0014/18 NOTAMR C0740/17 **TWR**
A) RPMC B) 1801050743 C) 1804050900EST
E) TWR TEMPO HR OF OPS: 2300-0900.

C0074/18 NOTAMN **TWR**
A) RPMC B) 1801230615 C) 1804230800EST
E) AD CTL TWR SER CHANGED TO AD ADVS.

RMK: TWR CAB VIS BLOCKED BY TALL TREES ON THE FINAL APCH OF RWY10.

RPMG - DIPOLOG PRINCIPAL AP (CLASS 1)

C0294/18 NOTAMR C0012/18 **RWY**
A) RPMG B) 1804170610 C) 1807170900EST
E) EXER CTN DRG LDG RWY20.

RMK: FIRST 500M RWY20 NOT VISIBLE FM TWR CAB DUE BLOCKED BY TALL TREES.

C0295/18 NOTAMR C0013/17 **TWR**
A) RPMG B) 1804170611 C) 1807170600EST
E) AD CTL TWR SER CHANGED TO AD ADVS.

RMK: TWR CAB VIS BLOCKED BY TALL TREES APRX 300M BEGINNING RWY20.

C0303/18 NOTAMN **RWY**
A) RPMG B) 1804222300 C) 1807230900
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP
(ASPH OVERLAY OF RWY AND SHOULDER GRADE COR).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

C0327/18 NOTAMR C0250/18 **PAPI**
A) RPMG B) 1804260632 C) 1805250800EST
E) PAPI RWY02 ON TEST, DO NOT USE.
(AWAITING FLTCK VERIFICATION).

C0328/18 NOTAMR C0251/18 **PAPI**
A) RPMG B) 1804260634 C) 1805250800EST
E) APAPI RWY20 ON TEST, DO NOT USE.
(AWAITING FLTCK VERIFICATION).

RPML - CAGAYAN DE ORO PRINCIPAL AP (CLASS 1)

C0153/18 NOTAMN **AIRSPACE RESERVATION**
A) **RPML** B) 1803200000 C) 1806192359
E) SPECIAL OPS (DAY AND NGT FLYING) WILL TAKE PLACE WI:
3NM RADIUS CENTERED ON 08 24.77N 124 36.63E
(LUMBIA AP, CAGAYAN DE ORO CITY).
F) SFC G) 2500FT AMSL

RPMN - SANGA-SANGA PRINCIPAL AP (CLASS 2)

C0188/18 NOTAMR C0976/17 **DECLARED DIST**
A) **RPMN** B) 1802270539 C) 1805272359
E) RWY02 FIRST 196M CLSD. AVBL RWY LEN IS 1664M.

TEMPO DECLARED DIST:
RWY TORA TODA ASDA LDA
02 1664M 1664M 1664M 1664M
20 1664M 1664M 1664M 1664M

RWY SWY CWY
02 0 0
20 0 0.

C0189/18 NOTAMR C0966/17 **RWY**
A) **RPMN** B) 1802270541 C) 1805272359
E) EXER CTN DRG LDG/TKOF DUE WIP (WIDENING OF RWY, SITE DEVELOPMENT FOR
RWY EXTENSION AND EMBANKMENT OF OPN DRAINAGE CANAL PROJECT).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLEAR THE RWY.

RPMO - OZAMIS COMMUNITY AP

C0207/18 NOTAMN **RWY**
A) **RPMO** B) 1803090000 C) 1806090800
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP
(ASPHALT OVERLAY OF RWY).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

C0321/18 NOTAMN **PAPI**
A) **RPMO** B) 1804260616 C) 1805250800EST
E) PAPI RWY21 U/S.

RPMP - PAGADIAN PRINCIPAL AP (CLASS 1)

C0279/18 NOTAMR C0215/18 **PAPI**
A) **RPMP** B) 1804130308 C) 1805150800EST
E) PAPI RWY02 ON TEST, DO NOT USE (AWAITING FLTK VERIFICATION).

RPMS - SURIGAO PRINCIPAL AP (CLASS 2)

C0746/16 NOTAMN **RWY**
A) **RPMS** B) 1611080642 C) 1612080000EST
E) EXER CTN DRG LDG/TKOF RWY18/36 DUE PRESENCE OF SOFT, UNCOVERED
EXCAVATION AND STOCK PILES (APRX 600M LENGTH) LEFT SHOULDER OF
RWY18, STARTING 900M FM THR18. SOFT, UNCOVERED EXCAVATION
(APRX 300M LENGTH) LEFT SHOULDER OF RWY36, STARTING 300M FM THR36.

C0611/17 NOTAMN **RWY**
A) RPMS B) 1707310319 C) 1711020800EST
E) TEMPO RWY PHYSICAL CHARACTERISTICS:

RWY	DIMENSIONS	THR COORD	THR ELEV
18	1000M X 30M	09 45 33.612N 125 28 51.627E	7.71M
36	1000M X 30M	09 45 01.090N 125 28 52.620E	8.85M

RWY	SWY	CWY
18	0	60M
36	0	500M

C0612/17 NOTAMR C0164/17 **RWY**
A) RPMS B) 1707310321 C) 1711020800EST
E) RWY OPEN WITH THE FLW INFO:

TEMPO DECLARED DIST
RWY TORA TODA ASDA LDA
36 1000M 1500M 1000M 1000M

C0187/18 NOTAMR C0988/17 **RWY**
A) RPMS B) 1802270535 C) 1805270800
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP (ASPHALT OVERLAY AND WIDENING OF RWY AND SHOULDER GRADE CORRECTION).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLEAR THE RWY.

C0276/18 NOTAMR C0211/18 **PAPI**
A) RPMS B) 1803090507 C) 1804100900EST
E) PAPI RWY18/36 U/S.

RPMV - IPIL COMMUNITY AP

C0198/18 NOTAMN **RWY**
A) RPMV B) 1803052300 C) 1806060800
E) RWY18/36 CLSD TO ALL ACFT OPS DUE WIP (WIDENING AND EXTENSION OF RWY).

RPMY - LAGUINDINGAN AP

C0910/17 NOTAMN **IFR APCH PROC**
A) RPMY B) 1712070000 C) 1803072359EST
E) PARTICULARS IN PROFILE VIEW TO READ AS FLW:
ILS ID ILDG CHANGED TO ILGD
VOR ID LDG CHANGED TO LGD

REF AIRAC AIP SUP A018/17 PAGE 22 (IAP ILS OR LOC RWY27)
DATED 13 OCT 17.

C0912/17 NOTAMN **SIG POINT**
A) RPMY B) 1712070000 C) 1803072359EST
E) SIG POINT ANDRO CHANGED TO ANIKA.

REF AIRAC AIP SUP A018/17 PAGE 22 (IAP ILS OR LOC RWY27)
DATED 13 OCT 17.

C0265/18 NOTAMR C0199/18 **APCH LGT SYSTEM**
A) RPMY B) 1804030229 C) 1805070800EST
E) RWY THR IDENT LGT (RTIL) RWY09 U/S.

RPNO - SIOCON COMMUNITY AP

C0357/11 NOTAMN **RWY**
A) RPNO **B) 1108250348** **C) 1111250900EST**
E) AMEND RPNO AD 2.13 DECLARED DISTANCES RWY 09 REMARKS TO READ
AS CAOWW/FST 50M IS CONCRETE (PCCP).

RPNS - SIARGAO PRINCIPAL AP (CLASS 2)

C0833/17 NOTAMR C0756/17 **RWY**
A) RPNS **B) 1710180635** **C) PERM**
E) RWY PHYSICAL CHARACTERISTICS:

RWY	TRUE BRG	RWY DIMENSION	THR COORD OF RWY
01	9.87 GEO	1347M X 30M	09 51 09.2548N 126 00 50.8814E
19	189.87 GEO	1347M X 30M	09 51 52.4300N 126 00 58.4566E

RWY	THR ELEV	SWY	CWY
01	4.4095M/14.467FT	NIL	60M X 150M
19	9.9288M/32.574FT	NIL	60M X 150M

ARP COORD: 09 51 30.8410N 126 00 54.6690E
AP ELEV : 9.9288M/32.574FT

REF AIP PAGE RPNS AD 2-2 SECTION RPNS AD 2.12

C0834/17 NOTAMR C0738/17 **DECLARED DIST**
A) RPNS **B) 1710180647** **C) PERM**
E) DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA
01	1347M	1407M	1347M	1347M
19	1347M	1407M	1347M	1347M

REF AIP PAGE RPNS AD 2-2 SECTION RPNS AD 2.13

C0296/18 NOTAMR C0037/18 **FSS**
A) RPNS **B) 1804170612** **C) 1807170700EST**
E) TEMPO ESTABLISHMENT OF SIARGAO FSS WITH THE FLW PARTICULARS:

CALL SIGN: SIARGAO RDO
HR OF OPS: 2300-0700
A/G FREQ : 127.1MHZ
G/G FREQ : 5205KHZ PRI (MACTAN NETWORK)
OPERATOR : CAAP
RMK : FOR EXTENSION OF SER ONE (1) DAY PN.

RPSM - MAASIN COMMUNITY AP

C0166/18 NOTAMN **AD**
A) RPSM **B) 1802232158** **C) 1805230957**
E) TEMPO AP HRS OF OPS 2200-0400 DUE WIP
(EXCAVATION AT RWY34 AND EMBANKMENT AT THE SHOULDERS OF RWY16).

RPSN - UBAY COMMUNITY AP

C0251/10 NOTAMR C0259/06 **RWY**
A) RPSN **B) 1006100607** **C) 1009101000EST**
E) RWY CLSD DUE ABSENCE OF RWY MARKINGS/MARKERS AND INCOMPLETE
PERIMETER FENCE.

C0152/18 NOTAMN **AIRSPACE RESERVATION**
A) RPSN **B) 1803200000** **C) 1806192359**
E) SPECIAL OPS (DAY AND NGT FLYING) WILL TAKE PLACE WI:
3NM RADIUS CENTERED ON 10 03.53N 124 25.53E
(UBAY AIRSTRIP, UBAY, BOHOL).
F) SFC **G) 1500FT AMSL**

C0319/18 NOTAMN **AIRSPACE RESERVATION**
A) RPSN **B) 1806200000** **C) 1809192359**
E) AIRSPACE RESERVATION WILL TAKE PLACE WI:
3NM RADIUS CENTERED ON 10 03.53N 124 25.53E
(UBAY AIRSTRIP, UBAY, BOHOL).
F) SFC **G) 1500FT AMSL**

RPSV - SAN VICENTE AP

C0202/18 NOTAMN **AD**
A) RPSV **B) 1804260000** **C) 1805102359**
E) TRIGGER NOTAM - AIRAC AIP SUP A005/18 WEF 26 APR 2018.
ESTABLISHMENT OF SAN VICENTE AP.

C0213/18 NOTAMN **RWY**
A) RPSV **B) 1803140000** **C) 1806142359**
E) TEMPO RWY PHYSICAL CHARACTERISTICS:

RWY	RWY DIMENSION	THR COORD OF RWY	THR ELEV
04	1492M X 45M	10 31 14.22033N 119 16 11.20005E	7.296M
22	1492M X 45M	10 31 51.55459N 119 16 42.56096E	5.0559M
RWY	SWY CWY		
04	NIL 150M		
22	NIL 150M		

C0214/18 NOTAMN **DECLARED DIST**
A) RPSV **B) 1803140000** **C) 1806142359**
E) TEMPO DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA
04	1492M	1642M	1492M	1492M
22	1492M	1642M	1492M	1492M

C0238/18 NOTAMR C0220/18 **FSS**
A) RPSV **B) 1803220535** **C) 1805220900EST**
E) SAN VICENTE FSS TEMPO ESTABLISHED WITH THE FLW PARTICULARS:

CALL SIGN: SAN VICENTE RADIO
FREQ : 123.3MHZ A/G
: 5447.5KHZ P/P PRI FREQ (MANILA NETWORK)
HR OF OPS: 0100-0900
OPERATOR : CAAP
RMK: THE TWR FREQ FOR AP WITH AD CTL SER OR FSS FREQ WITH
ATS ADVS IS THE DESIGNATED UNICOM FREQ FOR USE WHEN
THESE SER ARE CLSD.
: FOR EXTENSION OF SER, ONE DAY PN IS REQUIRED.

C0239/18 NOTAMN **AD**
A) RPSV **B) 1803240000** **C) 1806212359**
E) OPR HR CHANGED AS FLW:
SECURITY: H24
AP OPS : 0000-0900

REF AIRAC AIP SUP A013/17.

RPUB - BAGUIO PRINCIPAL AP (CLASS 2)

C0056/18 NOTAMR C1019/17 **PAPI**
A) **RPUB** B) 1801190221 C) 1804010800EST
E) PAPI RWY27 LTD VIS AT LEFT SECT OF RWY DUE TO OBST. USABLE ON CO-PILOT SIDE ONLY.

C0281/18 NOTAMR C0218/18 **A/G FACILITY**
A) **RPUB** B) 1804130311 C) 1805150800EST
E) TWR PRI FREQ 123.5MHZ ON LTD RANGE, U/S BEYOND 15NM FM ARP.

RPUG - LINGAYEN PRINCIPAL AP (CLASS 1)

C0329/18 NOTAMN **AD**
A) **RPUG** B) 1804292300 C) 1805010800
D) 2300-0800
E) EXER EXTREME CTN WI: 1KM RADIUS CENTERED ON 16 02 10.15N 120 14 11.98E DUE TO PARAGLIDING AND KITE FLY ACT BEING CONDUCTED WI THE VCY OF LINGAYEN AP RWY08.

RPUH - SAN JOSE PRINCIPAL AP (CLASS 1)

C0268/18 NOTAMN **AD**
A) **RPUH** B) 1804062200 C) 1807040800
E) TEMPO AP HR OF OPS: MON-SAT 2200-0400.

C0269/18 NOTAM **RWY**
A) **RPUH** B) 1804072200 C) 1807080600
E) RWY10/28 CLSD EV SUN DUE WIP (RWY ASPH OVERLAY).

C0290/18 NOTAMR C0006/18 **FSS**
A) **RPUH** B) 1804170558 C) 1807170600EST
E) SAN JOSE FSS TEMPO HR OF OPS: 2100-0500.

RPUN - NAGA PRINCIPAL AP (CLASS 1)

C0133/18 NOTAMN **FSS**
A) **RPUN** B) 1803010600 C) PERM
E) NAGA FSS DE-ESTABLISHED.
(REF AIP PHILIPPINES RPUN AD 2-5 DATED 28 APR 16)

C0141/18 NOTAMN **TWR**
A) **RPUN** B) 1803290000 C) PERM
E) TWR ESTABLISHED WITH THE FLW PARTICULARS:

SER DESIGNATION : TWR
CALL SIGN : NAGA TWR
HR OF OPS : 2200-0600
FREQ : 122.1MHZ - A/G
5447.5KHZ - P/P PRI FREQ (MANILA NETWORK)
RMK : FOR EXTENSION OF SER ONE (1) DAY PN IS REQUIRED
(REF AIP PAGE RPUN AD 2-5 SECTION RPUN AD 2.18)

C0145/18 NOTAMN **AD**
A) **RPUN** B) 1803290000 C) PERM
E) AMEND NAGA ATS AIRSPACE PARTICULARS AS FLW:
1. DESIGNATION AND LATERAL LIMITS:
NAGA AD TFC ZONE (ATZ)
CIRCLE OF 5NM RADIUS CENTERED ON THE ARP.
2. VER LIMITS:
ATZ: SFC UP TO BUT EXCLUDING 2000FT.
3. AIRSPACE CLASSIFICATION: B.
4. ATS UNIT CALL SIGN: NAGA TWR

-continuation-

LANGUAGE: ENGLISH
5. TRANSITION ALT: NIL
6. RMK: NIL

(REF AIP RPUN AD 2-4 SECTION RPUN AD 2.17)

C0326/18 NOTAMR C0249/18 **MET**
A) **RPUN** B) 1804260631 C) 1805250800EST
E) MET SVC (WSPD INDICATOR) NOT AVBL.

RPUS - SAN FERNANDO COMMUNITY AP

C0051/18 NOTAMR C0616/17 **FIRE AND RESCUE**
A) **RPUS** B) 1801180820 C) 1804181000EST
E) RESCUE AND FIRE FIGHTING HRS OF OPS: 2200-1000

C0052/18 NOTAMR C0714/17 **RWY**
A) **RPUS** B) 1801180821 C) 1804180800EST
E) TEMPO RWY PHYSICAL CHARACTERISTICS:
RWY RWY DIMENSION THR COORD OF RWY THR ELEV
01 1319M X 45M 16 35 22.8120N THR 5.047M/16.557FT
120 18 09.5691E TDZ 5.005M/16.421FT
19 1319M X 45M 16 36 05.5399N THR 4.199M/13.775FT
120 18 13.5780E TDZ 4.370M/14.338FT

RWY SWY CWY
01 60M 60M
19 801M 660M

C0053/18 NOTAMR C0715/17 **DECLARED DIST**
A) **RPUS** B) 1801180822 C) 1804180800EST
E) TEMPO DECLARED DIST:

RWY TORA TODA ASDA LDA
01 1319M 1379M 1379M 1319M
19 1319M 1979M 2120M 1319M

C0292/18 NOTAMR C0010/18 **ATZ**
A) **RPUS** B) 1804170606 C) 1807170900EST
E) ATZ DOWNGRADED TO CLASS G AIRSPACE.

C0293/18 NOTAMR C0011/18 **TWR**
A) **RPUS** B) 1804170609 C) 1807170900EST
E) AD CTL TWR SER DOWNGRADED TO ADVS.

RMK: TWR CAB VIS BLOCKED BY TALL TREES
ON FINAL APCH RWY01.

C0314/18 NOTAMR C0241/18 **PAPI**
A) **RPUS** B) 1804230627 C) 1805230800EST
E) PAPI RWY19 U/S.

C0315/18 NOTAMR C0242/18 **PAPI**
A) **RPUS** B) 1804230628 C) 1805230800EST
E) PAPI RWY01 U/S.

RPUT - TUGUEGARAO PRINCIPAL AIRPORT (CLASS 2)

C0148/18 NOTAMN **RWY**
A) **RPUT** B) 1803290000 C) PERM
E) RWY DIMENSION CHANGED TO 1965M X 45M.

REF AIP PAGE RPUT AD 2-4 SECTION RPUT AD 2.12.

C0333/18 NOTAMN PAPI
A) RPUT B) 1804300900 C) 1805020800
E) PAPI RWY17/35 U/S.

RPUV - VIRAC PRINCIPAL AP (CLASS 2)

C0291/18 NOTAMR C0007/18 FSS
A) RPUV B) 1804170600 C) 1807170600EST
E) VIRAC FSS TEMPO HR OF OPS: 2100-0500.

C0323/18 NOTAMR C0246/18 PAPI
A) RPUV B) 1804260625 C) 1805250800EST
E) PAPI RWY06 U/S.

C0324/18 NOTAMR C0247/18 PAPI
A) RPUV B) 1804260628 C) 1805250800EST
E) PAPI RWY24 U/S.

C0325/18 NOTAMR C0248/18 NDB
A) RPUV B) 1804260629 C) 1805250800EST
E) NDB VC 268KHZ U/S.

RPUW - MARINDUQUE PRINCIPAL AP (CLASS 2)

C0161/18 NOTAMR C0953/17 RWY
A) RPUW B) 1802200434 C) 1805202359
E) RWY OPN TO ACFT OPS WITH THE FLW TEMPO
DECLARED DIST:
RWY TORA TODA ASDA LDA
16 1137M 1137M 1137M 1137M
34 1137M 1137M 1137M 1077M

RWY CWY SWY
16 0 0
34 0 0

RMK: FIRST 60M OF RWY34 IS DISPLACED.

C0309/18 NOTAMR C0232/18 PAPI
A) RPUW B) 1804230616 C) 1805230800EST
E) PAPI RWY16 U/S.

C0310/18 NOTAMR C0231/18 PAPI
A) RPUW B) 1804230619 C) 1805230800EST
E) PAPI RWY34 WITH THE FLW RESTRICTION:
LTD VIS AT LEFT SECT OF APCH PATH DUE OBSTRUCTING VEGETATION.

RPUX - PLARIDEL COMMUNITY AP

C0301/18 NOTAMR C0253/18 TWR
A) RPUX B) 1804200309 C) 1807210900EST
E) AD CTL TWR SER SUSPENDED. ADVZ AVBL.

C0304/18 NOTAMR C0240/18 AD
A) RPUX B) 1804200905 C) 1805210900EST
E) AP CLSD DUE OBSTRUCTION AT END OF RWY35.

RPUY - CAUAYAN COMMUNITY AP

C0317/18 NOTAMR C0100/18 RWY
A) RPUY B) 1804250109 C) 1807240800
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP (CONST OF TWY).

RMK: GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

RPVA - DANIEL Z. ROMUALDEZ PRINCIPAL AP (CLASS 1)

C0302/18 NOTAMR C0076/18 **RWY**
A) RPVA B) 1804200631 C) 1807201300
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP
 (REPAIR OF SHORE PROTECTION) AND PRESENCE OF OBST (CRANE)
 TOWARDS RWY18 LCA EAST SHORELINE APRX 205M FM RWY CL
 WITH MAX HGT OF 72FT.

RPVB - BACOLOD PRINCIPAL AP (CLASS 1)

C0305/18 NOTAMR C0243/18 **ILS MM**
A) RPVB B) 1804220100 C) 1806231200
E) ILS MIDDLE MARKER RWY03 U/S.

RPVC - CALBAYOG PRINCIPAL AP (CLASS 2)

C0330/18 NOTAMR C0097/18 **DECLARED DIST**
A) RPVC B) 1804300200 C) 1807300500
E) RWY35 THR DISPLACED BY 185M. AVBL RWY LEN IS 1340M.
 TEMPO DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA
17	1340M	1340M	1340M	1340M
35	1340M	1340M	1340M	1340M

RWY	SWY	CWY
17	0	0
35	0	0.

C0331/18 NOTAMR C0098/18 **RWY**
A) RPVC B) 1804300201 C) 1807300500
E) EXER CTN DRG LDG/TKOF DUE WIP (RWY WIDENING, ASPH OVERLAY AND
 PAINTING OF DISPLACED THR MARKINGS).

RPVD - DUMAGUETE PRINCIPAL AP (CLASS 1)

C0092/18 NOTAMR C0866/17 **ARO**
A) RPVD B) 1801260935 C) 1804260800EST
E) ATS HR OF OPS 2200-1000 WITH THE FLW PARTICULARS:
 1. LDG RWY27 ALLOWED DRG IMC.
 DEP RWY27 ALLOWED DRG DAY VMC ONLY.
 2. LDG RWY09 ALLOWED DRG DAY VMC EXC FOR A319 AND
 HIGHER CAT ACFT.
 DEP RWY09 ALLOWED DRG IMC.

 RMK: TKOF/LDG BEYOND HR OF OPS IS ALLOWED UPON REQ.

C0162/18 NOTAMR C0954/17 **DECLARED DIST**
A) RPVD B) 1802200436 C) 1805202359
E) RWY OPEN TO ACFT OPS WITH THE FLW TEMPO DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA	RMK
09	1845M	1845M	1845M	1437M	THR DISPLACED BY 408M
27	1845M	1845M	1845M	1845M	NIL

RWY	SWY	CWY
09	0	0
27	0	0.

C0222/18 NOTAMN **RWY**
A) RPVD B) 1803192200 C) 1806201100
E) EXER EXTREME CTN DRG LDG/TKOF RWY09/27 DUE WIP
 (ASPH OVERLAY OF RWY AND SHOULDER GRADE COR).

C0255/18 NOTAMR C0191/18 **VOR**
A) RPVD B) 1803270707 C) 1804270800EST
E) VOR DGT 114.1MHZ ON TEST. DO NOT USE
(AWAITING FLTCK VERIFICATION)

C0272/18 NOTAMN **RWY**
A) RPVD B) 1804260000 C) 1805232359
E) ADDN DATA FOR RWY PHYSICAL CHARACTERISTICS:

RWY	TRUE BRG	THR COORD	THR ELEV
09	93.2 DEG GEO	09 20 03.972N 123 17 50.754E	9.776M/32.072FT
27	273.2 DEG GEO	09 20 01.360N 123 18 37.772E	3.7143M/12.186FT

C0273/18 NOTAMN **RWY**
A) RPVD B) 1805240000 C) PERM
E) ADDN DATA FOR RWY PHYSICAL CHARACTERISTICS:

RWY	TRUE BRG	THR COORD	THR ELEV
09	93.2 DEG GEO	09 20 03.972N 123 17 50.754E	9.776M/32.072FT
27	273.2 DEG GEO	09 20 01.360N 123 18 37.772E	3.7143M/12.186FT

C0297/18 NOTAMR C0223/18 **THR LGT**
A) RPVD B) 1804190545 C) 1805210800EST
E) RWY THR IDENT LGT (RTIL) RWY09 U/S.

C0298/18 NOTAMR C0224/18 **PAPI**
A) RPVD B) 1804190547 C) 1805210800EST
E) PAPI RWY09 U/S.

C0322/18 NOTAMR C0245/18 **ABN**
A) RPVD B) 1804260623 C) 1805250800EST
E) ABN U/S

RPVE - GODOFREDO P. RAMOS PRINCIPAL AP (CLASS 2)

C0020/18 NOTAMN **FIRE AND RESCUE**
A) RPVE B) 1803010000 C) PERM
E) AD CAT FOR FIRE FIGHTING SER DOWNGRADED TO CAT VII.

C0112/18 NOTAMR C0816/17 **AD**
A) RPVE B) 1802010413 C) 1805311000EST
E) EXER EXTREME CTN DRG LDG/TKOF DUE CONCENTRATION OF BIRDS
IN THE VCY OF THE AD.

C0132/18 NOTAMR C0843/17 **RWY**
A) RPVE B) 1802070833 C) 1805071000EST
E) 1. CAT C ACFT FLYING THE PBN PROC:
A) LDG BEFORE SUNSET ALLOWED PROVIDED WX IS VMC.
B) TKOF UNTIL TWILIGHT ALLOWED PROVIDED WX IS VMC.
2. CAT B ACFT FLYING THE PBN PROC:
A) LDG AND TKOF ALLOWED PROVIDED WX IS VMC.
3. EXER CTN WHEN OPR AFTER SUNSET DUE:
A) NO OBST LGT OVER THE HILL ABM THR OF RWY06.
B) NEGATIVE APN EDGE LGT.
C) NON-STANDARD FLOOD LGT FIXTURES.
4. NO RE-LAND (CATICLAN) AFTER SUNSET FOR CAT C ACFT.

NOTE: AP HR OF OPS REMAIN AT 2200-1000. EXTENSION (ITEM 1 B AND 2 A) NEEDS CONCURRENCE FM TRANSAIRE AND CATICLAN TWR.

C0204/18 NOTAMN **AD**
A) **RPVE** B) 1804260000 C) PERM
E) NEW AD PARTICULARS:
REF TEMP - 30.20 DEG CELSIUS.
GEOID UNDULATION AT AD ELEV PSN - 53.726M (176.266FT).

REF AIP PAGE RPVE AD 2-1 AD 2.2 ITEM 3 AND 4.

C0206/18 NOTAMN **AD**
A) **RPVE** B) 1804260000 C) PERM
E) SRY POWER SUPPLY SWITCH-OVER TIME 0 SEC.

REF AIP PAGE RPVE AD 2-5 AD 2.15 ITEM 4.

C0208/18 NOTAMR C0009/18 **PRKG AREA**
A) **RPVE** B) 1803080854 C) 1806081000EST
E) PRKG BAY NR 08 CLSD DUE WIP.

C0210/18 NOTAMN **MET**
A) **RPVE** B) 1804260000 C) PERM
E) ANEMOMETER (WX POLE RWY06) COMPLETELY WITHDRAWN.

REF AIP PAGE RPVE AD 2-5.

C0274/18 NOTAMR C0021/18 **RWY**
A) **RPVE** B) 1804100743 C) 1807121000EST
E) EXER CTN DRG LDG/TKOF RWY06/24 DUE RANDOM LASER LGT EMITTING
FM UNIDENTIFIED SOURCES WEST PART OF APCH RWY06.

C0308/18 NOTAMN **AD**
A) **RPVE** B) 1804252200 C) 1807261000EST
E) AP TEMPO HR OF OPS: 0100-1000

RPVF - CATARMAN PRINCIPAL AP (CLASS 2)

C0316/18 NOTAMR C0099/18 **APN**
A) **RPVF** B) 1804250107 C) 1807240500
E) EXER CTN WHEN TAX AND PRKG AT THE APN DUE WIP
(REBLOCKING OF APN).

RPVG - GUIUAN COMMUNITY AP

C0256/15 NOTAMR C0854/13 **AD**
A) **RPVG** B) 1503190516 C) 1506192359EST
E) GUIUAN AP HR OF OPS : HJ

RPVI - ILOILO PRINCIPAL AP (CLASS 1)

C0994/17 NOTAMN **SID**
A) **RPVI** B) 1802010000 C) PERM
E) SID RWY02 PALAY (PAL) 3C DEP PROC CHANGED TO:
CLIMB TO CROSS IGANG AT 5000FT OR ABV.

(REF AIP PAGE RPVI AD 2-22)

C0996/17 NOTAMN **SID**
A) **RPVI** B) 1802010000 C) PERM
E) SID RWY20 PALAY (PAL) 3D DEP PROC CHANGED TO:
CLIMB TO CROSS IGANG AT 5000FT OR ABV.

(REF AIP PAGE RPVI AD 2-24)

C0998/17 NOTAMN **SID**
A) RPVI **B) 1802010000** **C) PERM**
E) RNAV SID RWY20:
 A. DEP RTE DESCRIPTION FOR BCD 1S CHANGED TO:
 CLIMB MAG TRACK 201 DEG. AT 1000FT (848FT), TURN LEFT DCT TO
 TACLI, TO ZELOG, TO BCD AT OR ABV 6000FT.
 B. ADD IN THE WAYPOINT LIST TABLE:
 WAYPOINT LAT LONG TYPE
 ZELOG N10 45 32.3470 E122 54 34.4470 FLY-BY

(REF AIP PAGE RPVI AD 2-32)

C0127/18 NOTAMR C0038/18 **PRKG AREA**
A) RPVI **B) 1802060839** **C) 1804032200EST**
E) PRKG BAY 7 CLSD DUE TEMPO HANGAR.

C0264/18 NOTAMR C0200/18 **ILS**
A) RPVI **B) 1804030228** **C) 1805070800EST**
E) ILS RWY20 U/S.

C0275/18 NOTAMR C0015/17 **IFR APCH PROC**
A) RPVI **B) 1804100847** **C) 1805070800EST**
E) IAP ILS RWY20 SUSPENDED DUE ILS RWY20 U/S.

REF AIP PAGE RPVI AD 2-37.

RPVJ - MASBATE PRINCIPAL AP (CLASS 2)

C0195/18 NOTAMN **AD**
A) RPVJ **B) 1804260000** **C) PERM**
E) ARP COORD CHANGED TO 12 22 09.85000N 123 37 47.30000E

REF AIP PAGE RPVJ AD 2-1 AND 2-4.

RPVO - ORMOC PRINCIPAL AP (CLASS 2)

C0129/18 NOTAMR C0031/18 **MOV AREA**
A) RPVO **B) 1802060856** **C) 1805052359**
E) EXER EXTREME CTN DRG LDG/TKOF DUE WIP
 (REHABILITATION OF DAMAGED RWY PORTION AND CONST OF
 ACCESS ROAD AND STEEL GATE).
 GIVE AMPLE TIME FOR MEN AND EQPT TO CLR THE RWY.

C0257/18 NOTAMN **RWY**
A) RPVO **B) 1804260000** **C) PERM**
E) NEW RWY PHYSICAL CHARACTERISTICS:

RWY	DIMENSIONS	THR COORD	THR ELEV
18	2042M X 36M	11 04 05.7709N 124 33 58.9071E	15.7168M
36	2042M X 36M	11 03 08.2170N 124 33 54.8560E	08.5950M

RWY	SWY	CWY
18	0	0
36	0	0

C0259/18 NOTAMN **DECLARED DIST**
A) RPVO **B) 1804260000** **C) PERM**
E) NEW DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA	RMK
18	2042M	2042M	2042M	2042M	NIL
36	2042M	2042M	2042M	1772M	THR DISPLACED BY 270M

RPVR - ROXAS PRINCIPAL AIRPORT (CLASS 1)

C0131/18 NOTAMR C0857/17 **TWR**
A) RPVR **B) 1802070831** **C) 1805071000EST**
E) TWR HR OF OPS: 2200-1000.
 RMK: LDG RWY14 AND TKOF RWY14/32 ALLOWED
 BEYOND HR OF OPS UPON REQ.

RPVS - ANTIQUE PRINCIPAL AP (CLASS 2)

C0267/18 NOTAMN **RWY**
A) RPVS **B) 1804060000** **C) 1807051000**
E) RWY18/36 CLSD DUE WIP (RWY ASPH OVERLAY).

RPVT - TAGBILARAN PRINCIPAL AP (CLASS 1)

C0046/15 NOTAMR C0520/14 **OBST**
A) RPVT **B) 1501220903** **C) 1503311000EST**
E) EXER CTN DRG LDG/TKOF RWY 17/35 DUE PRESENCE OF OBST:

 RADIO BCST ANTENNA APRX 1590M FM RWY 35 THR WITH ELEV 64.13M
 CLUSTER OF ANTENNA APRX 5667M FM RWY 35 THR WITH ELEV 221.43M
 SELF SUPPORT ANTENNA APRX 1572M FM RWY 35 THR AND 96M RIGHT OF
 THE PROJECTED RWY CL WITH ELEV 51.68M.

C0300/18 NOTAMN **RWY**
A) RPVT **B) 1804200023** **C) 1805201000**
E) EXER CTN DRG LDG/TKOF DUE PRESENCE OF POTHOLES APRX
200M FM THR RWY35 AND ABM TWY TO REMOTE APN.

C0332/18 NOTAMR C0095/18 **TWY EDGE LGT**
A) RPVT **B) 1804300345** **C) 1807310800EST**
E) EDGE LGT NORTH AND SOUTH TWY U/S.

RPVV - FRANCISCO B. REYES PRINCIPAL AP (CLASS 2)

C0280/18 NOTAMR C0216/18 **PAPI**
A) RPVV **B) 1804130310** **C) 1805150800EST**
E) PAPI RWY26 ON TEST, DO NOT USE (AWAITING FLTCK VERIFICATION).

RPVW - BORONGAN COMMUNITY AP

C0221/18 NOTAMN **DECLARED DIST**
A) RPVW **B) 1803180000** **C) 1806181000**
E) RWY02 THR DISPLACED BY 200M DUE WIP (RWY EXTENSION).

TEMPO DECLARED DIST:

RWY	TORA	TODA	ASDA	LDA
02	1200M	1240M	1240M	1000M
20	1200M	1200M	1200M	1200M
RWY	SWY	CWY		
02	40M	40M		
20	0	0		

RPVZ - SIQUIJOR COMMUNITY AP

C0318/18 NOTAMR C0101/18 **DECLARED DIST**
A) **RPVZ** B) 1804250111 C) 1807241000
E) 598M FM RWY04 THR CLSD. AVBL RWY LEN IS 602M.

TEMPO DECLARED DIST:
RWY TORA TODA ASDA LDA
04 602M 602M 602M 602M
22 602M 602M 602M 602M

RWY SWY CWY
04 0 0
22 0 0

C0320/18 NOTAMN **PJE/PARGL./HANGGL.**
A) **RPVZ** B) 1805012200 C) 1805311000
D) 2200-1000
E) PJE WILL TAKE PLACE WI:
1NM RADIUS CENTERED ON 09 12 51N 123 28 20E
(SIQUIJOR AP, SIQUIJOR).
F) SFC G) 700FT AMSL

RPXX

C0045/04 NOTAMN **HEL**
A) **RPXX** B) 0402050000 C) PERM
E) LDG/TKOF OF CIVILIAN HELICOPTERS AT CAMP AGUINALDO
SHALL USE THE LOGISTIC CENTER HELIPAD COORD 143626N 1210413E
WGS-84 (143631N 1210408E)

C0046/04 NOTAMR C0465/03 **AD**
A) **RPXX** B) 0402030200 C) PERM
E) APURAWAN AD, APURAWAN ABORLAN, PALAWAN IS
OPEN TO ACFT OPS.

C0098/04 NOTAMN **NDB**
A) **RPXX** B) 0403200000 C) PERM
E) MALAMPAYA NDB COORD 115141.2834N 1191849.0772E IS
HEREBY COMMISSIONED WITHN THE FLW PARTICULARS:
LOCATION 115141.2834N 1191849.0772E (MALAMPAYA
OFFSHORE PLATFORM, PALAWAN)
FREQ 315KHZ
OUTPUT 50W
COVERAGE 100NM
IDENT MP
EMISSION A2A/A3E
OPR AUTH SHELL PHILIPPINES EXPLORATION B.V.

C0059/10 NOTAMR C0079/08 **RWY**
A) **RPXX** B) 1001260908 C) 1004251000EST
E) CULION RWY CLSD TO ACFT OPS DUE WIP (UPGRADING OF RWY)

C0174/10 NOTAMR C0173/10 **AD**
A) **RPXX** B) 1004200230 C) 1007191000EST
D) 2200 - 1000
E) WAO AP, LANA O DEL SUR IS OPN TO ACFT OPS WITH THE
FLW PARTICULARS:
RWY DIMENSION : 1000M X 30M (MACADAM)
RWY DESIGNATION : 18/36
SWY : 50M/50M
CWY : 50M/50M
APRON : 80M X 50M (MACADAM)
ELEVATION : 536.00 AMSL
SLOPE : 0.70

-continuation-

HRS OF OPS : 2200-1000
ARP : 073819N 1244375E
RESTRICTION : CAOWW
OPR AUTH : CIVIL AVIATION AUTHORITY OF THE
PHILIPPINES

DECLARED DISTANCES:

RWY	TORA	TODA	ASDA	LDA
18	1000	1050	1050	1000
36	1000	1050	1050	1000

RMKS:

1. PILOTS ARE ADZ TO PASS OVR THE FIELD PRIOR TO ENTERING
TFC PATTERN TO BUZZ UNAUTHORIZED PERSONS/VEHICLES TO CLR
RWY BEFORE LDG.

2. VISUAL DAY MARKERS, DISTANCE TO GO, SWY MARKERS, RWY
SIDE MARKERS, RWY END MARKERS, WINDCONE AVBL.

*****END OF NOTAM LIST *****